

Benefit Accounting of Nature-Based Solutions for Watersheds

Guide



Project Team

Gregg Brill

Tien Shiao

Cora Kammeyer

Sarah Diringer

United Nations Global Compact CEO Water Mandate | www.ceowatermandate.org

Pacific Institute | www.pacinst.org

Kari Vigerstol

Naabia Ofosu-Amaah

Michael Matosich

The Nature Conservancy | www.nature.org

Carla Müller-Zantop

Danone S.A. | www.danone.com

Wendy Larson

Tim Dekker

LimnoTech | www.limno.com

Recommended Citation

Brill, Gregg, Tien Shiao, Cora Kammeyer, Sarah Diringer, Kari Vigerstol, Naabia Ofosu-Amaah, Michael Matosich, Carla Müller-Zantop, Wendy Larson and Tim Dekker (2021). Benefit Accounting of Nature-Based Solutions for Watersheds: Guide United Nations CEO Water Mandate and Pacific Institute. Oakland, California. www.ceowatermandate.org/nbs/guide

Funding Support

Grant funding has been generously provided by the Swedish International Development Cooperation Agency. Additional funding support for this initiative comes from the CEO Water Mandate endorsing companies with the lead sponsors being Asian Pulp and Paper, Danone, and Microsoft.

The editing and layout of this guide was kindly sponsored by Ramsar Convention on Wetlands to support the scaling up of nature-based solutions for wetland restoration, management, conservation and creation.

Acknowledgements

Thank you to the following reviewers and members of the expert advisory group who provided input on the content and structure of the document: Adrian Vogel (Stanford Natural Capital Project), Alex Nash (Asian Development Bank), Alexander Freitas (Dutch Government), Allison Aldous (The Nature Conservancy), Anders Alm (Swedish International Development Cooperation Agency), Andre Fourie (AB InBev), Anna Escuer (Google), Ben Willinsky (Arbor Day Foundation), Brooke Atwell (The Nature Conservancy), Carlo Galli (Nestle), David Grant (Pepsico), Diego Navarrete Encinales (The Nature Conservancy), Dustin Garrick (University of Oxford), Eddie Corwin (Google), Erin Beller (Google), Edwin Pinero (Ecometrix), Elisabeth Folkunger (Swedish International Development Cooperation Agency), Emilio Tenuta (Ecolab), France Guertin (Dow), Gena Gammie (Forest Trends), Hannah Baleta (Pacific Institute), Heather Cooley (Pacific Institute), Ian Knight (Mars), James Dalton (International Union for the Conservation of Nature), Jay Aldous (Ramsar Convention on Wetlands), Jehanne Fabre (Danone), Jonathan Higgins (The Nature Conservancy), Julia Magnusson (Swedish International Development Cooperation Agency), Kenna Halsey (Ecometrix), Kevin Halsey (Ecometrix), Librian Angraeni (Asia Pulp and Paper), Michael Cohen (Pacific Institute), Nathalie Dorflinger (Danone), Niki Frantzeskaki (Swinburne University), Owen Hewlett (Gold Standard), Patrick Laffly (Danone), Paul Fleming (Microsoft), Paul Reig (Blue Risk Intel), Prithi Sharma (Heineken), Rob McDonald (The Nature Conservancy), Robin Abell (Conservation International), Sarah Gammage (The Nature Conservancy), Shannon Quinn (Proctor & Gamble), Sharon Oseku-Frainier (Ramsar Convention on Wetlands), Shiteng Kang (The Nature Conservancy), Stephen Wood (The Nature Conservancy), Suzanne Ozment (World Resources Institute), Tara Varghese (Pepsico), Todd Bridges (US Army Corps of Engineers), Todd Redder (LimnoTech), Truke Smoor (Cargill), Ulrike Sapiro (Coca-Cola), Winston Yu (World Bank), Yayi Savitri (Asia Pulp and Paper) and Zebedee Njisuh (Ramsar Convention on Wetlands).

Cover Photo: ©Herbert2512/Pixabay

ISBN: 978-1-940148-12-0

Disclaimer

All of the views expressed in this publication are those of the project team and do not necessarily reflect those of the project sponsors. This publication contains preliminary research, analysis and findings. It is circulated to stimulate timely discussion and critical feedback, and to influence the ongoing development of further phases and work around the Benefit Accounting of Nature-Based Solutions for Watersheds project and other related work. This publication may eventually be published in another form and the content may be revised.

Table of Contents

Abbreviations	3
Executive Summary	4
Section 1: Introduction to Nature-Based Solutions for Watersheds	7
Nature-Based Solutions as a Concept	7
Advantages of Nature-Based Solutions	8
Benefit Identification and Accounting	9
Corporate Motivations for Investing in Nature-Based Solutions	10
Complementarity with Other Approaches	13
Limitations and Caveats.	14
Section 2: Identifying the Benefits of Nature-Based Solutions	15
Steps to Identifying the Benefits of Nature-Based Solutions	15
Identifying and Engaging Stakeholders and Beneficiaries	22
Collecting Data	23
Section 3: Calculating the Benefits of Nature-Based Solutions	24
Water Quantity Benefits	24
Water Quality Benefits	29
Carbon Sequestration and Avoided Carbon Emission Benefits.	34
Biodiversity and Environmental Benefits.	37
Socio-Economic Benefits	41
Trade-Offs	49
Monitoring and Evaluation of Nature-Based Solutions	50
Benefit Valuation	52
Section 4: Best Practices and Lessons Learned from Case Studies	53
Best Practices to Nature-Based Solutions	53
Lessons Learned from Nature-Based Solutions Case Studies.	55
Section 5: Conclusions and Next Steps	56
Continuing Work	57
Call to Action	58
References	59
Appendix A: Members of the Project's Expert Advisory Group	70
Appendix B: Agricultural Nature-Based Solutions Versus Best-Management Practices	71
Appendix C: Principles and Attributes of Nature-Based Solutions for Watersheds	72
Appendix D: Barriers and Opportunities to Developing and Implementing Nature-Based Solutions	79
Appendix E: Private Sector Efforts that Evaluate Multiple Benefits of Nature-Based Solutions	87
Appendix F: Details of Existing Approaches Complemented by this Guide	89
Appendix G: Steps for Method and Tool Development to Identify the Multiple Benefits of Nature-Based Solutions	90
Appendix H: Additional Socio-Economic Benefits.	101
Appendix I: Synthesis of Corporate Nature-Based Solutions Projects	104

Figures and Tables

Figure 1: Building the business case for nature-based solutions	10
Figure 2: Complementarity of nature-based solutions along the steps in the water stewardship journey	11
Figure 3: Proposed steps to follow for benefit identification across the design and implementation phases of NBS.	15
Figure 4: Framework for modeling social and ecological outcomes of NBS, including identifying the spatially explicit biodiversity outcomes	39
Figure G1: Overview of method development process	91
Figure G2: Functional stack developed for this project.	95
Figure G3: Relationship between water challenges and interventions that contribute to benefits or trade-offs	97
Figure G4: Method flow for forest restoration..	98
Figure G5: Method flow for forest restoration with restoration activity overlay.	100
Figure I1: Geographic distribution of NBS case studies reviewed	105
Figure I2: Breakdown of benefits claimed and measured in reviewed projects	106
Table 1: Entry points for company investment in nature-based solutions, including definitions and examples	12
Table 2: Complementarity of this guide to existing approaches under different categories	13
Table 3: Nature-based solution activity categories and sub-categories	18
Table 4: Identified primary NBS benefits categorized across five themes	20
Table 5: Water quantity benefits and associated activities, indicators and calculation methods.	26
Table 6: Activities that contribute to improved water quality and corresponding indicators and calculation methods.	30
Table 7: Carbon benefits and associated activities, indicators and calculation methods	36
Table 8: Biodiversity benefits, indicators, and calculation methods	38
Table 9: Benefits and indicators for socio-economic benefits.	42
Table 10: Best practices to nature-based solutions	54
Table A1: Names and company details of the members of the project's expert advisory group	70
Table B1: Differences between agricultural nature-based solutions and best management practices	71
Table E1: Examples of companies and tools developed to measure or evaluate the multiple benefits of nature-based solutions.	87
Table F1: Existing approaches, with relevant details, complemented by this guide (see Table 1)	89
Table G1: Habitat types and definitions used in this project.	92
Table G2: Intervention types, including definitions, used in this guide	93
Table G3: Habitat-intervention combinations	93
Table I1: Number of projects reviewed across different habitat and intervention types.	105



Acronyms

AWS	Alliance for Water Stewardship
BMPs	Best Management Practices
EPA	Environmental Protection Agency (United States federal agency)
ESII	Ecosystem Services Identification & Inventory
ESMC	Ecosystem Services Market Place
FAO	Food and Agriculture Organization (United Nations)
GHG	Greenhouse Gas
GIZ	Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH
GSI	Green Stormwater Infrastructure
InVEST	Integrated Valuation of Ecosystem Services and Tradeoffs
IUCN	International Union for the Conservation of Nature
LULC	Land Use/Land Cover
M&E	Monitoring and Evaluation
NBS	Nature-Based Solutions
NGOs	Non-Governmental Organizations
NTT	Nutrient Tracking Tool
OECD	Organization for Economic Co-operation and Development
REDD+	Reducing Emissions from Deforestation and Forest Degradation
RUSLE	Revised Universal Soil Loss Equation
SDGs	Sustainable Development Goals
SWAT	Soil and Water Assessment Tool
TNC	The Nature Conservancy
UN	United Nations
UNFCCC	United Nations Framework Convention on Climate Change
USDA	United States Department of Agriculture
VWBs	Volumetric Water Benefits
VWBA	Volumetric Water Benefit Accounting
WWF	World Wide Fund for Nature



Executive Summary

THE NATURE-BASED SOLUTIONS CHALLENGE

Nature-based solutions (NBS) have the potential to combat pressing global problems, including climate change, water security and biodiversity loss. This guide builds on [Benefit Accounting of Nature-Based Solutions for Watersheds Landscape Assessment](#) (Shiao et al., 2020), which highlights the barriers for businesses to implement NBS at a large scale. The primary challenge for corporations is that there is no standardized method to identify, estimate and monitor the benefits that NBS can provide, making it hard to build the case for investments in these solutions.

THE SOLUTION

To tackle this challenge and help companies accelerate NBS implementation, this guide provides a starting point to identify and measure the multiple benefits accruing from NBS investments. The guide indicates which specific NBS activities can be implemented in various habitats and suggests methods for measuring the benefits. A multi-stakeholder project team, including the CEO Water Mandate, Pacific Institute, The Nature Conservancy, Danone and LimnoTech, developed the guide. An expert advisory group, comprising members of governments, the private sector, academia, non-governmental organizations (NGOs) and funding and financing institutions, provided additional strategic and technical input (see Appendix A for a full list).

Private sector decision makers (e.g. sustainability practitioners, water stewardship teams, financial officers) involved in the investment, implementation and evaluation of NBS interventions, and who need to identify and demonstrate the potential benefits of NBS, are the primary audience for this guide. The secondary audience includes public sector actors, NGOs, investment organizations, development banks and funding agencies, academia, civil society groups and local communities involved in supporting and/or developing effective policies, programs and projects to incentivize implementation of and investment in NBS.

THE OBJECTIVE OF THIS GUIDE

Accounting for NBS benefits will improve a company's impact monitoring and help build the business case for these "green" solutions, thereby supporting widespread implementation. Specifically, the guide helps users account for and measure the stacked water¹, carbon and biodiversity benefits, as well as additional socio-economic benefits. The aim of this work is to increase the overall awareness of the value of NBS


¹ This guide focuses on freshwater. Benefits to seawater and marine life can also be realized through NBS but are not covered.

and increase investments in NBS, not only for ecosystem health and community development, but also for businesses directly. Overall, NBS help companies reach corporate sustainability goals, regulatory compliance and a financial return on investment.

IDENTIFYING BENEFITS

This guide presents a newly developed step-by-step process to identify benefits accrued from NBS across the design and implementation phases of an NBS project.

Proposed steps to follow for benefit identification across the design and implementation phases of NBS



The first step is to **identify the environmental and societal challenges** that can be addressed by NBS. Next, practitioners determine suitable **habitat and intervention types** in which NBS can be employed. Then, practitioners select relevant **NBS activities**, which support natural processes (physical, chemical and biological) that occur within habitats, and which are essential to the healthy functioning of ecosystems. Based on the activities selected, the guide presents different **categories of benefits** that are likely to occur following the actions. These benefits span five key themes: **water quantity** (e.g. surface water storage), **water quality** (e.g. groundwater and surface water quality improvements), **carbon** (e.g. sequestration), **biodiversity** (e.g. improved support for pollinators), and **socio-economics** (e.g. human health benefits and improved agricultural output). This guide explains the benefits, as well as potential trade-offs, in detail. Identifying and engaging stakeholders and beneficiaries, as well as collecting data throughout the project phases, is critical. The guide pays special attention to the distribution of these benefits and their importance for vulnerable and excluded groups, and integrates a gender perspective throughout the analysis.

ACCOUNTING FOR BENEFITS

The guide presents a variety of indicators and calculation methods, aligned with existing tools for NBS benefit accounting, which estimate and measure benefits. These estimations and measurements form a key component of a project, notably monitoring and evaluation² (M&E) efforts, ensuring that NBS are delivering the benefits identified through the benefit-identification steps. It is important to note that indicators should be selected based on the local context and range of stakeholders involved with or impacted by the project. Take care to ensure that the indicators selected are measuring the benefits of interest to stakeholders, including local communities.

BEST PRACTICES AND LESSONS LEARNED FROM CASE STUDIES

Building on the lessons learned through company interviews and from case-study reviews, the project team identified several best practices for NBS implementation. When accounting for NBS benefits, practitioners should keep in mind the following best practices to ensure that projects are sustainable and successful:

- Account for the specific local watershed context and its most important challenges;
- Consider spatial and temporal scales of implementation and benefit accrual;
- Consider potential trade-offs, including those between benefits achieved by different project designs (e.g. carbon vs. water benefits), adverse impacts (e.g. financial costs), or unintended consequences (e.g. water quantity impacts from increased vegetation, or unintentionally perpetuating inequities between local communities, vulnerable and excluded groups, and landholders);
- Identify legal, governance and financial mechanisms to manage and conserve natural resources effectively; and
- Implement robust M&E over time and space to assess project impacts.

In addition, an analysis of 94 case studies from across the globe demonstrates key lessons for companies to successfully scale up NBS projects, including:

- Record and share data collected around the NBS implemented, through feasibility studies and assessments. Companies can leverage mobile technology, big data analytics, and citizen science for data storage and collection;
- Promote learning, build capacity and provide training for companies and communities where NBS are being implemented; and
- Improve policy and financing mechanisms by engaging with governments, communities and other institutions to implement small grants, loans, regulatory processes, public-private partnerships and market mechanisms.

² Monitoring is an ongoing process of collecting and analyzing data to check a project or program. This data is used to plan, monitor and improve programs. Evaluation is the process of checking whether a program has met its objectives.



Section 1: Introduction to Nature-Based Solutions for Watersheds

Human impacts, such as land use change and unsustainable water use, are degrading ecosystem and water catchment functions. These impacts often lead to the reduced ability of ecosystems to sequester carbon, regulate water flows, maintain biodiversity and healthy waterways, promote social well-being, offer economic opportunities, and sustain agricultural productivity. Climate change is exacerbating these impacts by shifting weather patterns, degrading habitats, and increasing the recurrence and severity of natural disasters (Kabisch et al., 2016).

Nature-based solutions (NBS) provide a mechanism to adapt to and mitigate climate and land use impacts. Interest and investment in NBS have grown significantly over the last 5–10 years. However, barriers remain for widespread implementation, as identified in a recent landscape assessment (Shiao et al., 2020). A key challenge for businesses is the lack of a standardized method to account for the multiple benefits of NBS, which is needed to build the business case for NBS investments. This guide aims to fill this gap by providing a method to identify and account for the benefits of NBS across watersheds.

NATURE-BASED SOLUTIONS AS A CONCEPT

NBS are a promising option for adapting to and mitigating climate and other environmental and societal challenges. While several definitions of NBS have emerged (Shiao et al., 2020), there is no consensus over what should and should not be considered NBS. **This guide will adopt the International Union for the Conservation of Nature (IUCN) definition (2016), as it is the most established and referenced. The IUCN defines NBS as “actions to protect, sustainably manage, and restore natural or modified ecosystems, that address societal challenges effectively and adaptively, simultaneously providing human well-being and biodiversity benefits.”** Box 1 presents several related concepts.

BOX 1: Concepts Related to Nature-Based Solutions

- Ecological engineering
- Ecological infrastructure
- Ecosystem-based adaptation
- Ecosystem-based approaches
- Ecosystem-based disaster risk reduction
- Engineering with nature
- Green infrastructure
- Natural climate solutions
- Natural infrastructure
- Natural solutions
- Natural systems agriculture
- Natural water retention measures
- Nature-based infrastructure

ADVANTAGES OF NATURE-BASED SOLUTIONS

Investment in NBS offers a mechanism to restore degraded ecosystems and protect intact ecosystems, leading to improved or maintained water quality and quantity, carbon sequestration and increased biodiversity, among many other benefits (Global Commission on Adaptation and World Resources Institute, 2019). NBS can reduce water-related risks, making them a tool to mitigate and adapt to climate change and other shocks, such as floods, droughts and extreme weather events (Kabisch et al., 2016; Nesshöver et al., 2017; Kapos et al., 2019). Due to the multiple benefits that NBS provide, implementing NBS can help advance progress toward achieving the UN Sustainable Development Goals (SDGs), particularly SDG 6 (water), SDG 11 (sustainable cities and communities), SDG 13 (climate action), and SDG 15 (life on land).

NBS are often more flexible and resilient than many traditional engineered solutions (Browder et al., 2019), can be applied at the landscape scale, and implemented alone or in an integrated manner with other solutions (i.e. combined with technological and engineering solutions). There may be cases where NBS enhance the primary focus of a project, rather than being the main focus. For example, a project building solar arrays can use the land under and around the arrays for agriculture. Although the primary focus of the project is solar energy development, the project can leverage benefits from NBS such as food production, soil retention and carbon sequestration, which enhances the overall benefits of the full project. See Box 2 for comparisons and complementarity between NBS and gray solutions and Appendix B for linkages to agriculture.

BOX 2: Nature-Based Solutions Versus Gray Infrastructure Solutions

Due to the ability of NBS to deliver multiple benefits, NBS can be as much as five times more cost-effective than conventional engineered solutions (Narayan et al., 2016). Although gray infrastructure is effective when meeting one goal (e.g. treat water or retain water), it can be extremely costly to build and to maintain (OECD, 2020) and, over time, its value may depreciate significantly, while investments in NBS may appreciate as more services are realized (Matsler, 2019). However, studies which compare the value of NBS to traditional engineering are rare, and economic appraisals often do not properly capture the full suite of NBS co-benefits (OECD, 2020; Matsler, 2019). It may still be necessary for NBS implementers to make a logical and convincing case to internal decision makers to scale NBS throughout their operations and supply chains (Shiao et al., 2020).

This guide does not propose that NBS should be considered above all gray infrastructure solutions. NBS can take significantly more time to deliver benefits than gray infrastructure. The combination of gray and green infrastructure can be highly successful under the right conditions, and those looking to invest in infrastructure to solve critical societal issues should explore all options available to them. This guide does provide initial steps towards quantifying the value of NBS through identifying methods to calculate the multiple benefits of NBS for watersheds.

The value of integrating NBS principles (see Appendix C) into the design and implementation of infrastructure and systems to help address environmental and societal challenges has led to significant uptake of NBS by the public and private sectors, academia and NGOs. The growing impact of climate change has also expedited investment in NBS by various organizations, due in part to the monetary benefits of such investments. Estimated potential global monetary benefits of NBS can be found in Box 3.

BOX 3: Estimated Monetary Benefits of Nature-Based Solutions

The World Resources Institute (Cook & Taylor, 2020) estimates that:



Every dollar invested in restoring degraded forests would create between \$7–\$30 in benefits.



Wetland ecosystem services are worth up to \$15 trillion annually.



Restoring 160 million hectares of land would create \$84 billion in annual economic benefits globally.



Restoring upland forests and watersheds could save \$890 million each year for water utilities.




Protecting/restoring mangroves could create \$1 trillion in net benefits globally by 2030.

BENEFIT IDENTIFICATION AND ACCOUNTING

Benefit identification can be one of the biggest hurdles for companies, because those looking to make investments in NBS may not consider or be aware of all the possible benefits that can accrue across NBS projects, let alone know how to estimate or quantify them. Benefit accounting is the quantitative or qualitative estimation or measurement of each benefit that accrues when stakeholders undertake NBS activities (Shiao et al, 2020). Identifying and accounting for benefits enables NBS stakeholders to calculate the output, outcome and/or environmental, social and economic impact of a project (Shiao et. al., 2020). This guide provides companies and other interested parties the following resources for benefit identification and accounting (Figure 1):

- A method to **identify** a range of benefits that could accrue across different NBS; and
- Suggested **indicators and calculation options** for estimating and measuring benefits.

FIGURE 1: Building the business case for nature-based solutions, starting with benefit identification, through benefit accounting to benefit valuation. This guide covers benefit identification and accounting (inside the dotted box).




While benefit identification and accounting are important building blocks to enable actors to assign a monetary value to benefits (benefit valuation), this guide does not provide resources for this step. There are few benefit valuation approaches used by the private sector, and data to adequately report financial returns remain difficult to collect (Shiao et al., 2020). Benefit valuation nonetheless remains of interest to many in the private sector. This guide does not suggest that all NBS projects need to undertake benefit valuation, but rather proposes benefit valuation as a possible progression from benefit identification and accounting.

CORPORATE MOTIVATIONS FOR INVESTING IN NATURE-BASED SOLUTIONS

Companies are increasingly showing interest in supporting NBS for watersheds as part of their corporate water stewardship activities (Shiao et al, 2020). The process for implementing corporate water stewardship – sometimes referred to as the water stewardship journey – typically starts with addressing water management within a company’s operations, then across its value chain, developing robust targets and strategies across a company’s operations and value chain, and finally partnering with other stakeholders to advance (and track) projects that meet targets and address water risks in priority watersheds. NBS can fit into each of these steps, as shown in Figure 2, and NBS projects are generally considered a subset of water stewardship projects (South Pole, 2018).

Multiple barriers, including lack of internal buy-in or corporate culture (Conti et al., 2019), have limited corporate investment in NBS (see Appendix D for details). Companies further along the water stewardship journey may be better suited to implement NBS projects, although NBS may apply at any point along the journey.

FIGURE 2: Complementarity of nature-based solutions along the steps in the water stewardship journey



There are multiple ways that companies can arrive at a decision to invest in NBS. Entry points can include water stewardship, climate adaptation or mitigation, biodiversity and ecosystem health, or community development (see Table 1).

TABLE 1: Entry points for company investment in nature-based solutions, including definitions and examples

Entry Point	Definition	Examples
Water stewardship (within facility fence line and beyond fence line)	The socially equitable, environmentally sustainable and economically beneficial use of freshwater achieved through a stakeholder-inclusive process that involves site- and catchment-based actions, including activities to reduce corporate water risks (Alliance for Water Stewardship, 2017)	Watershed restoration, agricultural NBS and best management practices (see Appendix B), green stormwater infrastructure, water funds
Climate mitigation	Actions to sequester atmospheric carbon or avoid the release of additional carbon	Natural climate solutions, forest protection, soil health practices
Climate adaptation	Helping communities and ecosystems become more resilient in the face of climate change impacts, which can impact corporate supply chains in addition to operations	Disaster risk reduction, green infrastructure, urban heat effect reduction, coastal resilience
Ecosystem stewardship	Efforts to protect or restore ecosystem health and/or biodiversity	Habitat protection, restoration or management
Community development	Investments aimed at developing the economy and quality of life for local communities or urban areas	Job creation, environmental education, improvement of local governance mechanisms, urban greening, agricultural practices that improve yield

Within the private sector, there is growing recognition of the potential for NBS to address both water and climate risks. NBS can:

- **Generate multiple benefits** to help companies meet their sustainability targets, including economic, social, environmental and resilience targets (see examples in Appendix E), while providing additional benefits to the surrounding communities and environment;
- **Present cost-effective solutions** when multiple benefits are incorporated (Abell et al., 2017), and provide a greater return on investment compared to gray infrastructure projects (TNC et al., 2013);
- **Reduce regulatory, reputational, and physical water risks**, all of which are growing concerns to companies facing climate change-induced challenges;
- **Support long-term business continuity;** and
- **Align with the Task Force on Climate-Related Financial Disclosures**, which helps companies understand what financial markets want from disclosure to measure and respond to climate change risks and encourages firms to align their disclosures with investors' needs.

It is important to note that NBS do not offer only benefits; many interventions also have costs and may present trade-offs. Notably, there are two types of trade-offs that should be considered by practitioners when designing and/or implementing NBS (Diringer et al., 2020):

- The trade-off between two benefits that are achieved by different project designs which may not be possible or optimized in the same design, and
- Adverse impacts of a project (i.e. financial or social costs).

COMPLEMENTARITY WITH OTHER APPROACHES

Table 2 outlines how this guide complements some existing approaches which focus on water, carbon and biodiversity (see Appendix F for details on each approach). These complementarities demonstrate that many of the ideas and approaches defined in this guide can be applied more generally to other types of projects across multiple categories, even if NBS is not the focus of these projects.

TABLE 2: Complementarity of this guide to existing approaches under different categories

Category	Existing Approaches	Complementarity
Site-and project-level sustainability certifications	Alliance for Water Stewardship Standard Gold Standard	This guide can help companies meet certification requirements by helping practitioners select NBS projects, track the multiple benefits of NBS, monitor progress, and enable stakeholders to understand an organization's contribution to water stewardship, carbon reduction, and improved biodiversity.
Benefit identification	Pacific Institute's Multiple Benefits for Water Projects Think Nature's Nature-Based Solutions Handbook	This guide identifies multiple benefits, with a focus on water, carbon and biodiversity to inform investment in NBS projects.
Water target setting	Contextual Water Targets Science-Based Targets for Water	This guide helps stakeholders track the progress of NBS towards meeting water challenges by providing indicators and methods for water, carbon and biodiversity.
Impact evaluation	Dow's ESII Tool EcoMetrics EKLIPSE Impact Evaluation Framework Forest Trend's CUBHIC Tool to Quantify Water Benefits Natural Capital Protocol Volumetric Water Benefit Accounting	This guide informs outcomes, impacts and dependencies by identifying and estimating the magnitude of outputs of water, carbon and biodiversity NBS.


Additional initiatives engaging the private sector in NBS or other related activities can be found in a report from the World Business Council for Sustainable Development (WBCSD, 2020).

The steps for benefit identification presented in Section 2 are aligned with many of these approaches. These steps could be considered as complementary to other approaches, or potentially added to other approaches. Similarly, these other approaches may support practitioners in assessing the effectiveness of existing or future NBS and could be reviewed or considered for inclusion when designing, implementing or monitoring and evaluating NBS projects using the steps suggested in this guide.

LIMITATIONS AND CAVEATS

This guide presents the potential benefits of various NBS with a focus on water, carbon and biodiversity. But the ability for an NBS to deliver on a specific benefit, at the right place and time, varies depending on local context, scale and timing. It should be noted that this guide provides a general overview of the types of benefits produced by NBS (see Section 2) but may not be fully representative of every possible habitat and type of intervention, and it does not factor in local conditions, scale and timing. Furthermore, this guide is not able to provide indicators and calculation methods for every possible benefit, due to the context-specific nature of some habitats, and/or the lack of existing methods. Additionally, the guide does not cover all possible indicators or methods, but rather provides a framework for identifying and measuring benefits.

This guide presents a high-level description of appropriate quantification methods for a wide range of NBS benefits. Detailed descriptions of method applications and the data needed to conduct the analyses are beyond the scope of this phase of work. Practitioners should focus on benefits that are most relevant to key stakeholders and for which there is a higher likelihood of delivery, rather than trying to quantify as many benefits as possible. Practitioners are also urged to use indicators and calculation methods that best suit local conditions and characteristics, and will provide the level of detail and certainty key stakeholders need. Additional benefits not captured in this guide may also be accrued.



Section 2: Identifying the Benefits of Nature-Based Solutions




This section provides a starting point for identifying the potential benefits accruing from existing and future NBS investments. It details which NBS activities can be implemented across various habitat and intervention types to meet key societal challenges and provide multiple benefits.

STEPS TO IDENTIFYING THE BENEFITS OF NATURE-BASED SOLUTIONS

Figure 3 presents steps to follow when identifying the benefits of NBS across the design and implementation phases of NBS projects. Each step is described in more detail below.

FIGURE 3: Proposed steps to follow for benefit identification across the design and implementation phases of NBS



Step 1: Identify Environmental and Societal Challenges

NBS provide multiple options for addressing environmental and societal challenges, covering social, economic and ecological concerns, across different geographies and scales. These challenges can include water quantity issues (too much or too little), water quality concerns, carbon or biodiversity problems, human- or climate-induced changes to ecosystem functioning and health, or trying to meet socio-economic objectives (such as providing economic opportunities). These challenges could align with the focus of the SDGs, notably SDG 6 (water), SDG 11 (sustainable cities and communities) and SDG 13 (climate action).

Often, those looking to invest in NBS are trying to address multiple challenges simultaneously. A practitioner should start by identifying the challenges impacting them, or the broader community or landscape, as well as the root causes of those challenges. Shiao et al. (2020) provide an overview of these challenges across multiple habitat types. To realize the maximum benefits of NBS, identify and assess all major environmental and societal challenges in the context of the landscape in which NBS projects are planned. If it is not possible to assess all challenges, prioritize the most critical challenges as a starting point. Starting with the relevant environmental challenges can still enable an organization to utilize NBS effectively.

IN PRACTICE: Based on various water risk assessments around Danone's production sites, Rejoso watershed in the district of Pasuruan, in Indonesia, was identified as a priority location for action at Danone (AQUA). Unsustainable practices throughout the watershed are causing significant threats to the watershed, including forest encroachment, changing land use, unsustainable farming practices and unsustainable groundwater abstraction. Specifically, deforestation upstream is causing soil erosion and decreased water infiltration, reducing the availability of water. Unmanaged and rampant community drilling for groundwater for agricultural irrigation and domestic use is placing further stress on water supplies. In addition, the national strategic project of the Government of Indonesia to expand the coverage of clean water supply from Umbulan Spring to Pasuruan District and its surrounding areas (Sidoarjo District, Gresik District, and Surabaya City in East Java) is exacerbating the water pressures in the Rejoso watershed.

Step 2: Identify Available Habitat and Intervention Types

The next step in the design phase is to identify appropriate habitat and intervention types (see Appendices G and I) to develop NBS that address the specified environmental and societal challenges. Different habitats will be able to address challenges with varying degrees of effectiveness. For example, NBS implemented in or near aquatic habitat, such as along a river or wetland, may be more effective in addressing water quality or quantity issues, rather than trying to tackle these challenges in a grassland.

Based on the state of the habitat, different intervention types can be considered. There are four categories of interventions: restoration, management, conservation and creation (see Appendix G). Restoration and creation interventions typically require the most effort to physically alter a habitat type. Management and conservation efforts may require less physical effort (although they may be logistically and resource intensive) to achieve multiple benefits. It is important to note that these four intervention types are not

mutually exclusive (i.e. practitioners do not necessarily have to select one intervention over another). In fact, some interventions may require the inclusion of other intervention activities (e.g. protection of certain habitat types may require some degree of restoration and/or management activities). Where there is overlap, a combined intervention approach (e.g. management-protection) may be preferred.

IN PRACTICE: Danone partnered with Gadjah Mada University (Indonesia) and Montpellier University (France) to assess the hydrogeological conditions, and with World Agroforestry (ICRAF) to provide evidence-based information for selecting the target habitats for NBS interventions. A further partnership with Yayasan Konservasi Alam Nusantara was established to communicate with the local government so as to address Rejoso's watershed challenges. ICRAF developed the typology of the watershed by identifying clusters of landscapes with similar biophysical (i.e. land cover and management, farming system and practices including access to water, environmental problems faced, etc.) and socio-economic (i.e. wealth status, source of income, productivity) characteristics. The main habitats considered were croplands (including small-scale potato farmers upstream), agroforestry practices (midstream), and rice cultivation (downstream). The beneficiaries are smallholder farmers and local community groups across the watershed. Intervention types included restoration, management and protection, to return degraded ecosystems to a pre-disturbance state, manage natural resource use and limit excessive future human impact within the watershed.

Step 3: Identify Activities that Improve Natural Processes

Determining a clear set of habitat and intervention types is foundational to defining the types of NBS that can be implemented. Interventions can then be broken down into separate NBS activities (e.g. removing alien vegetation in a wetland or along a river to improve water flows) within a particular habitat-intervention combination (e.g. wetland restoration). The identification of such activities during the design phase will assist those planning to invest in NBS with resource allocation, budgeting and other operational elements needed during the implementation phase.

Multiple activities are proposed in Table 3, including relevant sub-categories and examples. During the implementation phase, these actions directly and indirectly influence the functioning and health of ecosystems. If successful, these activities will improve natural processes (e.g. production of clean air, filtering of water) in the landscape, which enhance the benefits healthy habitat provides. Importantly, not all activities will be suitable across all habitat and intervention types. Practitioners should therefore implement appropriate activities based on local conditions and contexts.

TABLE 3: Nature-based solution activity categories and sub-categories

Activity Categories	Sub-Categories/Examples
Harvest and store rainwater	Build retention/detention ponds, rain gardens, swales, diversion channels; rainwater harvesting
Construct treatment systems	Construct treatment wetlands
Recharge aquifers	Build retention/detention ponds, infiltration ponds; dig wells; remove hard surfaces; undertake artificial recharge
Re-establish hydrologic connection	Re-wet historical wetlands; undertake flood-plain inundation, channel reconnection; install bioswales and permeable surfaces
Remove hard surfaces	Remove roads, pavements, canals
Remove hard structures/barriers	Remove berms, seawalls, weirs, dams
Restore/improve soil health	Increase organic matter, carbon content; enhance earthworm populations, microbial activity; increase plant diversity; improve soil chemistry/pH
Restore/improve/stabilize substrates	Fix erosion; add natural structures; stabilize slopes, sand dunes; provide substrate for marine ecosystems
Dredge substrate	Remove sediment to improve flow/local hydrology; improve exchange or connectivity between surface water and groundwater; remove contaminated sediments; drain wetlands
Restore/plant/sustain native vegetation	Plant trees and buffer zones; undertake successional planting; restore habitats (restore agricultural lands to natural areas)
Manage/repopulate native fauna	Reintroduce or increase number of indigenous animals to influence ecosystem functioning
Remove invasive species	Remove foreign flora and fauna (including reducing evapotranspiration by alien vegetation)
Undertake brush control	Reduce fuel load; cut tall grass/weeds to allow seedlings to get enough light
Undertake fire management	Restore natural fire regime
Avoid/limit habitat conversion	Implement conservation easements; purchase land for conservation
Reduce/avoid resource abstraction	Implement legal and financial transactions/mechanisms
Install barriers	Install fences, wire, grids to reduce livestock/animal impacts; reduce unwanted herbivory, foot traffic
Introduce grazing management systems	Undertake silvopasture, rotational grazing
Implement terraced/contour planting	Follow natural gradients of landscape/no levelling of slopes
Plant vegetation buffers	Plant cover crops, grass strips, hedge rows, riparian buffers, trees in croplands
Undertake mulching and fertilizing	Distribute animal manure, biochar, organic matter; build compost pits; undertake conservation tillage

IN PRACTICE: The first project phase included reforestation in upstream areas and densification of agroforestry in midstream areas to improve soil and water infiltration. The main activity in the second phase was aimed at increasing water efficiency and reducing greenhouse gas emissions from rice cultivation in paddies by downstream rice farmers in the watershed. This is paired with regenerative BMPs around optimizing irrigation practices and limiting chemical fertilizer application. All efforts combined will effectively impact chemical and hydrogeological structures across the area. In addition, Danone supported local governance structures to reduce resource abstraction. Specifically, a new public-private partnership will support the implementation of local water resources regulation, including welling procedures, and enable payments for ecosystem services.

Step 4: Identify Benefits and Trade-offs

The NBS activities in watersheds lead to outcomes that can be both positive (benefits) and negative (trade-offs). Generally, however, the results arrive in the form of multiple benefits, with some trade-offs that may be unavoidable or unintended. Benefits can be delineated by themes (e.g. water, carbon, environment, etc.) as presented in Table 4. NBS activities yield different magnitudes of benefits over different spatial and temporal scales. During the design phase of the project, NBS practitioners should identify the scales and magnitudes of benefits needed for project success. After NBS activities have been undertaken during the implementation phase, the previously identified benefits should then be estimated or measured (see Section 3 on benefit accounting) to ensure that the project is accruing appropriate benefits for multiple beneficiaries.



TABLE 4: Identified primary NBS benefits categorized across five themes

Theme	Benefits
Water quantity	<ul style="list-style-type: none"> Reduced/avoided surface runoff and associated erosion Improved/maintained surface water storage Increased/maintained groundwater recharge and storage Improved/maintained flow regime Improved/maintained flood protection and mitigation (inland and coastal)
Water quality	<ul style="list-style-type: none"> Improved/maintained surface water quality Improved/maintained groundwater quality
Carbon	<ul style="list-style-type: none"> Improved/maintained carbon sequestration Reduced carbon emissions
Biodiversity and environment	<ul style="list-style-type: none"> Improved/increased terrestrial habitat availability and quality (including soil health (see Box 4)) Improved/maintained aquatic habitat availability and quality Improved/maintained terrestrial habitat connectivity Improved/maintained aquatic habitat connectivity Improved/maintained support for local pollinators Improved/maintained natural pest control Increased/maintained abundance and diversity of native plant species Increased/maintained abundance and diversity of native animal species
Socio-economics	<ul style="list-style-type: none"> Improved/maintained climate adaptation and mitigation Improved/maintained livelihood opportunities Improved/maintained human health Improved/maintained agriculture/agricultural output Expanded/maintained religious/spiritual settings Enhanced/maintained microclimate regulation Improved/maintained opportunities for education/scientific study Increased/maintained food security Improved/maintained recreation/tourism opportunities Increased/maintained property/land value

BOX 4: Soil Health

Many companies, particularly those with an agricultural component to their business, are significantly concerned about soil health. Sustainable management practices build soil health by increasing water infiltration and retention, increasing nutrient supply through increased organic forms of nutrients, and buffering against changes in soil pH. These changes in soil health lead to agronomic benefits like greater yield resilience under extreme weather events and, in some cases, enhanced crop and forage nutritional quality. Some agricultural practices that build soil health, like incorporating native vegetation into farm fields and edge-of-field areas, can also increase habitat for biodiversity. Practices such as no-till, cover crops, intercropping, agroforestry, silvopasture and targeted nutrient management are examples of in-field farm management practices that can improve soil health.

Soil health is a fundamental element in healthy ecosystems. Environmental benefits include improvements to biotic and abiotic soil communities, avoided greenhouse gas emissions, increased carbon sequestration and improved water quality. Mulching and fertilizing, in urban and rural areas, can also greatly improve soil health.

Across the benefit themes (see Table 5), soil health influences water quality, water retention, carbon, biodiversity and various socio-economic areas. Soil health is thus a common theme and can be measured by a combination of metrics within these themes. Practitioners looking to invest in NBS should pay attention to soil health to ensure that ecological processes and functions are restored, maintained or improved.

The identification of benefits and trade-offs for NBS is based on a scientific understanding of the processes and flows affected within each ecosystem, but many factors can impact the actual delivery of the benefits and trade-offs. These factors include the quality of implementation (using native species, using scientifically-designed plantings, etc.), the degree to which the reality of implementation on the ground matches the plans or directives for implementation, the scale of implementation, land use change or other human-related impacts outside of the intervention area of the NBS, extreme events, natural plant inconsistencies in growth and survival rates, and the quality and frequency of maintenance of the NBS over time.

To understand when and where benefits are most likely to occur, a growing body of research has collated and analyzed field-based studies for insights that can inform implementation and investment. Some examples include:

- Oxford University's [NBS Evidence Platform](#)
- The Nature Conservancy's (TNC) [AgEvidence](#) (for Agricultural NBS and best management practices)
- Literature review of agricultural NBS from TNC and the Food and Agriculture Organization (FAO) TNC, Wildlife Conservation Society and the National Center for Ecological Analysis and Synthesis' SNAPP working group on [water quantity impacts of NBS](#) or [NBS for sanitation](#)

IN PRACTICE: Danone identified a wide range of benefits across water (improved groundwater recharge and reduced surface runoff and erosion), carbon (carbon sequestration and avoided methane emissions), environmental (improved terrestrial habitat quality including soil health) and economic (improved agricultural output) categories. These benefits would increase if actions were to be scaled up across a larger area. Trade-offs appeared within the economic impact category for rice farmers, as they have to prioritize improved quality over productivity (higher yields). These trade-offs are minimized by linking the farmers with better access to agricultural financing and market.

IDENTIFYING AND ENGAGING STAKEHOLDERS AND BENEFICIARIES

It is crucial that stakeholders are engaged from the outset of the project. Engagement should be an ongoing practice throughout each step of the NBS design and implementation phases, as well as during M&E. This engagement should aim to assess and reassess the needs and societal challenges of communities adjacent to the habitats where NBS are planned, identify who the beneficiaries of NBS are across different spatial and temporal scales, and ensure trade-offs are not unfairly distributed. When identifying benefits and beneficiaries, it is important to understand which benefits are prioritized by different beneficiaries versus which benefits are potentially less important. Conduct a similar process for assessing trade-offs. By understanding benefit or trade-off priorities, practitioners can better understand how to evaluate benefit and trade-off distribution. Inclusion of historically excluded groups (based on gender, race or socio-economic status, etc.), should be prioritized.

It is also key to understand how beneficiaries articulate their benefit needs. Some stakeholders may indicate that certain activities influence environmental processes and functions, which they may not perceive as direct benefits. For example, restoring forest habitat may enhance soil stability and soil health. To the environment, that may result in better water retention, less erosion, more soil carbon sequestration, etc. To a potential stakeholder, these may not be considered a benefit. To them, the benefits may be reduced flooding, income from carbon credits, improved crop productivity, etc. This nuance is therefore an important consideration to note during the stakeholder identification and engagement phases and may inform how benefits are reported and measured.

IN PRACTICE: In order to ensure that all relevant stakeholders were included in all project phases, Danone and ICRAF conducted a stakeholder mapping and capacity-building exercise. Consequently, regular meetings were established with farmers, traders, farmers committees and organizations and other relevant local groups. The aim is to collectively identify gaps and solutions, build clear action plans and conduct capacity-building workshops. Campaigns, events, and other communication assets are aimed at raising local awareness on project actions and disseminate best practices. During Covid-19, the companies produced interactive videos to train farmers virtually and ensure the project continues. Danone has found it especially impactful to make this project a fully community-driven initiative, rather than corporate-led, to ensure widespread inclusion and engagement. The multi-stakeholder movement for watershed protection has a local office and supporting staff.

COLLECTING DATA

Data collection should also start during the NBS design phase and continue throughout subsequent project phases. Interviews with internal and external stakeholders will form the basis of what challenges the project will address, as well as what the project aims to achieve. This includes the need to conduct socio-economic and hydrogeological studies, to measure environmental and societal baseline data before project implementation and ensure that the project addresses real-world challenges. Data collection should continue with operational and maintenance benchmarks during and after implementation. These data will allow for quantitative analyses of benefits accrued from NBS and to determine improvements in the watershed over time. The nature and scale of the project and the resources and funds available to those collecting data will influence the frequency and intensity of data collection, as well as the type of data collected (e.g. qualitative versus quantitative, in-depth samples versus superficial, etc.).

IN PRACTICE: Danone started data collection started during the project's design phase to understand local pressures and water risks and tailor actions to optimally address them. The company conducted extensive hydrogeological studies cooperatively with Gadjah Mada University (Indonesia) and Montpellier University (France). Several post-graduate students screened the watershed to understand water flow regimes and collect primary data. A socio-economic study was conducted with ICRAF to assess the needs of potential beneficiaries. M&E are taking place throughout project implementation to evaluate project impacts. While actions were initially aimed at the entire watershed, it became clear that NBS in agricultural landscapes had the largest potential impact on the watershed. Therefore, project actions were adapted to focus increasingly on rice farmers downstream. To measure the multiple benefits, farmers have received technical support for monitoring systems and water meters, to collect and analyze data around resource use efficiency, water quality and soil health and GHG emissions. Indicators on farmers' livelihoods are also measured, such as productivity and profits, and qualitative household surveys are conducted to assess awareness to conservation agriculture, network improvements and more.

Section 3: Calculating the Benefits of Nature-Based Solutions



Calculating benefits and trade-offs from NBS is an important step in ensuring that NBS are providing adequate benefits for all beneficiaries across appropriate temporal and spatial scales. This section provides a variety of indicators and calculation methods to quantify water, carbon and biodiversity benefits, as well as some socio-economic benefits, based on existing NBS approaches that have been adopted extensively around the world.

Accounting for NBS benefits is a key component of a project's M&E efforts, helping to ensure that NBS are delivering the benefits identified through the steps proposed in the previous section. It is important to note that the selection of indicators depends on the local context and stakeholders. Take care to ensure that the indicators selected are measuring the benefits of interest to stakeholders, including local communities.

WATER QUANTITY BENEFITS

Hydrologic processes are fundamental to the performance of natural systems, and consequently hydrologic benefits are an important part of the characterization of overall NBS benefits. Water enables and sustains a host of processes essential to the life cycles of plants and animals, both terrestrial and aquatic. Hydrologic processes act at many scales: from the water budget of an entire watershed to the action of tiny capillaries in plant roots, water's effects can be observed and quantified. Hydrologic processes also operate in many different settings, including sheet flow and rill (shallow channel) formation in a watershed's headwaters, slow moving groundwater, surface water flow in creeks and rivers, and tidal exchange in estuaries.

Water benefits relate to the many ways that water cycles through natural systems: as flowing water that cleanses and provides nourishment, as groundwater that provides filtration and root zone replenishment, or as stored water that provides buffering against dry periods and protection from flooding. Hydrologic benefits are characterized using metrics and tools that are based in hydrologic sciences, which provide ways to observe, measure and record the way water flows through natural systems.

The methods provided below (Table 5) are drawn from a recent report, *Volumetric Water Benefit Accounting (VWBA): A Method for Implementing and Valuing Water Stewardship Activities* (Reig et al., 2019). Volumetric water benefits (VWBs) are defined as “the volume of water resulting from water stewardship activities, relative to a unit of time, that modify the hydrology in a beneficial way and/or help reduce shared water challenges, improve water stewardship outcomes, and meet the targets of Sustainable Development Goal 6.” The VWBA report provides water stewardship practitioners with a standardized approach and set of indicators to quantify and communicate the VWBs of effective water stewardship activities that increase the likelihood of generating social, economic and environmental benefits and solving shared water challenges. This guide has adapted the activity column (Table 5) to align with the activity list in Table 3, as well as added a habitat intervention column to indicate where these activities are relevant.



TABLE 5: Water quantity benefits and associated activities, indicators and calculation methods

Benefit	Habitat Intervention	Activity	Indicator	Calculation Method
Reduced/avoided surface runoff and associated erosion Improved flood protection (inland and coastal)	Land protection (forests, grassland)	Avoided habitat conversion	Avoided runoff	Curve number method
	Land restoration and management	Plant/restore native vegetation	Reduced runoff	Curve number method
	Agricultural management	Agricultural NBS (e.g. plant vegetation buffers including cover crops)	Reduced runoff	Curve number method
Improved surface water storage	Wetland creation (artificial or introduced)	Construct treatment systems (wetland treatment systems, rain garden treatment systems)	Volume treated	Volume treated method
	Urban greenspace creation, wetland creation	Store rainwater (retention/detention ponds, rain gardens, etc.)	Volume captured	Volume captured method
	Land and wetland restoration	Remove invasive and aggressive indigenous species	Reduced evapotranspiration*	Evapotranspiration method
Improved flood protection (inland and coastal)	Wetland, river and lake restoration and management	Re-establish hydrologic connection (flood-plain inundation, rewetting of historical wetland)	Increased inundation volume	Inundation method
Increased groundwater recharge and storage	Wetland protection	Avoided habitat conversion (wetland)	Maintained recharge	Recharge method
	Urban greenspace creation, agricultural creation	Capture rainwater and recharge aquifers	Increased recharge	Capture and infiltration method or recharge method
Improved flow regime	River restoration	Reduced/avoided resource abstraction	Reduced withdrawal or consumption	Withdrawal or consumption method
	River, wetland, lake, mangrove and estuary restoration	Remove hard structures (in-stream barrier removal)	Improved flow regime	Hydrograph method
	Land and wetland restoration	Remove invasive and aggressive indigenous species	Reduced evapotranspiration*	Evapotranspiration method

*Where site-specific modeling or monitoring data are available to support the analysis, volumetric benefit associated with invasive species removal may be quantified based on improved flow regime.

Source: Volumetric Water Benefit Accounting (VWBA): A Method for Implementing and Valuing Water Stewardship Activities (Reig et al., 2019)

As shown in Table 5, indicators and calculation methods for each benefit vary by activity. In the application of these methods, it is important to keep in mind the temporal and spatial scale of the activity. The calculation methods can be applied to estimate or measure the direct volumetric benefit of a particular activity when the improved habitat is fully functional, rather than an immediate benefit or the benefit at a watershed scale. As an example, baseflow *may* be improved by activities that are implemented in upland areas, such as activities that reduce runoff and enhance surface storage. Most restoration activities are not of sufficient spatial scale to improve baseflow in a stream, and there are many other factors such as climate and other watershed activities that increase or reduce the magnitude, timing and duration of baseflow. But the calculation methods can be applied to estimate the volume of water that does not run off the land or that is captured and stored as a direct result of the activity when the project is fully functional.

A brief description of each calculation method listed in Table 5 is provided below. These pragmatic approaches can be applied using readily available information with a reasonable level of investment. More detailed descriptions of each method including required inputs, applications and example illustrations are provided in the VWBA report (Reig et al., 2019). It should be noted that the VWBA methods are not designed to provide a detailed and prescriptive “how to” manual for quantifying VWBs; rather, it serves as general guidance to inform the quantification process. Also, the VWBA report is published as a working paper, which means the VWBA can be enhanced with lessons learned from piloting the methods, monitoring, data collection and analysis to strengthen hydrological models and validate assumptions. Where appropriate, other documents and approaches that report on or support volumetric benefits should also be considered.

Curve Number Method: This method, as implemented in the Soil and Water Assessment Tool (SWAT) model (Neitsch et al., 2011), is an empirical method for estimating runoff quantities based on land cover, land use, soil type and slope, and accounting for temporal changes in precipitation and soil water content. This method can be used to calculate the change in runoff due to land protection and land restoration activities, as well as agricultural NBS or BMPs. The method calculates the potential average annual VWB based on the project design, but in the case of restoration, there can be a time lag between the time the site is planted and the time it is fully restored. A detailed description of this method is provided in Appendix A-1 of the VWBA report (Reig et al., 2019).

Withdrawal and Consumption Methods: The Withdrawal method calculates the long-term average annual reduced volume of water withdrawn for use. Withdrawal volume may be calculated as volume of water diverted from the source (i.e., surface water or groundwater) based on the duration of the diversion and the diversion flow rate over that time. Withdrawal volume may also be based on the volume leased or purchased through transactions involving water rights, where the reduced volume withdrawn is reassigned to keep the water in stream. The Consumption method applies to agricultural water demand reduction measures, although in some cases the Withdrawal method will be more appropriate. Detailed descriptions of the Withdrawal and Consumption methods are provided in Appendix A-2 of the VWBA report (Reig et al., 2019).

Capture and Infiltration Method: This method is applied to calculate the volume recharged to groundwater, based on available supply (i.e., volume draining from catchment), the volume captured by these activities and losses associated with evaporation (if any), and use (i.e., withdrawal). First, the method

calculates the volume captured as the minimum of available supply and storage potential. Storage potential is based on the design storage capacity of the activity and the number of times it fills to capacity. Recharge volume is calculated by subtracting evaporation and usage losses. See Appendix A-4 of the VWBA report (Reig et al., 2019) for a detailed description of this method.

Volume Captured Method: This method can be applied to stormwater management activities through a two-step approach. The first step is to calculate the volume of stormwater directed to a stormwater BMP using the Runoff Reduction method (Hirschman et al. 2018). This supply volume is calculated by considering annual average rainfall and runoff coefficients that correspond to the site land cover conditions. The proportional area of pervious (forest, turf, etc.) and impervious (concrete, metal, etc.) surfaces and their corresponding runoff coefficients are considered in the supply volume calculations. The next step is to calculate the volume captured by multiplying the supply volume estimated by a runoff reduction factor corresponding to the BMP. See Appendix A-5 of the VWBA report (Reig et al., 2019) for a detailed description of this method.

Volume Treated Method: This method applies to constructed treatment wetland systems that improve water quality. In some cases, these projects benefit wildlife and birds, and/or increase recharge. While the focus is on water quality, a water quantity benefit reflects a volume of water that is purified and made available for other uses. The approach can be applied to constructed wetland treatment systems that are designed to capture and treat non-point source runoff. It can also be applied to wastewater treatment plants (point sources). This method involves:

- Selecting local water quality target(s) relevant to the pollutant(s) of concern and tied to the recognized uses of the receiving water (e.g. designated or actual uses);
- Confirming that the influent water does not meet the water quality target (before treatment);
- Confirming that the treated discharge meets the appropriate target(s); and
- Estimating the volume of water treated annually.

See Appendix A-6 of the VWBA report (Reig et al., 2019) for a detailed description of this method.

Recharge Method: This method typically enables estimation of the volumetric benefit for wetland activities. Wetlands capture rainfall and runoff, and the water infiltrates the substrates, which may recharge an aquifer. Where recharge occurs, this method estimates the volume infiltrated based on ponded surface area and infiltration rate, accounting for time that water is retained in the wetlands. The volume recharged is equal to the product of the wetland surface area, the infiltration rate based on soil texture and the duration of time the wetland is inundated. This method is applicable for wetland types that provide recharge function. In addition to enhancing recharge, wetlands provide surface water benefits, including flow attenuation, hydroperiod regulation and aquatic habitat benefits. If recharge is not the objective or the primary hydrologic function provided by the project wetland, an alternative approach for quantifying the VWB may be warranted. Alternative approaches may include evaluation of inundation volume, increased storage volume or hydroperiod restoration, depending on the primary objective of the project. For example, the VWB of a flood-plain reconnection project may be calculated as the increased inundation volume. Alternatively,

the VWB of a side channel reconnection project may be calculated as the minimum flow providing habitat benefits to a key species and the duration over which that benefit is provided (e.g. spawning period for a migratory fish). See Appendix A-7 of the VWBA report (Reig et al., 2019) for a detailed description of this method.

Hydrograph Method: This method evaluates the change in the hydrograph that results from removal of an in-stream barrier or due to dam reoperation. A hydrograph shows the rate of flow versus time past a specific point in a river. This method requires hydrographs for the time of ecological significance, from before and after the dam or barrier removal or dam reoperation. Hydrographs can be obtained from (a) a flow time series derived from stream flow monitoring; or (b) a hydraulic model that simulates the baseline (without-project conditions) and with-project conditions. Second, the with-project hydrograph is subtracted from the baseline daily. This will likely result in both positive and negative differences, both of which can represent a return to a more natural flow regime. The absolute value of the difference in the two hydrographs is calculated daily and then summed over the period of interest. The VWB is calculated as the volume difference between the two hydrographs. See Appendix A-8 of the VWBA report (Reig et al., 2019) for a detailed description of this method.

Evapotranspiration Method: When invasive plants are removed and replaced with native vegetation, less water may be lost to evapotranspiration (ET). This can increase the volume of water storage in a wetland, increase water availability for native plants, increase infiltration, or have other beneficial impacts (Le Maitre et al., 2020). The Evapotranspiration method relies on published studies of ET for the invasive and native species. The ET value (in mm) is multiplied by the surface area (accounting for density) to estimate the volume lost to ET. The difference in ET between the pre-project condition (with invasive vegetation) and post-project condition (native plants) is equal to the volumetric benefit.

Inundation Method: This method calculates the volumetric benefit of a flood-plain reconnection project, which can be derived from the increased inundation volume: increased inundation area multiplied by average depth, multiplied by the average number of inundations per year. A similar approach is appropriate for a project that involves rewetting of a wetland, where the primary objective is to increase the storage volume for habitat improvement (rather than to increase recharge).

WATER QUALITY BENEFITS

Disturbance of natural land cover from developed and agricultural landscapes contributes to degradation of surface water quality in multiple ways. First, reduction of natural land cover increases the rate of runoff by reducing natural infiltration capacity. Second, the quality of runoff deteriorates due to increased soil erosion, and in many cases from non-point source pollution due to specific land uses. A range of protection, restoration, management and creation interventions may be implemented to avoid or reduce these impacts, with a corresponding benefit of improved surface water quality. The mass of avoided or reduced pollutant load (sediment, excess nutrients, fecal matter, heavy metals and oils, etc.) per time unit is calculated using monitoring, modeling methods or a combination of the two.

Table 6 provides recommended indicators and calculation methods by activity for water quality benefits. These calculation methods can be applied to estimate the benefits of completed projects after monitoring data and other information has been collected and is available for analyses. A company may want to estimate the rough order-of-magnitude water quality benefits for a project as part of the selection process before this information is available. In this case, monitoring data collected from similar systems in the same region or simplified model results may be used to estimate pre-project benefits.

TABLE 6: Activities that contribute to improved water quality and corresponding indicators and calculation methods

Benefit	Habitat Intervention	Activity	Indicator	Calculation Method
Improved/ maintained surface water quality	Land protection	Avoided habitat conversion	Avoided pollutant load	Modified simple method; Revised Universal Soil Loss Equation (RUSLE)
	Land restoration and management	Plant/restore native vegetation	Reduced pollutant load	Modified simple method; RUSLE
		Remove hard surfaces	Reduced pollutant load	Modified simple method; RUSLE
	Aquatic restoration and management	Restore/improve/stabilize substrates (streambank stabilization)	Reduced pollutant load	Stream bank recession rate
	Agricultural management	Agricultural NBS (e.g. restore/improve soil health, grazing management systems, implement terraced/contour planting, mulching and fertilizing)	Reduced pollutant load	RUSLE or agricultural BMP models under development (e.g. Nutrient Tracking Tool)
		Agricultural NBS (e.g. plant vegetation buffers)	Reduced pollutant load	Pollutant reduction efficiency method
	Wetland creation	Construct treatment systems (wetland treatment systems, stormwater capture/treatment systems with well-defined inlets and outlets: bioswales, constructed wetlands)	Reduced pollutant load	Direct monitoring
		Construct treatment systems (stormwater capture/treatment systems without well-defined inlets and outlets: rain gardens, conservation landscaping, bioretention, green roofs)	Reduced pollutant load	Modified simple method

Direct Monitoring

Many NBS activities that involve green infrastructure have a defined inlet and outlet where water quantity and quality may be measured. Monitoring at these locations enables a comparison of the pollutant load that enters the structure with the load being discharged after treatment.

It may not be possible to collect monitoring data for every NBS project, particularly when multiple small systems are constructed across a landscape. To meet this need, the water quality benefits calculated for stormwater capture/treatment systems with a proven track record based on monitoring conducted as part of demonstration projects may be scaled up as appropriate.

The key steps for monitoring are:

1. Identify parameters of concern;
2. Develop a monitoring program that includes baseline monitoring before the project is implemented;
3. Implement program;
4. Review and synthesize data; and
5. Calculate load reduction.

For more detailed information on M&E of NBS, see Appendix D.

Modeling

Models are often necessary to estimate water quality improvements associated with certain stormwater practices (green roofs, rain gardens, etc.), land conservation, land cover restoration and agricultural NBS and BMPs. This is because it is not possible to measure load avoided due to land conservation and certain stormwater practices, and it can be prohibitively expensive to measure reduced pollutant load that is distributed over broad landscapes.

Models can be used to calculate water quality benefits by conducting model simulations for “before” and “after” conditions, and then calculating the difference in loads. For restoration projects, the benefit is equal to the difference between pollutant loads for existing conditions and pollutant loads under a restored condition of intact forest or grassland. For green roofs and rain gardens, the benefit is the difference between the pollutant loading rate for the existing condition and the expected pollutant load with stormwater controls implemented. For protection projects, the benefit is equal to the difference between pollutant loads for a hypothetical developed condition (e.g. residential development, cropland) and pollutant loads for the existing intact condition. For agricultural NBS and BMPs, the benefit is the difference between the pollutant loading rate for existing conditions and the expected pollutant load with NBS and/or BMPs implemented.

We recommend separate modeling frameworks depending upon whether benefits are being developed for urban or agricultural watersheds, as described below.

Modified Simple Method: The Modified simple method (Schueler, 1987) is a widely used tool developed to estimate pollutant loading for stormwater runoff from non-agricultural areas. The simple method multiplies an estimated annual average runoff volume by an average land use-specific runoff concentration to generate an annual load for each land use considered. The method requires information on drainage area considered, percentage of impervious cover, annual precipitation and stormwater runoff pollutant concentrations.

This method estimates a runoff coefficient based upon the percentage of impervious cover, which is combined with drainage area and annual precipitation to generate an annual runoff volume. The modified simple method described here replaces the annual precipitation-based runoff calculation with the Curve number method described above for calculating quantity benefits, and provides an alternative method for generating annual runoff volume.

Typical concentration values for nutrients, solids and several heavy metals are provided based upon assessment of observed stormwater concentrations collected through municipal, state or national agencies. For example, the United States' National Urban Runoff Program provides such values (Smullen & Cave, 1998). This method can also be used to estimate pollutant loads associated with pre-development and/or restored conditions using curve numbers as described earlier and runoff concentrations associated with the pre-development/restored land use (described by the New Hampshire Department of Environmental Services, 2008).

Revised Universal Soil Loss Equation: This Revised Universal Soil Loss Equation (RUSLE) calculates the long-term average annual rate of erosion based on climate, soil, topography and land use. The method was originally developed by Wischmeier and Smith (1978) but has been routinely updated over time and is now implemented in the modeling package [RUSLE 2](#) supported by the U.S. Department of Agriculture's Agricultural Research Service. Based on information provided by users, RUSLE 2 calculates factors representing rainfall erosivity, soil erodibility, topography and land use/management practices to generate an annual average soil erosion rate. RUSLE generates estimates of erosion loss for soil only and does not calculate loads for other parameters such as nitrogen or phosphorus. Load estimates for these parameters can be calculated by multiplying predicted soil erosion load by the estimated soil nutrient concentrations, using guidance provided by the U.S. Environmental Protection Agency (EPA) (1982).

Pollutant Reduction Efficiency Method: Functioning riparian buffers more than 100 feet wide can filter out significant amounts of the nutrient and sediment loads delivered to them from upland sources (Sweeney and Newbold, 2014). Arscott et al. (2020) assumed mean pollutant reduction efficiencies of 41 per cent for total nitrogen, 40 per cent for total phosphorus, and 54 per cent for sediment for buffers of at least 100 feet in width, and those values are used here.

Models Under Development

Several modeling tools for estimating the water quality benefits of agricultural practices are in rapid development, driven in large part by ecosystem services markets. For example, the [Ecosystem Services Market Consortium \(ESMC\)](#) is working toward launch of a “fully functioning national scale ecosystem services market conceived and designed to sell both carbon and water quality and quantity credits for the agriculture sector by 2022.” The U.S. Department of Agriculture [Nutrient Tracking Tool \(NTT\)](#) estimates nutrient and sediment losses from crop and pasture lands at the field and/or watershed scales for selected agricultural management scenarios. NTT estimates are made using the Agricultural Policy/Extender (APEX) model (Version 0806) (Williams et al., 2000; Williams et al., 2015). A limitation of the NTT is that it does not address the full range of agricultural management scenarios, and it has only been tested in select regions of the United States so it cannot be widely applied globally.

Stream Bank Recession Rate: NBS can reduce pollutant loading from eroding stream banks in multiple ways. Rapid and large increases in stream flow are a primary cause of bank erosion. NBS that reduce runoff rates consequently reduce the flashiness of stream flow³ and the resulting erosive capacity. In addition, restoration of rooted vegetation in riparian areas makes stream banks less susceptible to erosion. The benefit of NBS can be calculated for those cases where solutions are implemented to eliminate bank erosion, based upon local knowledge of the current rate of bank recession (how many feet per year the bank is eroding) and the average depth of eroding banks. Recession rate can be determined via direct measurement or indirectly using historical remote sensing imagery. Pollutant loading under existing eroding conditions can be estimated by multiplying the existing rate of bank recession by the depth of eroding banks and an assumed soil density. Nutrient loads can be calculated using estimated soil nutrient concentrations, using EPA (1982) guidance discussed above. Because the expectation of streambank stabilization is to eliminate erosion in the area stabilized, the benefit of stabilization is equal to the pollutant loading rate calculated for the existing pre-stabilized condition.

3 The flashiness of a stream reflects how quickly flow in a river or stream increases and decreases during a storm.



BOX 5: Calculation Methods for Nature-Based Solutions and Groundwater Quality

Groundwater is an essential resource, used for supplying potable water to urban and rural areas and for supporting groundwater-dependent ecosystems. Groundwater is used for irrigation, potable supply and economic development, and plays a fundamental role in the functioning of natural systems (Baoxiang et al., 2012; Kumar et al., 2015). The quality of groundwater globally is decreasing, due to anthropogenic impacts such as contamination from various pollutants and over-abstraction leading to saltwater intrusion in coastal areas, among other reasons.

There are many methods for assessing groundwater quality, but these methods cannot currently quantify the changes in groundwater quality as a result of implementing a particular NBS. This is due to the variability of soil chemistry and composition, the spatial extent of the aquifer, location of point sources of potential contamination, as well as other parameters (Mohamed et al., 2019), such as hydrodynamic and transfer parameters of aquifers and their spatial distribution. The time transfer of water infiltration through the unsaturated zone plus the groundwater flow dynamics (i.e. inertia) is not instantaneous; the impact of NBS implementation may therefore take several years or even decades to be observed in groundwater quality.

The degree of groundwater pollution risk which influences water quality has a direct connection to the pollution discharge and environmental vulnerability of the watershed. Strict control of pollution sources (e.g. industrial and domestic effluent, reduce diffuse source pollution linked to agriculture) is necessary to improve the status of groundwater and implement suitable solutions to address these pollutants. NBS can often be a cost-effective and efficient means of addressing and improving groundwater quality (Bergkamp & Cross, 2006; UNWWAP, 2018). In the absence of data, we recommend defining representative water points (wells, springs, etc.) within the watershed where NBS activities are implemented to carry out monitoring at least twice a year (under high and low water stages).

CARBON SEQUESTRATION AND AVOIDED CARBON EMISSION BENEFITS

Biological carbon sequestration is the process of capturing and storing atmospheric carbon dioxide in vegetation such as grasslands or forests, as well as in soils. Carbon is sequestered in soil by plants through photosynthesis and can be stored as soil organic carbon. Interventions and activities that involve land or wetland conservation or restoration and some agricultural NBS and BMPs can sequester carbon.

Several open and established methods and tools, with varying levels of sophistication, can estimate the carbon-related benefits of NBS:

- [Winrock International's Forest Landscape Restoration Carbon Storage Calculator](#) estimates tons of carbon dioxide (CO₂) stored for each acre of restored forest, sorted by forest type and by global region (Bernal et al., 2018). The calculator is based on an extensive literature review of biomass accumulation rates and accessed via a simple lookup table (IUCN, 2018).
- The [Natural Capital Project's InVEST](#) (Integrated Valuation of Ecosystem Services and Tradeoffs) open-source software uses a relatively simple terrestrial ecosystem biomass and soil carbon model to calculate net annual carbon balance (positive or negative) following a change from one land use/land cover (LULC) type to another and based on global datasets of LULC, soil carbon and other parameters. For tropical forests, InVEST includes a more sophisticated model that incorporates fragmentation effects in its estimates of carbon storage.

- For the purposes of carbon credit trading, a number of organizations have developed greenhouse gas (GHG) benefit quantification methodologies based largely on the Intergovernmental Panel on Climate Change’s (IPCC) 2006 Guidelines for National GHG Inventories. Notable examples include the United Nations’ [Verified Carbon Standard](#) project, [Gold Standard](#) for the Global Goals and World Resources Institute’s GHG Protocol for Project Accounting.

These methods all generally recommend calculations based on field measurements, but most also offer alternatives for when field measurements are not available. Verified Carbon Standard and Gold Standard quantification methodologies exist for afforestation/reforestation, grassland management, improved agricultural tillage and wetland restoration/creation. The United States Geological Survey has compiled many of these IPCC approaches (Zhu et al., 2010).

Stock-change or gain-loss methods to estimate avoided CO₂ emissions or CO₂ removals (Table 7) are based on information regarding activity data (i.e. hectares of protected area) and emission factors (i.e. tons of avoided CO₂(t CO₂e)). IPCC (2006) presents a detailed description of the tiers used to estimate avoided CO₂ emissions and removals, based on the accuracy of available information. There are other methods for estimating CO₂ emissions and removals, such as using biogeochemical models like RothC, DNDC, COMET, and others. Estimates of removals can also be made through direct measurement of changes in soil stocks, such as outlined in the [VM00021 soil carbon quantification methodology](#) from Verra. All of these approaches can also be used to calculate avoided atmospheric methane (CH₄) emissions and nitrous oxide (N₂O).

TABLE 7: Carbon benefits and associated activities, indicators and calculation methods

Benefit	Habitat Intervention	Activity	Indicator	Calculation Method
Improved carbon sequestration	Land restoration, wetland and mangrove restoration	Plant/restore native vegetation, introduce grazing management systems	CO ₂ removals by above- and below-ground biomass and soil	Stock-change or gain-loss methods
	Agricultural management	Agricultural NBS (introduce grazing management systems, plant vegetation buffers)	CO ₂ removals by above- and below-ground biomass and soil	Stock-change or gain-loss methods
Reduced/ avoided carbon emissions	Land (forest, grassland) protection	Avoided habitat conversion (forest, grassland)	Avoided CO ₂ emissions from above- and below-ground biomass and soil	Stock-change or gain-loss methods
	Agricultural management	Agricultural NBS (activities relating to rice management like restoring/ improving soil health)	Avoided CH ₄ emissions from soil (rice fields)	Stock-change or gain-loss methods
	Wetland protection	Avoided habitat conversion	Avoided CH ₄ emissions from soil at wetlands	Stock-change or gain-loss methods

Although CO₂ is the greenhouse gas most in focus globally, depending on the activity it can be equally or more important to consider sources and sinks for these other gases given that CH₄ has 56 times the warming potential of CO₂ while N₂O warming potential is 280 times that of CO₂ in a 20-year span (IPCC). Avoiding N₂O emissions from cropland is another important component of NBS for climate mitigation in agriculture. However, we have focused on carbon here, given its prevalence as the greenhouse gas of most interest or concern across a variety of sectors.

Most quantification protocols describe several critical but nuanced considerations that are important to consider, including the concepts of “leakage” and “additionality.” Leakage refers to a spillover effect whereby carbon-friendly measures in one place are undone by relocated actions elsewhere (e.g. one acre of rainforest is protected, which leads to a different acre of rainforest being logged). The additionality concept refers to a net “additional” carbon benefit, or whether an existing benefit is just being counted as a new one (e.g. not cutting down an acre of rainforest is counted as a credit, when nothing really changed; preventing a loss is not the same as adding a gain). With the increasing stakes of carbon markets and climate-friendly investments, these issues have led to debates about what counts. Resources such as those from the [European Commission](#) and the [GHG Management Institute](#) offer further details and guidance on these concepts.

BIODIVERSITY AND ENVIRONMENTAL BENEFITS

Many NBS that protect, expand or improve natural areas can provide habitat and improve biodiversity (Kazemi et al., 2011). These benefits stem from improving the availability, size, connectivity or quality of habitats and by reducing invasive species, overexploitation of resources and wildlife diseases, among other factors. There are many potential indicators and metrics for measuring biodiversity benefits to the environment, including those listed in Table 8.

Biodiversity and environmental outcomes are often the foundation for other types of benefits from NBS. Benefits of NBS to the environment are quantifiable and qualifiable, and, in some cases, can be monetized (e.g. value of pollinators for crop yield). This is especially true for NBS that are implemented on existing natural landscapes (as opposed to in urban areas). For example, at a basic level, an altered landscape can be evaluated by measuring the total area impacted. More complex analyses can quantify a change in habitat quality or impact on a variety of biodiversity indices.

There are a range of existing tools and resources available for quantifying benefits to habitat and biodiversity resulting from NBS. Colléony and Shwartz (2019) developed a framework for modeling social and ecological outcomes of NBS, including identifying spatially explicit biodiversity outcomes (Figure 4). While the framework differs slightly from the one presented here, the ecological indicators presented can help to determine metrics for measuring benefits to biology and ecology. For agricultural settings, the FAO developed a review of indicators and methods to assess biodiversity focused primarily on applications to livestock production (Teillard et al., 2016).

Importance of High Priority or Highly Threatened Landscapes


Degradation and loss of natural habitat is the major driver of the current global biodiversity crisis (Mokany et al., 2020), leading to many species becoming threatened, endangered or extinct. Some habitats and landscapes must therefore be prioritized over others for interventions and activities that ensure the maintenance of biodiversity representation and resilience. Some areas are also more impacted than others, such that species and habitats are more exposed to risks and can be considered as highly threatened. Some efforts have taken place to categorize and identify the status of critical ecosystems, such as the [IUCN Red List of Ecosystems](#) (IUCN, 2016b) and BirdLife's [Important Bird and Biodiversity Areas](#). Analysis has also been undertaken to integrate both intact and highly modified regions to identify high-value biodiversity habitat globally (Mokany et al., 2020).



TABLE 8: Biodiversity benefits, indicators, and calculation methods

Benefits	Habitat Intervention	Activity	Indicator	Calculation Method
Improved/ maintained terrestrial habitat availability and quality	Land protection	Conserve or preserve existing forests, grassland	Total protected habitat	Measured or estimated hectares of land protected
		Conserve or preserve existing forests, grassland	Protected habitat in high priority or highly threatened areas	Measured or estimated hectares of land protected
	Land restoration	Plant/restore/maintain native vegetation	Total restored habitat; available habitat for species	Measured or estimated hectares of land restored
		Restore/improve/stabilize substrates	Total restored habitat; available habitat for species	Measured or estimated hectares of land restored
Improved/ maintained aquatic habitat availability and quality	Wetland, lake, river, mangrove or estuary protection	Conserve or preserve existing wetlands, lakes, rivers, mangroves or estuaries	Total protected area, shoreline or river length	Measured or estimated protected area or river length
		Conserve or preserve existing wetlands, lakes, rivers, mangroves or estuaries	Protected area or length in high priority or highly threatened areas	Measured or estimated protected area or river length
		Restore/improve/stabilize substrates	Total restored area, shoreline or river length	Measured or estimated restored area or river length
		Restore/improve/stabilize substrates	Restored area or length in high priority or highly threatened areas	Measured or estimated restored area or river length
		Plant/restore/maintain native vegetation	Total restored area, shoreline or river length	Measured or estimated restored area or river length
		Plant/restore/maintain native vegetation	Restored area or length in high priority or highly threatened areas	Measured or estimated restored area or river length
Improved support for native pollinators	Agricultural management	Agricultural NBS (Plant/restore/maintain native vegetation; plant vegetation buffers; brush control)	Number of plant species	Estimated count and/or number of species based on field counts before and after project
		Agricultural NBS (Plant/restore/maintain native vegetation; plant vegetation buffers; brush control)	Number of pollinators	Estimated or modelled number of pollinators
Increased abundance and diversity of native species	Land and aquatic management, restoration and protection	Plant/restore/maintain native vegetation	Variety and number of native species	Estimated count and/or number of species based on field counts before and after project

FIGURE 4: Framework for modeling social and ecological outcomes of NBS, including identifying the spatially explicit biodiversity outcomes



Source: Colléony and Shwartz, 2019

Freshwater biodiversity is at greater threat of impact, leading to higher levels of extinction, when compared to terrestrial and marine biodiversity (WWF, 2020). While efforts to identify priority areas for biodiversity have largely ignored freshwater, recent efforts have included freshwater along with terrestrial ecoregions (e.g. Abell et al., 2011; Tedesco et al., 2017). These efforts point to the importance of free-flowing rivers, allowing prioritization of riverine systems that remain highly functional and identification of altered systems that can be restored (Grill et al., 2019). Many regional efforts have identified priorities for freshwater ecosystems and species (e.g. Heiner et al., 2010 ; Khoury et al., 2010). All efforts to identify priorities for retaining important and threatened natural habitats are crucial in limiting extinctions and sustaining biodiversity.

Since public and private resources are limited, and preservation actions cannot be implemented everywhere at the same time, most near-term NBS efforts should be redirected to these high priority areas, where most harm can be prevented, or ecological functioning restored. Sometimes, trade-offs between the different values that nature brings must be reconciled. For example, increasing flood-plain habitat can be beneficial for fish and other aquatic species, but also brings mosquitoes or may lead to flooding of landscapes and properties. However, preserving critical habitats and native species will often provide additional benefits to water and carbon, such that actions in highly threatened landscapes will bring multiple benefits with few or no trade-offs (Bryant et al., 2020).

Abundance and Diversity of Native Species

Surveys of plant and animal species composition and numbers of individuals can measure the richness, composition and abundance of native species. In Denmark, for example, Monberg et al. (2019) quantified the impact of ecological enhancements within a 4.8 ha (12 acres) grassland, showing that in addition to water retention improvements, native plant diversity improved as well. There is a wealth of literature that can be applied to evaluating water management strategies that protect or enhance existing landscapes, including calculating land conservation and restoration values (e.g. Bergstrom & Loomis, 2017; Talal & Santelmann, 2019).

When considering threatened species, IUCN offers a summary metric called the Species Threat Abatement and Recovery (STAR) metric that measures the contribution that an investment, including NBS, makes to reducing the risk of species extinction (IUCN, 2019). The STAR metric considers the contribution of threats or pressures to each threatened species' extinction risk and can measure the achieved impact of NBS on extinction risk over time.

Diversity of native species and habitat quality have not been widely evaluated for newly created vegetated areas, such as from green stormwater infrastructure (e.g. bioswales and rain gardens) in urban spaces. For example, Filazzola et al. (2019) examined more than 1,800 published studies that assessed benefits to biodiversity within urban green stormwater infrastructure but found that only 33 were done to sufficient rigor to allow for a meta-analysis. Ongoing research is working to develop further environmental assessments of green stormwater infrastructure, as well as to assign monetary values to the habitat and biodiversity created by this infrastructure.

Importance of Connectivity

Ecological connectivity refers to the unimpeded movement of species and the flow of natural processes that sustain life on Earth (Hilty et al., 2020). Connectivity is one of the essential enabling factors for successful preservation and restoration of terrestrial and aquatic biodiversity, and includes the concepts of dispersal, seasonal movements and migrations, fluvial processes and the connectivity that is inherent to naturally functioning areas. In terrestrial conservation, this concept describes linkages between habitats, such as corridors or nodes that allow wildlife to move freely, access resources and escape from external threats. In aquatic systems, connectivity happens in three dimensions: longitudinally, laterally and vertically. Aquatic

connectivity is represented by free-flowing rivers that spill naturally out onto flood-plains and interact with the local groundwater system, absent barriers such as dams and constructed levees. Connected aquatic systems allow natural geomorphological and nutrient transport processes to occur and for aquatic species such as anadromous fish to migrate as part of their natural life cycle and for nutrients (Grill et al., 2019). When designing investments in NBS, practitioners should consider the impact of the investment on ecological connectivity. NBS that increase connectivity, such as protecting or restoring corridors between two or more natural areas or removing barriers to free-flowing streams, can have significant benefits to preserving or restoring local or regional terrestrial and/or aquatic biodiversity.

Importance of Pollinators

Pollinators are essential to healthy and functioning ecosystems and provide essential services which humans rely on. Pollination is vital for the successful reproduction process of most flowering plants and, therefore, is essential for animals dependent upon pollinated plants for food. Without pollinators, humans would lose the ability to grow most fruits, nuts and vegetables, as well as materials such as cotton. Plants that depend on pollination make up 35 per cent of global crop production volume with a value of as much as \$577 billion a year (IPBES, 2016). Pollinators are essential to global agriculture, which employs about 26 per cent of the world's 7.8 billion people (World Bank, 2020). Beyond direct benefits to people, the health and abundance of native pollinators are foundational to the function of many natural systems, and to the plants and animals that rely on them.

Support for pollinators can take various forms: BMPs such as reducing chemical fertilizers and pesticides, as well as other agricultural NBS which increase the number of plants and plant species and protect this vegetation from human impacts. Invasive alien species (fauna and flora) also impact wild pollinators. Removal of invasive alien species could reduce pollination competition and ecosystem modification (IUCN, 2020). Protecting habitat, such as hibernating grounds or specific ecosystems, and by planting native vegetation and plants that form part of pollinators' diets, can also support pollinators.

Species counts, as well as estimates or models of the number of pollinators, such as bees, moths, beetles, bats and butterflies, can measure the abundance of pollinators. Measuring the value, volume or percentage of crops that must be artificially pollinated in lieu of natural pollination is another method for evaluating pollinator health, or lack thereof. Lastly, pollination success rate (fruit- or seed-set) can measure pollinator health. Fruit- or seed-set is the ratio of ripe fruit or seeds relative to initial number of available flowers or ovules (Delaplane et al., 2013).

SOCIO-ECONOMIC BENEFITS

Many water, carbon and biodiversity benefits can provide secondary socio-economic benefits to a variety of beneficiaries, and NBS can be specifically designed to provide social and economic benefits to the stakeholders during implementation (local communities, neighboring landowners, etc.).

Myriad indicators and metrics are available for these benefits, from access to high quality jobs and recreation, to changes in poverty rates or reduced urban heat island effects. Table 9 offers examples of indicators that might be employed to measure socio-economic benefits of NBS. However, the specific indicators to be considered may depend on the ability to account for other factors that may influence the outcomes and the local biophysical, socio-economic and cultural context. Many socio-economic benefits are only realized if there is proactive engagement with local communities as potential beneficiaries (Diringer et al., 2020). This engagement should also consider the distribution of these benefits (see Section 1).

TABLE 9: Benefits and indicators for socio-economic benefits

Benefit	Indicator
Improved/increased climate adaptation and mitigation	Reduction in number or percentage of climate-related hazards/disaster risk reduction (heatwaves, flooding, drought)
	Reduction in number or percentage of infrastructure/property damage after extreme events
	Reduction in health impacts from climate-related conditions/diseases (see health benefits)
	Reduced loss of lives due to extreme weather events
	Reduced impacts on water quality and quantity (see water benefits)
	Avoided greenhouse gas emissions (see avoided carbon emissions)
	Reduced impacts of climate change on agricultural outputs (see food security)
Improved/increased economic opportunities	Resource availability for economic activity
	Change in poverty rate
	Total job availability by job type
	Job retention
	Change in property values
	Shadow wage benefits
Improved/increased human health benefits	Physical health metrics (e.g. blood pressure, public safety)
	Mental and emotional health metrics (e.g. improvement in mood, workplace satisfaction, quality of life)
Reduced time burdens	Reduced time spent collecting water, food, fuel and fiber in households and in unpaid care, particularly for women and girls
Improved agriculture/agricultural output	Increased crop yields and quality
Expanded religious/spiritual settings	Increased spiritual well-being
Enhanced microclimate regulation	Change in peak air temperatures and associated air conditioning
Improved opportunities for education/scientific study	Adult or child eco-literacy
	Time spent outside of school absorbing knowledge
Improved recreation/tourism opportunities	Distance to recreation
	Total recreation time
Increased food security	Access to and availability of food
Increased property/land value	Nominal value and price

Note: Where possible, these socio-economic benefits should be disaggregated by sex and ethnicity to understand the distribution of the benefits for excluded and vulnerable groups.

There are several standard approaches for assessing many of these socio-economic benefits, and potential trade-offs, quantitatively and qualitatively. Like other benefit themes, measuring the social impact of a project relies on developing a baseline of a benefit prior to implementation and on monitoring the metric over time. For health benefits, for example, the impacts of NBS could be defined through a pre- and post-implementation epidemiological study measuring the prevalence of water-borne diseases throughout the study period or identifying the number of cases of people with asthma or hay fever, before and after NBS take effect. There are several existing tools for developing surveys to determine the desired social outcomes from the implementation of NBS, as well as tools for measuring these benefits over time. For example, the [Social Indicator Planning & Evaluation Systems](#) handbook provides practical guidance for developing surveys for social outcomes of non-point source management projects. In addition, the related [Social Indicator Data Management and Analysis](#) is a web-based tool to help users create and administer surveys focused on social outcomes. These tools are primarily designed for water quality-related projects, but also provide practical guidance that can be applied to NBS projects more generally.

In addition to measuring social metrics directly, there are robust methods for economically valuing the social benefits, including willingness to pay or contingent valuation approaches. While economic valuation is not the focus of this guide, these methods can provide an opportunity to further quantify the socio-economic benefits provided by NBS.

While quantitative approaches and economic valuations can provide the most direct measure of social outcomes, it is likely impractical to conduct these studies for each NBS application. For this reason, researchers often rely on more qualitative methods and/or data in the literature for similar case studies to predict a project's health outcomes. Qualitative methods, such as focus groups, can identify social benefits of interest and monitoring social outcomes. For example, qualitative methods may include questions on personal health and well-being, individual and collective agency, time use and time burdens or whether respondents have access to recreational facilities, and how these change with the implementation of NBS. These engagements serve a dual purpose: identifying social challenges that may be addressed through NBS, and providing an opportunity to monitor the efficacy of the NBS to provide these benefits over time. Here, we describe four of the potential socio-economic benefits in more detail: Improved economic opportunities, human health benefits, improved climate adaptation and mitigation, and improved agricultural outcomes. Information on additional socio-economic benefits of NBS can be found in Appendix H.

Improved/Increased Climate Resilience

The potential for NBS to help improve resilience of communities and ecosystems is one of their most important socio-economic benefits. However, identifying a set of indicators for climate adaptation and mitigation can be complicated (Donatti et al., 2020). Focusing on a specific approach, such as NBS, and on indicators that can be used at the project level, may facilitate the identification of a set of indicators for tracking adaptation outcomes. The Inter-American Development Bank (2012) and Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) (2015) present comprehensive lists of climate adaptation and mitigation indicators which could be adapted to suit the contexts in which these will be used.

To quantify the potential climate adaptation and mitigation benefits of NBS to communities, consider how the project is likely to impact current community resilience, as well as future risk and resilience. Seddon et al. (2020) provide a framework for considering the climate adaptation and mitigation benefits of NBS, outlining how NBS can support human adaptation to climate change across three dimensions:

1. Socio-economic exposure includes benefits of NBS that can reduce exposure to disasters and climatic events, including flood or drought risk, exposure to landslides and fires;
2. Socio-economic sensitivity ensures that ecosystem services are maintained to help communities and individuals mitigate future shocks; and
3. Socio-economic adaptive capacity maintains species diversity and empowers local communities through environmental stewardship.

Improving climate adaptation and mitigation will have cross-cutting influences across multiple themes (e.g. carbon, water), activities and benefits. In fact, climate adaptation and mitigation will influence almost all the socio-economic benefits, ranging from potential impacts to economic opportunities (e.g. reduced job opportunities if tourism is affected due to extreme events), through to influencing property or land values (e.g. property along an area prone to extreme events may be worth less than other areas). Notably, climate adaptation and mitigation will have considerable influence over human health.

As noted in both the academic and gray literature (GIZ, 2015; Donatti et al., 2020), there are challenges in applying some indicators to climate adaptation and mitigation. These include issues of limited available data to assess the indicators in certain locations, that adaptation and mitigation outcomes take time to become identifiable and can be subject to evolving objectives and conditions (Noble et al., 2014), and the complexity of factors that may result in specific outcomes. However, when applied systematically and regularly, the suggested indicators (see below) could offer the opportunity to provide much-needed evidence on the success of the interventions and activities in achieving adaptation and mitigation outcomes:

- For reduction in number of climate-related hazards/disaster risk reduction (heatwaves, flooding, drought), use national or international climate data and statistics for monitoring and modelling.
- For reduction in number or percentage of infrastructure/property damage after extreme events (e.g. hospitals, schools, homes, roads, agricultural land), use satellite images to take stock of existing infrastructure, agricultural land and the extent of ecosystems. Information on damages collected during emergency response measures may also be valuable resources.
- For reduced impacts of climate change on agricultural outputs (see food security benefits above), use qualitative instruments, such as questionnaires, to gather information on the percentage of the population that is food insecure. The Food Insecurity Experience Scale from the FAO provides a set of questions to ask communities (FAO, 2017a). Census data held by local, state or national governments may also provide these data, although they may be outdated or lack credibility depending on the areas being surveyed.
- For reduced impacts on water quality and quantity (see water benefits), consider the percentage population (local or broader scale) with access to enough clean drinking water under extreme

events, or through time, comparing water quality or water quantity impacts with and without the NBS. Use census information to get data on the number of people in a location that have access to water year-round and during extreme events, and estimate how that might change with and without the NBS implementation.

- For reduced loss of lives due to extreme weather events, the percentage of deaths and missing persons after extreme events could be an appropriate indicator. Use local or national statistics to get the number of people that have died from extreme weather events and compare that with and without NBS. For example, hydraulic models can determine the extent of flooding under different biophysical conditions, including connection to the flood-plain further upstream. By comparing the extent of flooding in a hydrologically connected system to one that is disconnected, practitioners can estimate damages to buildings and potential loss of life in each storm event.
- For the reduction in health impacts from climate-related conditions/diseases (see health benefits), practitioners can use national or regional statistics to calculate the disability-adjusted life year from the World Health Organization (a measure of overall disease burden) expressed as the number of years lost due to ill-health, disability or early death. Additionally, use local or national statistics to get the number of people that have died from extreme weather events. Parsing out human health impacts from a specific NBS is challenging, unless it is being applied at a sufficiently large scale (for example, large-scale tree planting efforts in an urban area impacting air quality and related health effects), or it is targeted at a specific and measurable health risk (such as a reconnecting a large flood-plain to reduce flood risk in a populated area downstream).

Improved/Increased Economic Opportunities

NBS can contribute to new green economies through creating green jobs that restore, manage and protect nature, as well as, in some cases, indirect job creation through increased tourism. These direct green jobs are typically low-skill, labor intensive and fast to implement, with on average 7–40 jobs created per \$1 million invested in NBS (BenDor et al., 2014). Jobs may include laborers, foresters, botanists, technicians, etc.

In addition, NBS strengthen ecosystem services, which support industries that employ large numbers of people (1.2 billion worldwide), in farming, fishing and forestry. Therefore, NBS bring significant opportunities for improved incomes and livelihoods, as so many people worldwide are economically dependent on healthy ecosystems. For example, around 500 million people worldwide make their living in the fishing industry, the productivity of which can be negatively impacted by water quality and quantity changes (WWF, 2016). Some NBS can improve agricultural productivity and rural incomes, as shown in the Upper Tana-Nairobi Water Fund Business Case (TNC, 2015). Reforestation and other NBS restoration activities are suitable for public employment programs, mostly reaching workers in the primary sectors or informal economy. NBS can also contribute to long-term economic growth through socio-economic benefits such as greater food security and tourism. At the company level, NBS can help to reduce or avoid costs, such as water treatment costs through enhancing water-related ecosystem services. In addition, companies can avoid losses through preventing damage to infrastructure from floods, heatwaves or other extreme weather events.

Measurement indicators include the change in poverty rate or changes in job opportunities in each area, before and after NBS implementation. Total job availability by job type could be investigated to see if, for example, the number of farming jobs increased. In addition, looking at whether there are increases to the shadow wage rates, and overall economic spending in an area, would demonstrate economic benefits of NBS. As NBS can improve the quality of ecosystems for both humans and nature, as well as improve aesthetics, implementation can increase local property values, as specified further below.

Improved/Increased Human Health Benefits

Besides positive effects on mental and physical health through recreation access, NBS deliver various additional health benefits, including improvements in air quality through the filtering of pollutants by restored or protected forested ecosystems, a more reliable supply of clean drinking water or the provision of food, fuel and fiber for health purposes (medicinal plants, wood to make a fire to keep warm or boil water, etc.). Natural ecosystems are also an important source of traditional medicines, such as natural and synthetic medical drugs derived from natural products and species. Herbs and medical plants provide health-care benefits to local communities, cultural benefits through traditional plant ceremonies, and a potential source of revenue, particularly for indigenous communities and women (Mackinnon et al., 2019). NBS-enhanced ecosystem services can contribute to reducing multiple ailments, including infectious diseases, skin conditions and respiratory disorders.

Increased access to nature includes greater opportunities for physical activity, which results in improved physical and mental health. Related benefits include a reduction of stress levels through community cohesion and engagement, lower rates of obesity and weight-related problems, and greater social well-being from natural habitats and their therapeutic effects. Like recreational benefits, there are quantitative physical health indicators and (primarily) qualitative mental health indicators. Through greater access to nature and physical activities, NBS have huge cost-saving potential for health services, especially in urban settings (Mackinnon et al., 2019). Setting up partnerships with conservationists, city planners and health professionals, when implementing NBS, especially in urban settings, is critical.

Improved Agricultural Output (Yield and Quality)

Besides benefits of NBS actions in agricultural habitats for soil health (see Box 4), water, carbon and biodiversity, there are clear gains for farmers and stakeholders involved in the agricultural value chain. Healthier soils can improve both crop quality and yield, which results in greater economic gains for farmers, as they can charge premium prices and sell higher quantities. Healthier soils are also less vulnerable to drought and other natural disasters, which improves overall food security and reduces harvest volatility, enabling a more stable and long-term income for farmers. This also brings the potential to integrate vulnerable groups, young people and the unemployed into the farming business. Farming is often the main driver of development in rural areas. Improved agricultural yield and quality through NBS can deliver substantial direct economic benefits, as calculated through farmers' and farming businesses' financial statements. In addition, indirect economic benefits accrue to local communities through more

economic transactions, as well as social benefits from greater job security, as measured by retention and unemployment rates (GIZ, 2020).

Integrating Gender and Equity Concerns

Benefits can accrue unevenly to different groups. Attempting to ensure that women and excluded groups benefit equitably from NBS investment and activities will be key to their acceptance and sustainability. How different groups are engaged in stakeholder consultations, how they are drawn into governance mechanisms and into the definition of which projects to pursue will greatly affect the distribution of the socio-economic and health benefits. An intersectional approach that addresses exclusion from economic opportunity and unequal access to productive assets, information, technology and markets can improve the distribution of these benefits. We suggest that the design of projects begin with an inclusion diagnostic to promote the inclusion of women, youth and indigenous peoples across NBS investments.

A broad body of literature on the inclusion of women, girls and other vulnerable groups in development projects and activities is available. There are also a number of toolkits and frameworks that foster more consistent gender integration in projects and planning processes (for example, toolkits from [Swedish International Development Cooperation Agency](#), [KIT Royal Tropical Institute](#), and [Civicus](#)). Work by [KIT Royal Tropical Institute](#) and the [FAO](#) on gender in key supply chains, as well as the [International Food Policy Research Institute \(IFPRI\)](#) on gender, agriculture and resilience to economic and environmental shocks are particularly relevant (Meinzen-Dick et al., 2013; [FAO](#), 2018a; [KIT](#), 2020). These frameworks highlight how agricultural systems, gender roles and climate change interact. As climate change reduces ecosystem resilience, incomes fall, livelihoods shift, and time-use patterns change. Ensuring that NBS restore resilience and do not contribute to time poverty by increasing time burdens, particularly those of women and children, will be key to protecting household well-being (Burchardt, 2008; Bardasi & Wodon, 2010; Gammage, 2010; Zacharias, 2011).

Ensuring a focus on time use and time poverty in the metrics will enable a more nuanced understanding of the potential health and well-being benefits and costs generated by NBS. Health and well-being benefits flowing from improved water availability and quality can also reduce time burdens and time poverty. If water sources are more consistent, less time will be spent provisioning water; if the water is of higher quality with fewer parasites and lower levels of contamination, reduced health impacts will translate into less labor time lost, fewer school absences and less time spent on caring for the sick. Many countries collect time use data and practitioners can draw on national, state and local studies and instruments to develop simple and rapid appraisal methods to capture some of these benefits either quantitatively or qualitatively (see for example the [Women's Empowerment in Agriculture Index](#) from the [International Food Policy Research Institute](#); [American Time Use Survey \(ATUS\)](#); the [Harmonized European Time Use Survey \(HETUS\)](#); and the [Gender Equality Observatory for Latin America and the Caribbean](#) for more refined indicators).

It is highly likely that in undertaking NBS investments, proponents will need to integrate capacity building—ensuring access to technical knowledge and assistance that does not reinforce gender or ethnic inequality. Many NBS projects will also strengthen local governance mechanisms. Ensuring that women and excluded

groups are part of these governance mechanisms will enhance their voice and agency in processes determining the benefits received from NBS (Akhmouch, 2012). Asking who is engaged in these groups and how they participate will yield information about the participatory and inclusive nature of these governance mechanisms (Solava & Alkire, 2007).

M&E systems offer another means of ensuring greater integration of excluded groups. M&E systems can collect data and disaggregate all beneficiaries by sex and ethnicity. Applying qualitative and quantitative data collection methodologies and conducting rapid appraisals of household well-being and gendered time use, in concert with key indicators of ecosystem resilience and economic benefits, will reveal who is benefitting and enable adaptive management of projects and investments.



BOX 6: Community Engagement: Building Adaptive Capacity Through Nature-Based Solutions

NBS can help improve long-term community resilience through governance reform, empowerment and access to resources, building biophysical and socio-economic adaptive capacity. One example is increased access to recreation and tourism opportunities, resulting in access to nature and socio-economic benefits. Building adaptive capacity relies heavily on engagement with local communities and governance structures, making them among the most difficult benefits to quantify.

Investment in NBS without community engagement can negatively impact socio-economic opportunities supporting local communities. For example, investing in reducing invasive plant species may also reduce opportunities for those who harvest those same species for fuel. More meaningful participation by a broad range of stakeholders throughout the design, implementation and M&E phases of the NBS project is essential, including representation from marginalized, vulnerable and traditional/indigenous communities.

Businesses will need to engage across government, academia and civil society groups. Partnering can help determine how the investments in NBS are likely to impact local communities (positively or negatively), identify options to mitigate any negative effects and maximize benefits. Fair and transparent articulation and negotiation of trade-offs and compensation among potentially affected parties for any damages or impacts to local opportunities and livelihoods provides the basis for successful long-term NBS outcomes. Asking questions around “who benefits?” and “what are the nature of benefits?” throughout the NBS project phases can maximize benefits for the most people.

TRADE-OFFS

Within all NBS projects, it is critical to consider trade-offs throughout the design, implementation and monitoring phases. These trade-offs should be mitigated wherever possible. For trade-offs that require balancing different benefits, there may be project or program design modifications that can provide both (or more) benefits (Diringer et al., 2020). However, if this is a trade-off with financial, social, or environmental impacts, decision makers will need to consider if and where compromises can be made to ensure that all stakeholders receive benefits appropriate to their needs.

Such trade-offs are often inherent features of NBS and arise when a particular ecosystem service or stakeholder preference (e.g. clean drinking water) is favored at the expense of another (e.g. water needed for crop production). Other cases may relate to a particular habitat or activity. For example, by replanting indigenous tree species to restore a degraded forest, the newly planted trees will require sufficient water to grow. This may result in a decrease in groundwater or surface water resources in the immediate area. Some trade-offs result from deliberate decisions, while others occur without planning or awareness of the impacts.

Trade-offs become a major problem when the same choice is replicated multiple times, so that suites of important ecosystem benefits disappear or otherwise occur at sub-optimal levels across the entire

landscape (IUCN, 2019). Trade-offs are also a major problem if certain communities or cohorts do not receive an equal share of the NBS benefits, based on where they are in the watershed (e.g. upstream or downstream). Like benefits, trade-offs have spatial, temporal, distributional and reversibility dimensions. The spatial dimension refers to whether the effects of the trade-offs are felt locally, at a distant location or across a broader landscape level. The temporal dimension refers to whether the effects take place relatively rapidly or over a longer period. Reversibility refers to the likelihood that the impacted ecosystem service(s) may return to its/their original state if the impact ceases (IUCN, 2019). These spatial, temporal and reversibility dimensions need to be considered fully when designing and implementing NBS, with modifications made as soon as possible during the maintenance or M&E phases to mitigate any negative effects.

Multiple organizations recognize that trade-offs should be factored into any NBS project (see Attribute 4 in Appendix C). For example, criterion 6 of the IUCN NBS global standard deals exclusively with trade-offs. This criterion states that “NBS equitably balances trade-offs between achievement of its primary goal(s) and the continued provision of multiple benefits” (IUCN, 2019). The IUCN (2019) suggests establishing safeguards to prevent exceeding mutually agreed trade-off limits or trade-offs destabilizing the entire ecosystem or land/seascape. By example, a safeguard could include ensuring sustainable access to adequate quantities of acceptable water for downstream users, if there are large-scale agricultural users of water along a particular river. Many related policies, such as REDD+, have explicit safeguard policies (see for example the UNFCCC Cancun Agreement in Appendix 1). World Bank investments have other safeguards. These safeguard systems are in place to anticipate and avoid adverse consequences of interventions and activities and can be used as a basis for NBS safeguards appropriate to local contexts. Furthermore, benefit-sharing arrangements that have been mutually agreed upon must be established to ensure equitable balancing of benefits and trade-offs from policies and investments (IUCN, 2019).

Trade-offs can be successfully managed if their likely consequences are accurately assessed, fully disclosed, and agreed upon by the most affected stakeholders. Fair and transparent negotiation of trade-offs and compensation among potentially affected parties for any damages or impacts to local opportunities and livelihoods provides the basis for successful long-term NBS outcomes. Finally, it is important to recognize that trade-offs have limits, which means that safeguards will be necessary to ensure that the long-term stabilizing properties of ecosystem regulating and supporting services are not exceeded (IUCN, 2019).

MONITORING AND EVALUATION OF NATURE-BASED SOLUTIONS

M&E are essential parts of any NBS project as they allow companies and those investing in NBS to understand how their projects are performing over time. This can help ensure the long-term sustainability and economic viability of NBS (see Attribute 3 in Appendix C). M&E also help decrease uncertainty about NBS and inform more effective NBS design and implementation (see Appendix D), which will help mainstream NBS across the public and private sectors.

It is important to note that the nature, scope and frequency of M&E will change over time. For example, different levels of monitoring should happen over time, potentially starting with one or two baseline assessments, then monitoring NBS implementation success and finally measuring outputs and outcomes

over the short, medium and long terms. Ensuring that the project is providing sufficient benefits and that any trade-offs are mitigated where possible may require more assessments over the short and medium term. Monitoring can be undertaken less frequently as the NBS becomes more established and provides greater benefits over the long term. It is vital that M&E happen *throughout* the project to ensure that any issues are addressed as soon as possible and to adapt the project wherever necessary to maximize benefits and minimize trade-offs. The indicators and calculation methods presented in this section can support many of the stages of the M&E process.

BOX 7: Timing of Monitoring & Evaluation

- Collect data prior to implementation to establish a baseline.
- Continue monitoring on a regular basis to understand the impact of the NBS interventions and activities, but keep in mind that NBS may take several years to reach maturity and measurement of impacts will reflect this delay.
- The type of impacts expected should dictate the timing of data collection. For example, if peak flows or turbidity are metrics of interest, collect data at appropriate intervals to capture peak flow events. If the metric of interest is change in biodiversity over time, annual or even two- or five-year survey intervals may suffice.

BOX 8: Location(s) of Monitoring & Evaluation

- Collect data at the location of expected impact. For example, if the project is aiming to impact water quality at a specific intake downstream, measurements should take place at the intake.
- Given the delay in impacts often seen for NBS interventions and activities, in part because it takes time to get to full implementation scale, and in part because interventions and activities may take time to mature, it is often valuable to also measure impacts locally in early implementation. This can help confirm that the interventions and activities are having the expected local impact, inform adaptive management and allow for detection of change earlier than full-scale implementation impacts can be seen.

Given the importance of M&E, project budgets should incorporate a portion of total project funding towards M&E from the start and continue through to impact assessment. In most cases the implementation partner will lead on M&E, but companies should be aware of the “what, where and how” components (what to monitor, where to undertake assessments and how to evaluate project success) of M&E to ensure the outcomes of interest are being tracked. If several partners invest in NBS, the impacts can be attributed based on the level of investment.

BENEFIT VALUATION

To further determine the effectiveness of NBS, one can continue along the benefit accounting progression (see Figure 1) and determine the monetary benefits and return on investment. However, these financial assessments are outside of the scope of this guide. Valuation of benefits requires significantly more data over different time periods (e.g. short-term monetary benefits vs long-term monetary benefits) and sometimes requires a different approach than those used to only quantify benefits. Practitioners may need to make clear choices as to what level of assessment is necessary or desired and seek out other approaches if their intention is to pursue full economic valuation. There are several organizations supporting efforts to provide valuation of benefits (e.g. [EcoMetrics](#) and [Denkstatt](#)). We encourage practitioners to review economic approaches offered by these organizations.





Section 4: Best Practices and Lessons Learned from Case Studies

This guide has developed a series of best practices to support the steps developed for NBS benefit identification and accounting. These approaches are not included in the steps in the previous sections because they require consideration throughout the project. Additionally, this section reports on key learnings from a synthesis of NBS case studies from around the world. Practitioners can apply these lessons to current and future NBS projects.

BEST PRACTICES FOR NATURE-BASED SOLUTIONS

The best practices described in Table 10 are elements or guidelines for companies and other stakeholders to consider when designing, implementing or monitoring NBS for watersheds. These approaches enhance the likelihood of project success and ensure long-term sustainability of the implemented solutions. Practitioners should consider these approaches throughout the project life cycle and revisit them through M&E to ensure that all elements are being considered and adopted. These best practices are based on a series of principles and attributes laid out by the IUCN and other experts working with NBS (see Appendix C).

TABLE 10: Best practices for nature-based solutions

Best Practice	Details
Account for watershed context	The selection, planning, implementation and impact measurement of NBS for watersheds must be informed by the local watershed context, as water is a localized resource. Any NBS project should begin and end with a clear understanding of the complexity of the biophysical, chemical, hydrological, hydrogeological, ecological and social conditions and challenges of the watershed in which the project is located (see Attribute 1 in Appendix C) (Matthews et al., 2019). Unlike carbon, for which the benefit or cost of any unit is equal to any other, changes to water quality and quantity are highly dependent on local context and most directly impact local water users. Companies are increasingly accounting for the watershed context in their water stewardship strategies and targets, which helps to drive action and create value for the watershed (UN Global Compact CEO Water Mandate et al., 2019).
Consider spatial and temporal scales	The benefits from NBS accrue differently across spatial and temporal scales. Practitioners should explore NBS holistically and consider their benefits (and trade-offs) in all their scalar dimensions to understand all the positive and negative impacts and potential benefits of specific NBS (see Attribute 2 in Appendix C).
Understand spatial scales	Ecosystem goods and services accrue across multiple scales, ranging from local (e.g. within a property boundary) to landscape levels (e.g. watershed scale). To effectively provide benefits, NBS activities must be strategically deployed across these multiple scales, with significant benefits accrued at the landscape scale (Somarakis et al., 2019) (see Attribute 3 in Appendix C). This makes landscapes the ideal unit for planning and decision-making, allowing the integration of diverse societal needs, sector plans, programs and policies, and use of suitable traditional practices for implementation, into one single spatial context that has considered the trade-offs, options and scenarios (Somarakis et al., 2019). This approach also creates the opportunity to partner with other organizations working at the landscape level who may be supporting similar interventions to achieve similar or different objectives.

<p>Understand temporal scales</p>	<p>The current literature contains little information regarding the time for individual NBS actions to become fully effective. Some benefits accrue almost immediately (e.g. improved aesthetics), while others take many years (e.g. increase in biodiversity). Some benefits may exist at some points in the year and not others. The impacts of NBS will vary according to habitat and intervention types, as well as the activities undertaken, and are not only dependent on spatial scale but also on time (Somarakis et al., 2019). Understanding the temporal categories (short, medium and long term) associated with the NBS of interest is critical for investors who have set time-based goals or commitments. Investors need to have realistic expectations of when NBS actions will become fully effective, and consequently, when benefits will accrue and can be claimed. Without careful thought to temporal scales, a company's sustainability claims (e.g. progress on water replenishment goals) may prompt critiques of the accounting method and the company's claims to driving positive change.</p>
<p>Leverage legal and financial transactions and mechanisms</p>	<p>To reduce unsustainable resource extraction, the public and private sectors may need to develop a variety of legal and financial transactions and mechanisms (where needed). Legal mechanisms may include the consideration of NBS in procurement policies, planning, policies or corporate strategies. These mechanisms are not strictly activities (see Section 2), as per the definition used in this guide, but lay a legal or economic foundation for the management or conservation of natural resources. In some countries, these legal and financial mechanisms are critical components of NBS and broader landscape management practices.</p>
<p>Consider trade-offs</p>	<p>NBS do not offer only benefits; many interventions and activities also have costs and may present trade-offs. Practitioners should consider two types of trade-offs when designing and/or implementing NBS: The trade-off between two benefits that are achieved by different designs and may not be possible or optimized in the same design; and</p> <p>Adverse impacts of a project (i.e. financial costs).</p> <p>For trade-offs that require balancing different benefits, there may be project or program design modifications that can provide both (or more) benefits. However, if this is a true trade-off, decision makers will need to consider if and where compromises can be made to move forward with the project (Diringer et al, 2020). See Sections 2 and 3 for more information on trade-offs.</p>
<p>Implement robust monitoring and evaluation systems</p>	<p>Understanding the interconnectedness and impacts of different ecological, social and economic elements within ecosystems is crucial to ensuring that complexity across scales is considered (see Attributes 1 and 2 in Appendix C). Thus, the M&E of NBS outcomes over time and space is essential to understand and assess their benefits and adaptively manage for greater impact (Somarakis et al., 2019). M&E of NBS is also important to continue to build our scientific understanding of these elements, and to ensure their long-term sustainability (see Attribute 3 in Appendix C). M&E will help decrease uncertainty about NBS and inform more effective NBS design and implementation (see Appendix D). While it is important to note that the nature, scope and frequency of M&E will change over the various stages of the project, it is vital that M&E happen throughout the project to ensure that any issues are addressed as soon as possible and to adapt the project wherever necessary to maximize benefits and minimize trade-offs. The indicators and calculation methods presented in Section 3 can support many of the stages of the M&E process.</p>
<p>Engage communities to define project design, implementation and management</p>	<p>NBS are often implemented in regions where communities face a diverse range of challenges. To ensure that investments in NBS deliver broad environmental, social and community benefits, water managers should actively engage with local communities to identify the potential benefits of projects and mitigate trade-offs (see Box 6).</p>
<p>Avoid leakage</p>	<p>Leakage is the "unintended displacement of impacts caused by an environmental policy intervention." (Bastos Lima et al, 2019). For example, projects that reduce deforestation in one area can shift deforestation to another area (e.g. a neighboring country or the next valley). While this is often difficult to achieve at a project level, those implementing NBS projects should consider broader landscapes and impacts at the program and scale-up level (GEF, 2020). Avoiding leakage ensures that initiatives contribute to reversing overall environmental degradation and that the benefits endure in the long term (GEF, 2020).</p>

<p>Consider equity (gender and excluded groups)</p>	<p>Benefits can accrue unevenly to different individuals or groups. Attempting to address access to excluded groups (including those based on gender) to ensure that they benefit equitably from the NBS investment and activities will be key to the acceptance and sustainability of NBS projects. We suggest that the design of projects begin with the inclusion of women, youth and indigenous peoples (where appropriate) across NBS investments. Ensuring a focus on time use and time poverty in project metrics will enable a more nuanced understanding of the potential health and well-being benefits and costs generated by NBS, revealing who is benefitting and enabling adaptive management of projects and investments.</p>
<p>Focus on durability, scalability and transformability</p>	<p>Stakeholders in NBS initiatives will be interested in ensuring that the outcomes and benefits are durable in the long term, can be scaled up to greater impact and support transformational change. Practitioners should apply systems thinking and a robust theory of change, assess climate risk at the project development stage, develop multi-stakeholder dialogue at all stages and build the incentives for these key actors to act, analyze the barriers to and enablers of scaling and transformation, establish a monitoring, evaluation and learning process, and incorporate adequate flexibility in project design and implementation (GEF, 2020).</p>

LESSONS LEARNED FROM NATURE-BASED SOLUTIONS CASE STUDIES

In addition to the best practices summarized above, this project explored NBS projects across the globe that received corporate support. We assessed some 94 case studies (see Appendix I), which are documented on the [Water Action Hub](#). By assessing how these case studies addressed project benefits (with a focus on water, carbon and biodiversity), we found that there is a large gap between benefits claimed and benefits measured or estimated. This may be due to the uncertainty around benefit accounting for NBS, a lack of sufficient funding for monitoring and measurement, or a combination of factors. We also found that some benefits, such as biodiversity, are less regularly claimed than others.

The review of NBS case studies revealed several learnings that can support the best practices, as well as inform the scaling up of investments in NBS for watersheds. From the case study review, high-level recommendations include:

- Earn buy-in from decision makers, local communities, environmental champions and other stakeholders at the project outset;
- Share project details and create networks with internal company representatives, the media, the public and governments;
- Show the data through feasibility studies, analyses, assessments and leveraging of mobile technology, big data analytics and citizen science;
- Educate companies, communities and farmers through activities including environmental education, peer-to-peer learning and training; and
- Improve policy and financing through small grants, loans, public sector/regulatory processes, public-private partnerships and market mechanisms.



Section 5: Conclusions and Next Steps

This guide highlights the imperative for private sector investments in NBS for watersheds, presents a method for identifying the multiple benefits of NBS, provides indicators and calculation methods for benefit accounting and outlines best practices and lessons learned from NBS projects around the world. Building on the landscape assessment (Shiao et al., 2020) and interviews with businesses and other stakeholders, the guide aims to address the key gap mentioned in the uptake of NBS: a common method for NBS benefit accounting.

The project team developed a step-by-step method which presents the interlinkages between challenges, habitats, interventions, activities and benefits/trade-offs. We categorized the identified benefits across the themes of water, carbon, biodiversity and socio-economics, and discussed trade-offs and other negative or mitigating factors that may accompany NBS implementation. This method improves the clarity for decision makers on the types of benefits that will be accrued over different spatial and temporal scales, and which benefits are most prominent under different habitats or through different interventions. **By promoting the accounting of stacked NBS benefits, this guide provides a robust, credible and defensible approach based on sound science, which will help to:**

- **Demonstrate the business case for NBS projects;**
- **Demonstrate the effectiveness of NBS to deliver multiple benefits and meet sustainability targets;**
- **Evaluate investment potential considering the interface with existing carbon and related markets;**
- **Broaden support for NBS policies, programs and projects;**
- **Identify opportunities and trade-offs among different NBS project beneficiaries; and**
- **Increase transparency associated with NBS decision-making.**

CONTINUING WORK

The project team hopes that the finalization of a holistic method with multi-stakeholder input will help demonstrate the business case for company investment in NBS and encourage additional skeptical companies to explore NBS approaches. While transparent benefit accounting is an important first step, additional work remains that can help to promote NBS uptake and maximize impact, including the need to:

- Pilot test this method globally with companies that have already implemented NBS (qualitative ground-truthing);
- Collect further case studies and make them publicly available on the [Water Action Hub](#);
- Continue to add additional calculation methods as they become available;
- Adapt the method as science improves;
- Ensure that the method is of value to broader stakeholders;
- Develop tools for designing, implementing, measuring, monitoring and evaluating NBS; and
- Provide guidance for benefit valuation.

As part of the method-development process, the project team discussed characteristics of a **tool to support NBS planning and implementation**. To be effective, an NBS tool must, at a minimum, assist NBS planners in the process of exploring potential interventions and NBS activities by habitat, linking activities to processes and benefits, and providing well-defined and recognized indicators of benefits, with quantification methods.

In addition, the multiple benefits of NBS in watersheds remain difficult to monetize and uncertainty about non-market value is high (Seddon et al., 2020). Therefore, **additional work beyond the scope of this guide remains to determine the economic value of potential benefits**. Considering benefit valuation (see Figure 1) would allow companies to estimate how much money they are generating or saving through NBS investments, which will help make the business case more robust. This can support the further incorporation of NBS into business strategies and allow companies to secure sustainable NBS funding or financing.

Finally, there are significant opportunities to align this method with existing or future approaches to NBS benefit accounting, as well as consideration on how to:

- Incorporate geospatial elements;
- Include additional data sets around water, carbon, biodiversity and socio-economic challenges;
- Identify priority areas to ensure that investments in NBS meet broader landscape objectives; and/or
- Partner with other organizations working on NBS.

CALL TO ACTION

We invite all interested stakeholders to join us in the effort to increase private sector adoption of and investment in NBS for watersheds. Please contact the project team if you would like to:

- Provide feedback on the method and guide;
- Sponsor or conduct additional research on NBS for watersheds, including estimation, valuation and monetization of benefits;
- Discuss opportunities for future partnerships;
- Share case studies; and/or
- Test the method and tool.

Together, we can pursue untapped NBS opportunities for watersheds.





References

- Abell, Robin and others (2011). Concordance of freshwater and terrestrial biodiversity. *Conservation Letters* 4: 127-136. doi:10.1111/j.1755-263X.2010.00153.x
- Abell, Robin and others (2017). *Beyond the Source: The Environmental, Economic and Community Benefits of Source Water Protection*. Arlington, VA: The Nature Conservancy. https://www.nature.org/content/dam/tnc/nature/en/documents/Beyond_The_Source_Full_Report_FinalV4.pdf
- American Enterprise Institute (2020). Land Price and Land Share Indicators. <https://www.aei.org/housing/land-price-indicators/> Accessed 19 September 2020
- Arcscott, David and others (2020). Estimating the Influence of Land Protection on Water Quality. DRAFT report prepared for the Open Space Institute.
- Baoxiang, Zhang and others (2012). GW vulnerability assessment based on entropy and fuzzy method. *Proceedings of the Institution of Civil Engineers - Water Management* 165(5): 277-283. <https://www.icevirtuallibrary.com/doi/abs/10.1680/wama.10.00060>
- Bardasi, Elena and Quentin Wodon (2010). Working Long Hours and Having No Choice: Time Poverty in Guinea. *Feminist Economics* 3: 45-78. doi: 10.1080/13545701.2010.508574
- Bastos Lima, Marion G., U Martin Persson and Patrick Meyfroidt (2019). Leakage and boosting effects in environmental governance: a framework for analysis. *Environmental Research Letters*, Volume 14, Number 10: 105006. <https://doi.org/10.1088/1748-9326/ab4551>
- Bastrup-Birk, Alessandro and others (2018). Forests and water: Valuation and payments for forest ecosystem services. Food and Agriculture Organization of the United Nations, Pp 97. https://www.researchgate.net/publication/328881233_Forests_and_Water_Valuation_and_payments_for_forest_ecosystem_services
- BenDor, Todd K. and others (2014). *Exploring and Understanding the Restoration Economy*. University of North Carolina at Chapel Hill. <https://curs.unc.edu/files/2014/01/RestorationEconomy.pdf>
- Bergkamp, Ger and Katharine Cross (2006). *Groundwater and ecosystem services: Towards their sustainable use*. International Symposium on Groundwater Sustainability. Gland, Switzerland: International Union for Conservation of Nature.

- Bergstrom, John C. and John B. Loomis (2017). Economic Valuation of River Restoration - An Analysis of the Valuation Literature and Its Uses in Decision-Making. *Water Resources and Economics* 17: 9–19. <https://doi.org/10.1016/j.wre.2016.12.001>
- Bernal, Blanca, Lara T. Murray and Timothy R.H. Pearson (2018). Global carbon dioxide removal rates from forest landscape restoration activities. *Carbon Balance and Management* 13(1): 22 <https://pubmed.ncbi.nlm.nih.gov/30460418/>
- Boyd, Emily and others (2015). Anticipatory governance for social-ecological resilience. *Ambio* 44(S1): 149–161. <http://dx.doi.org/10.1007/s13280-014-0604-x>
- Browder, Greg and others (2019). *Integrating Green and Gray: Creating Next Generation Infrastructure*. Washington, DC: World Bank and World Resources Institute. <https://openknowledge.worldbank.org/handle/10986/31430>.
- Brown, Kathryn and Ana Mijic (2019). Integrating green and blue spaces into our cities: Making it happen. Grantham Institute Briefing Paper No. 30. Imperial College London. <https://www.imperial.ac.uk/media/imperial-college/grantham-institute/public/publications/briefing-papers/Integrating-green-and-blue-spaces-into-our-cities---Making-it-happen-.pdf>
- Brownlee, Matthew (2012). Nature-based recreationists' perceptions of climate change and attitudes towards climate change mitigation in natural environments. PhD Dissertations. Clemson University. https://tigerprints.clemson.edu/all_dissertations/909
- Bryant, Benjamin P. and others (2020). Shaping Land Use Change and Ecosystem Restoration in a Water-Stressed Agricultural Landscape to Achieve Multiple Benefits. *Frontiers in Sustainable Food Systems*, 4: 138. <https://doi.org/10.3389/fsufs.2020.00138>
- Burchardt, Tania (2008). Time and Income Poverty. Center for Analysis of Social Exclusion, Report 57, London School of Economics. <http://eprints.lse.ac.uk/28341/>
- Colléony, Agathe and Assaf Shwartz (2019). Beyond Assuming Co-Benefits in Nature-Based Solutions: A Human-Centered Approach to Optimize Social and Ecological Outcomes for Advancing Sustainable Urban Planning. *Sustainability* 11(18): 4924. <https://doi.org/10.3390/su11184924>
- Conti, Jeff and others (2018). Strategies for Operationalizing Nature-Based Solutions in the Private Sector. The Nature Conservancy. <https://www.nature.org/content/dam/tnc/nature/en/documents/NBSWhitePaper.pdf>
- Cook, Jonathan and Rod Taylor (2020). Nature is an Economic Winner for COVID-19 Recovery. World Resources Institute. <https://www.wri.org/news/coronavirus-nature-based-solutions-economic-recovery>
- Credit Suisse, IUCN, Gordon and Betty Moore Foundation, The Rockefeller Foundation and the McKinsey Center for Business and Environment (2016). *Conservation Finance. From Niche to Mainstream: The Building of an Institutional Asset Class*. <https://www.rockefellerfoundation.org/wp-content/uploads/conservation-finance-en.pdf> Accessed 11 November 2020.

- Delaplane, Keith S. and others (2013). Standard methods for pollination research with *Apis mellifera*. *Journal of Apicultural Research*, 52(4): 1-28. <https://www.tandfonline.com/doi/abs/10.3896/IBRA.1.52.4.12>
- Depietri, Yaella and Timon McPhearson (2017). Integrating the grey, green, and blue in cities: nature-based solutions for climate change adaptation and risk reduction. In *Nature-Based Solutions to Climate Change in Urban Areas: Linkages Between Science, Policy and Practice*. Kabisch, N., Bonn, A., Korn, H. and Stadler, J. (Eds.) Pp. 91-110. Springer Publishing: Dordrecht, Netherlands.
- Deutsche Gesellschaft für Internationale Zusammenarbeit (2015). Repository of Adaptation Indicators Real case examples from national Monitoring and Evaluation Systems. https://www.adaptationcommunity.net/?wpfb_dl=221
- _____ (2020). Agricultural-based economic development. <https://www.giz.de/expertise/html/60139.html>
- Diringer, Sarah. and others (2020). *Incorporating Multiple Benefits into Water Projects: A Guide for Water Managers*. Oakland, Calif.: Pacific Institute. <https://pacinst.org/publication/incorporating-multiple-benefits-into-water-projects/>
- Donatti, Camila I. and others (2020). Indicators to measure the climate change adaptation outcomes of ecosystem-based adaptation. *Climatic Change* 158: 413-433. <https://link.springer.com/article/10.1007/s10584-019-02565-9>
- Dorst, Hade and others (2019). Urban greening through nature-based solutions – key characteristics of an emerging concept. *Sustainable Cities and Society* 49: 101620 [10.1016/j.scs.2019.101620](https://doi.org/10.1016/j.scs.2019.101620)
- Driessen, P.P.J. and others (2016). Toward more resilient flood risk governance. *Ecology and Society* 21(4). https://www.researchgate.net/publication/311741843_Toward_more_resilient_flood_risk_governance
- European Commission (2015). *Towards an EU research and innovation policy agenda for nature-based solutions & re-naturing cities*. Final Report of the Horizon 2020 Expert Group on Nature-Based Solutions and Re-Naturing Cities. <https://ec.europa.eu/programmes/horizon2020/en/news/towards-eu-research-and-innovation-policy-agenda-nature-based-solutions-re-naturing-cities>
- _____ (2020). Nature-based solutions: Transforming cities, enhancing well-being. <https://cordis.europa.eu/article/id/421853-nature-based-solutions>
- Filazzola, Alessandro, Namrata Shrestha and J. Scott MacIvor (2019). The Contribution of Constructed Green Infrastructure to Urban Biodiversity: A Synthesis and Meta-Analysis. *Journal of Applied Ecology* 56(9): 2131-2143. <https://doi.org/10.1111/1365-2664.13475>
- Food and Agriculture Organization of the United Nations (2017a). *The Food Insecurity Experience Scale: Measuring food insecurity through people's experiences*. <http://www.fao.org/3/a-i7835e.pdf>
- _____ (2017b). *Sustainable forestry for food security and nutrition infographic*. <http://www.fao.org/3/i6783e/i6783e.pdf>

- _____ (2018a). Developing Gender Sensitive Agricultural Supply Chains. <http://www.fao.org/3/i9212en/i9212EN.pdf>
- _____ (2018b). Observations and key messages on Nature-Based Solutions for agricultural water management and food security. <http://www.fao.org/3/ca2594en/CA2594EN.pdf>
- Gammage, Sarah (2010). Time Pressed and Time Poor: Unpaid Household Work in Guatemala. *Feminist Economics* 3: 79-112. <https://doi.org/10.1080/13545701.2010.498571>
- Global Center on Adaptation (2019). Adapt Now: A Global Call for Leadership on Climate Resilience. <https://gca.org/reports/adapt-now-a-global-call-for-leadership-on-climate-resilience/>
- Global Environment Facility (2020). Nature-Based Solutions and the GEF: A STAP Advisory Document. http://www.thegef.org/sites/default/files/council-meeting-documents/EN_GEF.C.59.STAP_Inf_06_Natured_Based_Solution_GEF.pdf
- Grill, Günther and others (2019). Mapping the world's free-flowing rivers. *Nature* 569: 215-221. <https://doi.org/10.1038/s41586-019-1111-9>
- Hallegatte, Stéphane (2009). Strategies to adapt to an uncertain climate change. *Global Environmental Change* 19(2): 240-247 <https://doi.org/10.1016/j.gloenvcha.2008.12.003>
- Heiner, Michael and others (2011). Identifying freshwater conservation priorities in the Upper Yangtze River Basin. *Freshwater Biology* 56: 89-105. doi: 10.1111/j.1365-2427.2010.02466.x
- Hilty, Jodi and others (2020). Guidelines for conserving connectivity through ecological networks and corridor. International Union for Conservation of Nature. <https://portals.iucn.org/library/sites/library/files/documents/PAG-030-En.pdf>
- Hirschman, David J. and others (2018). Updating the Runoff Reduction Method. Prepared for Metro Government of Nashville and Davidson County, Tennessee Metro Water Services, Stormwater Division. https://hirschmanwater.com/wp-content/uploads/2018/07/RRM-Nashville_Report_FINAL_060718.pdf
- Imhoff, Marc L. and others (2010). Remote Sensing of the Urban Heat Island Effect across Biomes in the Continental USA. *Remote Sensing of Environment* 114(3): 504-513. <https://doi.org/10.1016/j.rse.2009.10.008>
- Inter-American Development Bank (2012). Indicators to Assess the Effectiveness of Climate Change Projects. <https://publications.iadb.org/publications/english/document/Indicators-to-Assess-the-Effectiveness-of-Climate-Change-Projects.pdf>
- Intergovernmental Panel on Climate Change (2006). IPCC Guidelines for National Greenhouse Gas Inventories. <https://www.ipcc-nggip.iges.or.jp/public/2006gl/>

- International Union for Conservation of Nature (2012). Habitats Classification Scheme (Version 3.1). Cambridge: IUCN Global Species Programme Red List Unit. <https://www.iucnredlist.org/resources/habitat-classification-scheme>
- _____(2016a). Resolution 69 on Defining Nature-based Solutions (WCC-2016-Res-069). IUCN Resolutions, Recommendations and Other Decisions. 6-10 September 2016. World Conservation Congress Honolulu, Hawai'i, USA. https://portals.iucn.org/library/sites/library/files/resrecfiles/WCC_2016_RES_069_EN.pdf
- _____(2016b). The IUCN Red List of Ecosystems. Version 2016-1. <https://iucnrle.org/> Accessed 19 September 2020
- _____(2018). Global emissions and removals databases. <https://infoflr.org/what-flr/global-emissions-and-removals-databases> Accessed 20 October 2020
- _____(2019). Species Threat Abatement and Recovery Metric. <https://www.iucn.org/regions/washington-dc-office/our-work/species-threat-abatement-and-recovery-star-metric> Accessed 19 September 2020
- _____(2020). Managing invasive alien species to protect wild pollinators. <https://www.iucn.org/regions/europe/our-work/biodiversity-conservation/pollinators-europe/guides-conserving-pollinators>
- Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (2016). The assessment report of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services on pollinators, pollination and food production. Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, Bonn, Germany. https://ipbes.net/sites/default/files/downloads/pdf/2017_pollination_full_report_book_v12_pages.pdf
- IRC International Water and Sanitation Centre (2013). Financing Capital Maintenance of Rural Water Supply Systems: current practices and future options. https://www.ircwash.org/sites/default/files/201303_9_wp_capmanex_web.pdf
- Itad (2014). Investing in Monitoring, Evaluation and Learning Issues for NGOs to Consider. http://www.itad.com/wp-content/uploads/2014/04/Investing_in_MEL.pdf
- Kabisch, Nadja and others (2016). Nature-based solutions to climate change mitigation and adaptation in urban areas: Perspectives on indicators, knowledge gaps, barriers, and opportunities for action. *Ecology and Society* 21: 39. <https://www.ecologyandsociety.org/vol21/iss2/art39/>
- Kapos, Valerie and others (2019). The Role of the Natural Environment in Adaptation. Background Paper for the Global Commission on Adaptation. Rotterdam and Washington, D.C.: Global Commission on Adaptation. https://www.ecoshape.org/app/uploads/sites/2/2017/08/3324-19_WP_GCA_Paper_WEB-002.pdf

- Kazemi, Fatemeh, Simon Beecham and Joan Gibbs (2011). Streetscape Biodiversity and the Role of Bioretention Swales in an Australian Urban Environment. *Landscape and Urban Planning* 101(2): 139–148. <https://doi.org/10.1016/j.landurbplan.2011.02.006>
- Keeler, Andrew G., McNamara, Daniel E. and Irish, Jennifer L. (2018). Responding to Sea Level Rise: Does Short-Term Risk Reduction Inhibit Successful Long-Term Adaptation? *Earth's Future* 6(4): 618–621. <https://doi.org/10.1002/2018EF000828>
- Khoury, Mary, Jonathan Higgins and Roy Weitzell (2011). A freshwater conservation assessment of the Upper Mississippi River basin using a coarse- and fine-filter approach. *Freshwater Biology* 56: 162–179. doi:10.1111/j.1365-2427.2010.02468.x
- KIT Royal Tropical Institute (2020). Gender in Coffee and Cocoa Initiative. <https://www.kit.nl/project/gender-in-coffee-and-cocoa-initiative/> Accessed 20 October 2020
- Krasny, Marianne E. and others (2014). Civic ecology practices: Participatory approaches to generating and measuring ecosystem services in cities. *Ecosystem Services* 7: 177–186. <https://doi.org/10.1016/j.ecoser.2013.11.002>
- Kumar, Prashant and others (2015). Index-based groundwater vulnerability mapping models using hydrogeological settings: A critical evaluation. *Environmental Impact Assessment Review* 51: 38–49. <https://doi.org/10.1016/j.eiar.2015.02.001>
- Le Maitre, David C. and others (2020). Impacts of Plant Invasions on Terrestrial Water Flows in South Africa. *Biological Invasions in South Africa. Invading Nature – Springer Series in Invasion Ecology*, vol 14. Springer, Cham. https://doi.org/10.1007/978-3-030-32394-3_15
- Lele, Sharachandra and others (2013). Ecosystem Services: Origins, Contributions, Pitfalls, and Alternatives. *Conservation & Society* 11(4): 343–358. https://www.jstor.org/stable/26393131?seq=1#metadata_info_tab_contents
- MacKinnon Kathy and others (2019). Nature-Based Solutions and Protected Areas to Improve Urban Biodiversity and Health. *Biodiversity and Health in the Face of Climate Change*. Springer, Cham. https://doi.org/10.1007/978-3-030-02318-8_16
- Margat, Jean and Jac van der Gun (2013). *Groundwater around the world: A geographic synopsis*. CRC Press, Boca Raton, Florida, United States.
- Matsler, A. Marissa (2019). Making 'green' fit in a 'gray' accounting system: The institutional knowledge system challenges of valuing urban nature as infrastructural assets. *Environmental Science and Policy* 99: 160–168. <https://www.sciencedirect.com/science/article/abs/pii/S146290118310797>
- Matthews, John H. and others (2019). *Wellspring: Source Water Resilience and Climate Adaptation*. Arlington, VA: The Nature Conservancy. https://www.nature.org/content/dam/tnc/nature/en/documents/Wellspring_FULL_Report_2019.pdf

- Mazurek, Renee (2018). Green Infrastructure to Decrease Stormwater Flooding, Enhance Water Quality and Promote Equity. Urban Waters Learning Network, 13 August. <http://www.urbanwaterslearningnetwork.org/resources/green-infrastructure-decrease-stormwater-flooding-enhance-water-quality-promote-equity-aug2018/>
- Meinzen-Dick, Ruth S. and others (2013). Gender, Assets, and Agricultural Development Programs: A Conceptual Framework. CAPRI Working Paper 99. Washington, DC: IFPRI. <https://www.ifpri.org/publication/gender-assets-and-agricultural-development-programs-conceptual-framework>
- Mohamed, Adam K. and others (2019). Hydrochemical Analysis and Fuzzy Logic Method for Evaluation of Groundwater Quality in the North Chengdu Plain, China. *International Journal of Environmental Research and Public Health* 16(3): 302. <https://pubmed.ncbi.nlm.nih.gov/30678082/>
- Mokany, Karel and others (2020). Reconciling global priorities for conserving biodiversity habitat. *Proceedings of the National Academy of Sciences* 117(18): 9906-9911. <https://www.pnas.org/content/117/18/9906.short?rss=1>
- Monberg, Rikke J. and others (2019). Vegetation Development in a Stormwater Management System Designed to Enhance Ecological Qualities. *Urban Forestry & Urban Greening* 46: 126463. <https://www.sciencedirect.com/science/article/abs/pii/S1618866719301049?via%3Dihub>
- Moore, Michele-Lee and Frances Westley (2011). Surmountable chasms: networks and social innovation for resilient systems. *Ecology and Society* 16(1): 5 <http://www.ecologyandsociety.org/vol16/iss1/art5/>
- Naor, Lia, and Ofra Maysel (2020). The therapeutic value of experiencing spirituality in nature. *Spirituality in Clinical Practice* 7(2): 114-133. <https://doi.org/10.1037/scp0000204>
- Narayan, Siddharth and others (2016). The Effectiveness, Costs and Coastal Protection Benefits of Natural and Nature-Based Defences. *PLOS ONE* 11(5): e0154735. <https://doi.org/10.1371/journal.pone.0154735>
- The Nature Conservancy (2013). The Case for Green Infrastructure. Joint-Industry White Paper. <https://www.nature.org/content/dam/tnc/nature/en/documents/the-case-for-green-infrastructure.pdf>
- _____ (2015). Upper Tana-Nairobi Water Fund Business Case. Version 2. <https://waterfundstoolbox.org/regions/africa/upper-tana-nairobi-water-fund-kenya>
- _____ (2019). Investing in Nature. Private finance for nature-based resilience. https://www.nature.org/content/dam/tnc/nature/en/documents/TNC-INVESTING-IN-NATURE_Report_01.pdf
- Neitsch, Susan L. and others (2011). Soil and Water Assessment Tool Theoretical Documentation Version 2009. Texas Water Resources Institute. <https://oaktrust.library.tamu.edu/handle/1969.1/128050>
- Nesshöver, Carsten and others (2017). The science, policy and practice of nature-based solutions: an interdisciplinary perspective. *Science of Total Environment* 579: 1215-1277, 10.1016/j.scitotenv.2016.11.106

- New Hampshire Department of Environmental Services (2008). New Hampshire Stormwater Manual Volume 1. Stormwater and Antidegradation. <https://www.des.nh.gov/sites/g/files/ehbemt341/files/documents/2020-01/wd-08-20a.pdf>
- Noble, Ian R. and others (2014). "Adaptation needs and options." In: *Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Field, C.B. and others, eds. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. Pp. 833–868
- Organisation for Economic Co-operation and Development (2012). *Water Governance in Latin America and the Caribbean: A Multi-level Approach*. Paris: OECD Studies on Water, OECD Publishing. <https://doi.org/10.1787/9789264174542-en>
- _____ (2020). Nature-based solutions for adapting to water-related climate risks. *OECD Policy Perspectives* No. 21. https://issuu.com/oecd.publishing/docs/nature-based-solutions-for-adapting-to-water_relat
- Poumadere, Marc and others (2006). The 2003 Heat Wave in France: Dangerous Climate Change Here and Now. *Risk Analysis* 25: 1483-1494. https://www.researchgate.net/publication/7270752_The_2003_Heat_Wave_in_France_Dangerous_Climate_Change_Here_and_Now
- Raymond, Christopher M. and others (2017). A framework for assessing and implementing the co-benefits of nature-based solutions in urban areas. *Environmental Science & Policy* 77: 15-24. <https://doi.org/10.1016/j.envsci.2017.07.008>
- Reig, Paul and others (2019). *Volumetric Water Benefit Accounting (VWBA): A Method for Implementing and Valuing Water Stewardship Activities*. Working Paper. Washington, DC: World Resources Institute. <https://www.wri.org/publication/volumetric-water-benefit-accounting>
- Schueler, Thomas R. (1987). *Controlling urban runoff: a practical manual for planning and designing urban BMPs*. Washington, DC: Metropolitan Washington Council of Governments.
- Seddon, Nathalie and others (2020). Understanding the value and limits of nature-based solutions to climate change and other global challenges. *Philosophical Transactions of the Royal Society B* 375(1794): 20190120. <http://doi.org/10.1098/rstb.2019.0120>
- Semenza, Jan C. and others (2008). Public Perception of Climate Change Voluntary Mitigation and Barriers to Behavior Change. *American Journal of Preventive Medicine* 35: 479-487. <https://www.sciencedirect.com/science/article/abs/pii/S0749379708006831>
- Shiao, Tien and others (2020). *Benefit Accounting of Nature-Based Solutions for Watersheds Landscape Assessment*. Oakland, Calif: United Nations CEO Water Mandate and Pacific Institute. www.ceowatermandate.org/nbs/landscape
- Solava, Ibrahim and Sabina Alkire. (2007). *Agency and Empowerment. A Proposal for Internationally Comparable Indicators*. Working Paper 4, Oxford: Oxford Poverty and Human Development Initiative. <https://ophi.org.uk/wp-content/uploads/OPHI-wp04.pdf>

- Somarakis, Giorgos, Stavros Stagakis and Nektarios Chrysoulakis, eds. (2019). ThinkNature Nature-Based Solutions Handbook. https://platform.think-nature.eu/system/files/thinknature_handbook_final_print_0.pdf Accessed 9 March 2020
- South Pole (2018). Nature to the Rescue: How Nature-Based Solutions are Moving Corporate Water Risk Management Beyond Business-As Usual. <https://www.southpole.com/publications/water-white-paper-2018>
- Smullen, James T., Amy L. Shallcross and Kelly A. Cave (1998). Updating the U.S. Nationwide Urban Runoff Quality Database. 3rd International Conference on Diffuse Pollution: August 31 - September 4, 1998. Edinburg, Scotland: Scottish Environment Protection Agency.
- Sweeney, Bernard W. and J. Denis Newbold (2014). Streamside Forest Buffer Width Needed to Protect Stream Water Quality, Habitat, and Organisms: A Literature Review. *Journal of the American Water Resources Association*. Paper No. JAWRA-13-0102-P. <https://doi.org/10.1111/jawr.12203>
- Talal, Michelle L. and Mary V. Santelmann (2019). Plant Community Composition and Biodiversity Patterns in Urban Parks of Portland, Oregon. *Frontiers in Ecology and Evolution* 7(201): 1-16. <https://www.frontiersin.org/articles/10.3389/fevo.2019.00201/full>
- Tedesco, Pablo A. and others (2017). A global database on freshwater fish species occurrence in drainage basins. *Scientific Data* 4: 170141. <https://www.nature.com/articles/sdata2017141>
- Temmerman, Stijn and others (2013). Ecosystem-based coastal defense in the face of global change. *Nature* 504(7478):79-83. https://www.researchgate.net/publication/259200820_Ecosystem-based_coastal_defence_in_the_face_of_global_change
- Teillard, Felix (2016). A review of indicators and methods to assess biodiversity – Application to livestock production at global scale. *Livestock Environmental Assessment and Performance Partnership*. Rome, Italy: FAO. <http://www.fao.org/3/a-av151e.pdf>
- Toth, Ferenc and Eva Hizsnyik (2008). Managing the inconceivable: participatory assessments of impacts and responses to extreme climate change. *Climatic Change* 91: 81-101 <https://ideas.repec.org/p/sgc/wpaper/74.html>
- United Nations Development Program (2019). Pathway for Increasing Nature-Based Solutions in NDCs. <https://www.undp.org/content/undp/en/home/librarypage/climate-and-disaster-resilience-/pathway-for-increasing-nature-based-solutions-in-ndcs.html>
- United Nations Global Compact CEO Water Mandate and others (2019). Setting Site Water Targets Informed by Catchment Context: A Guide for Companies. www.ceowatermandate.org/site-water-targets
- United Nations Water World Water Assessment Programme (2018). The United Nations World Water Development Report 2018: Nature-based solutions for water. Paris, France: United Nations Educational, Scientific and Cultural Organization. <http://unesdoc.unesco.org/images/0026/002614/261424e.pdf>

- United Nations Women (2015). Progress of the world's women 2015-2016. Transforming economies, realizing rights. Pp 342. https://progress.unwomen.org/en/2015/pdf/UNW_progressreport.pdf
- United States Environmental Protection Agency (1982). Water Quality Assessment: A Screening Procedure for Toxic and Conventional Pollutants. Part 1. Environmental Research Laboratory, Athens, GA.
- _____. Healthy Watersheds Protection. <https://www.epa.gov/hwp/basic-information-and-answers-frequent-questions#what> Accessed 3 June 2020
- University of Oxford (2019). Nature-Based Solutions Initiative. Oxford: University of Oxford Department of Zoology. <https://www.naturebasedsolutionsinitiative.org/> Accessed 7 January 2020
- Williams, Jimmy R., Jeffrey G. Arnold and Srinivasan, Raghavan. (2000). The APEX Model. BRC Report No. 00-06. Temple, TX: Texas A&M University, Texas Agricultural Extension Service, Texas Agricultural Experiment Station, Blacklands Research Center.
- Williams, Jimmy R. and others (2015). Agricultural Policy / Environmental eXtender Model Theoretical Documentation Version 0806. <https://agrilife.org/wp-content/blogs.dir/482/files/2017/03/THE-APEX0806-theoretical-documentation-Oct-2015.pdf> Accessed 15 September 2020
- Wischmeier, Walter H. and Dwight D. Smith (1978). Predicting Rainfall Erosion Losses: A Guide to Conservation Planning. Agriculture Handbook No. 537. Washington, DC: USDA/Science and Education Administration, US. Govt. Printing Office.
- World Bank (2019). Nature-based Solutions: A Cost-effective Approach for Disaster Risk and Water Resource Management. <https://www.worldbank.org/en/topic/disasterriskmanagement/brief/nature-based-solutions-cost-effective-approach-for-disaster-risk-and-water-resource-management>
- World Bank (2020). Employment in agriculture (% of total employment) (modeled ILO estimate). <https://data.worldbank.org/indicator/SL.AGR.EMPL.ZS>
- World Business Council for Sustainable Development (2020). Accelerating business solutions for Climate and Nature Report I: Mapping nature-based solutions and natural climate solutions. <https://docs.wbcsd.org/2020/12/WBCSD-Accelerating-Business-Solutions-for-Climate-and-Nature.pdf>
- World Wild Fund for Nature (2016). Fishing for Proteins. https://www.wwf.de/fileadmin/fm-wwf/Publikationen-PDF/WWF-Report_Fishing_for_Proteins_English_Version.pdf
- _____(2020a). Bankable Nature Solutions. https://wwfeu.awsassets.panda.org/downloads/bankable_nature_solutions_2__1.pdf
- _____(2020b). Living Planet Report 2020 - Bending the curve of biodiversity loss. Almond, Rosamunde, Monique Grooten and Tanya Petersen, eds. Gland, Switzerland: WWF. <https://www.zsl.org/sites/default/files/LPR%202020%20Full%20report.pdf>
- Wu, Andrew. (2017). How Can Restoring Degraded Landscapes Deliver Financial Returns? World Resources Institute. <https://www.wri.org/blog/2017/05/how-can-restoring-degraded-landscapes-deliver-financial-returns>

Zacharias, Ajit. (2011). The Measurement of Time and Income Poverty. Levy Economics Institute Working Paper 690. Annandale-on-Hudson, NY: Levy Economics Institute of Bard College. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=1939383

Zhu, Zhiliang, ed. (2010). A method for assessing carbon stocks, carbon sequestration, and greenhouse-gas fluxes in ecosystems of the United States under present conditions and future scenarios: U.S. Geological Survey Scientific Investigations Report 2010-5233. 188 pp. <https://pubs.usgs.gov/sir/2010/5233/pdf/sir2010-5233-Main.pdf>

Appendix A: Members of the Project's Expert Advisory Group

TABLE A1: Names and company details of the members of the project's expert advisory group

Name	Company
Robin Abell	Conservation International
Erin Beller	Google
Todd Bridges	United States Army Corp of Engineers
Eddie Corwin	Google
James Dalton	International Union for the Conservation of Nature
Anna Escuer	Google
Jehanne Fabre	Danone
Paul Fleming	Microsoft
Elisabeth Folkunger	Swedish International Development Cooperation Agency
Andre Fourie	Anheuser-Busch InBev
Niki Frantzeskaki	Swinburne University of Technology
Alexandra Freitas	Dutch Government
Carlo Galli	Nestle
Gena Gammie	Forest Trends
Dustin Garrick	University of Oxford
France Guertin	Dow
Kenna Halsey	Ecometrix Solutions Group
Kevin Halsey	Ecometrix Solutions Group
Owen Hewlett	Gold Standard
Alexander Nash	Asian Development Bank
Sharon Oseku-Frainier	Ramsar Convention on Wetlands
Suzanne Ozment	World Resources Institute
Ed Pinero	Ecometrics
Shannon Quinn	Proctor & Gamble
Joe Ray	Dutch Government
Paul Reig	Blue Risk Intel
Francisco Rilla	United Nations Environment Program
Ulrike Sapiro	Coca-Cola
Truke Smoor	Cargill
Emilio Tenuta	EcoLab
Adrian Vogl	The Natural Capital Project, Stanford University
Ben Wilinsky	Arbor Day Foundation
Winston Yu	World Bank

Appendix B: Agricultural Nature-Based Solutions Versus Best-Management Practices

There is no clear consensus among practitioners on which activities in agricultural landscapes fall under NBS and which should be considered BMPs. While both NBS and BMPs in agriculture are generally methods which have proven to be effective in preventing or reducing negative impacts (e.g. reducing nitrogen pollution in waterways) and achieving benefits for water, carbon, biodiversity and soil health, the difference is that BMPs do not always fall strictly under the definition of NBS. Agricultural BMPs do not always aim to return ecosystems to their original state or manage or conserve healthy ecosystems. They often focus instead on increasing operational efficiency, such as through water-efficient irrigation technology or the use of heat-resistant crop seeds. These BMPs can reduce operational costs for farmers and improve agricultural yields. NBS can also provide multiple socio-economic benefits but are also focused on returning monocultured and degraded croplands to a more natural or pre-intervention state, for example, through planting diverse vegetation buffers and increasing organic matter in soils. The table below compares the list of agricultural BMPs versus NBS considered in this guide.

TABLE B1: Differences between agricultural nature-based solutions and best management practices

Agricultural Nature-Based Solutions Activities	Agricultural Best Management Practices
Terraced/contour planting (following natural gradients of landscape)	Soil tillage (other than conservation tillage)
Vegetation buffers (cover crops, grass strips, hedge rows, trees in croplands, riparian buffers, filter strips, critical area planting)	Irrigation practices including flood/drip/variable rate irrigation and advanced irrigation scheduling
Invasive species removal (flora and fauna (including reducing evapotranspiration by alien vegetation))	Grow tunnels, shade netting or other evapotranspiration reducing technology
Grazing management systems (silvopasture, rotational grazing/reduce overgrazing)	Crop diversification, intercropping, conversion or use of drought or heat resistant seeds
Mulching and fertilizing (animal manure, compost pits, biochar, organic matter, crop residue, conservation tillage)	Crop rotation
Barriers (fences, wire, etc. to reduce livestock/animal impacts, reduce unwanted herbivory)	Pest management/limitation (pesticide and chemical fertilizer application including biological control)
Soil health improvement/restoration (increase organic matter, increase carbon content, earthworms, microbial activity, plant diversity)	Laser leveling
Retention/detention ponds, swales, diversion/diversion channels	

Appendix C: Principles and Attributes of Nature-Based Solutions for Watersheds

To implement NBS in a manner that results in intended positive impacts on people and nature, companies and those looking to invest in NBS need a set of clear and coordinated principles upon which to develop evidence-based guidelines and tools for practitioners and decision makers. The principles considered in this guide have been adapted from those provided by the IUCN (adapted text in **green** below). Many of the principles are linked and, in some circumstances, may be interdependent.

PRINCIPLE OVERVIEW

Principle 1: NBS embrace nature conservation norms and principles.

Principle 2: NBS can be implemented alone or in an integrated manner with other solutions to address societal challenges (i.e. NBS combined with technological and engineering solutions).

Principle 3: NBS are determined by site-specific **ecological** and cultural contexts that include **meaningful engagements with multiple stakeholders holding** traditional, local and scientific knowledge.

Principle 4: NBS produce **multiple** societal benefits in a fair and equitable way in a manner that promotes transparency and broad participation **among multiple stakeholders**.

Principle 5: NBS maintain or improve **ecosystem processes**, cultural diversity and the ability of ecosystems to evolve over time.

Principle 6: NBS **consider**, apply or **contribute to multiple benefits** at a landscape scale.

Principle 7: NBS recognize and address the trade-offs between the production of a few immediate economic benefits for development, and future options to produce the full range of **benefits for a broad range of beneficiaries**.

Principle 8: NBS are an integral part of the overall design of policies and measures or actions, to address **societal and environmental** challenges.

Principle 9: NBS are assessed and designed using the best available science to optimize performance, identify the limits of benefits and acknowledge unknowns.

Given the complexity of the societal challenges that NBS aim to help address, we elaborate further on the principles below. The examples offer context for each of the principles. The “method considerations” column provides insight into how the principles will inform our method development.

Principle 1: NBS embrace nature conservation norms and principles

Explaining the principle

NBS are not an alternative to or a substitute for nature conservation. While NBS embrace nature conservation, not all conservation actions necessarily qualify as NBS. In some cases, NBS closely address nature conservation priorities, but not invariably or exclusively. Therefore, NBS is not wanting to replace existing conservation norms and principles, but rather align with them where possible.

Example

The need to conserve a certain species or protect a landscape led to the creation of protected areas. This protection may result in NBS activities in the protected area or nearby. By conserving a forest and the species that live there, a protected area may also provide watershed protection while providing social and economic opportunities from tourism to the area. The protected area itself is not an NBS as the area is a geographic location where landscapes and species are afforded varying degrees of protection rather than addressing key solutions to, for example, an improvement in water quality.

Method considerations

This method will align with nature conservation norms and principles. This will include biodiversity as one part of the benefit suite as well as the multiple benefits that NBS provide to nature, including broader landscape processes, ecosystem health and ecosystem service provision.

Principle 2: NBS can be implemented alone or in an integrated manner with other solutions to address societal challenges (i.e. NBS combined with technological and engineering solutions)

Explaining the principle

NBS promotes the provision of a full range of ecosystem services and can complement other technological and engineering actions and interventions.

This principle requires consistency and alignment between policies and is linked to NBS Principle 8.

Example

To limit flooding in low lying coastal areas, activities, such as building seawalls and planting mangroves, can prove a successful combination of NBS and engineered solutions that meet societal needs.

It would not be considered NBS if a seawall is built with some vegetation planted on or around it for beautification, even if this vegetation assists partially with meeting societal needs like localized flooding.

Method considerations

The method will focus on the aim of NBS in addressing societal challenges, rather than the proportionality of green and gray infrastructure used. It will highlight the multiple benefits provided by NBS, and showcase the different benefits accrued over different time periods.

Principle 3: NBS are determined by site-specific ecological and cultural contexts that include meaningful engagements with multiple stakeholders holding traditional, local and scientific knowledge

Explaining the principle

NBS are evidence-based approaches built on understanding ecosystems and socio-economic/cultural contexts. Because all situations are different, NBS should consider ecological and cultural contexts that include traditional, local and scientific knowledge, through people living and having a stake in the ecosystem. Ensure that the voices of marginalized communities are included in NBS development and implementation. An effective system of local governance or integrating actions into existing governance structures will aid the process.

Example

Many communities in less developed areas have been incorporating NBS into their daily lives for hundreds of years. Examples include planting trees, shrubs or grasses in areas of high erosion or along coastal floodplains to limit flood risks. These communities often know what grows best in these areas and how these interventions and activities can support their societal challenges. By combining traditional or local knowledge with scientific data, NBS interventions and activities will be more sustainable and more culturally accepted than if solutions are imposed on landscapes without local input.

Planting crop species to increase food security may not be considered NBS, as there are limited co-benefits derived from crop planting as opposed to, for example, planting vegetation for erosion control.

Method considerations

The method will incorporate a variety of different data sources and multidisciplinary knowledge to produce outcomes and outputs that are relevant to local contexts. It is important to incorporate traditional, local and scientific knowledge in the method development to ensure that these insights are considered and valued. This will enhance understanding of the beneficiaries of NBS interventions and activities and the types of benefits accrued.

Principle 4: NBS produce multiple societal benefits in a fair and equitable way in a manner that promotes transparency and broad participation among multiple stakeholders

Explaining the principle

It is important to ensure that different categories of stakeholders are involved in NBS, and that the NBS in place provide multiple benefits to these stakeholders and avoid negative impacts. NBS activities for water security, carbon sequestration or disaster risk reduction frequently provide services for governments, businesses and communities that can be outside of the immediate site but can entail loss of opportunities for those living in or near the services' source. NBS should therefore promote the sharing of costs and benefits for all beneficiaries in a fair and equitable way.

Example

When a community maintains a forested watershed to supply water downstream, it will need fair and transparent processes as well as an explicit understanding of the local politics of negotiations and implementations. This understanding should reflect the watershed's value to the forest community and help determine the nature of compensation-based mechanisms for the supply of ecosystem services. Where they exist, trade-offs should be mitigated wherever possible.

If a stakeholder unilaterally implements NBS without informing other stakeholders in the watershed or fails to consider the impacts the NBS may have on other communities, the process would not be considered fair, equitable or transparent.

Method considerations

The method will provide an overview of any NBS project's benefits, beneficiaries and potential trade-off(s). It will attempt to incorporate a broader set of social and cultural values, and not focus explicitly on economic values. Ensuring that benefits accrue as equally as possible across stakeholders, and that some stakeholders are not disproportionately benefitting, are key considerations. M&E should be incorporated into NBS design to ensure that benefits are aligned to societal challenges over time.

Principle 5: NBS maintain or improve ecosystem processes, cultural diversity and the ability of ecosystems to evolve over time

Explaining the principle

In order to ensure that ecosystem services are sustainable and, as far as possible, resilient to future environmental change, NBS need to be developed and implemented in a manner that is consistent with the temporal dynamics and complexity of ecosystems. Some benefits will accrue across the short, medium and long term and may change based on the dynamics and complexity of ecosystems.

Example

When designing NBS, practitioners should prioritize maintaining and improving natural landscape processes through the inclusion of social and cultural knowledge and actions. NBS can also add interventions and activities that incorporate culturally valuable materials, such as certain indigenous plant species which can be used for food, fuel, medicine or cultural practices. These indigenous materials will also support local ecosystem processes and create a more resilient ecosystem. NBS design and management should also consider how the NBS themselves may be impacted by a changing climate or other external changes.

NBS that fail to consider how climate change will impact habitat may prevent the ability of ecosystems to evolve over time.

Method considerations

The method aims to promote the maintenance and improvement of ecosystem processes, cultural diversity and the ability of ecosystems to evolve over time by highlighting how certain NBS can maintain and improve these processes. This will assist in reducing uncertainty and building long-term sustainability and resilience in these ecosystems.

Principle 6: NBS consider, apply or contribute to multiple benefits at a landscape scale

Explaining the principle

Many NBS are implemented over large spatial scales—such as watersheds or large forests—which usually combine several ecosystems (agricultural, inland waterways, coastal, forest, etc.), and that might, in some cases, be transboundary. Even when an NBS is implemented at a specific site level, it is important to consider the wider landscape-scale context and consequences, aiming at upscaling where appropriate.

Example

When a business starts developing and implementing NBS, it should consider the broader scale benefits. Look beyond the boundaries of the business and design for benefits that accrue to the whole of society. An alien vegetation clearing project could be designed to create local jobs, and the area could be re-planted to provide native pollinator habitat. Consider these multiple benefits in advance to ensure the project is designed to optimize benefits. Think broad when thinking NBS.

Thinning or harvesting of commercial forest stands for replanting a new crop would not be considered NBS as this is a commercial venture with few benefits accruing to the environment or societies in or around the commercial plantation.

Method considerations

The method will recognize that scale matters and will account for the full suite of benefits across multiple scales. Scale is also important to improve levels of certainty. We have more certainty at more localized levels as actions and outputs can be easier to measure. Practitioners should ensure that any NBS contribute to benefits at the landscape scale by working through multi-stakeholder engagements to align with other projects and programs.

Principle 7: NBS recognize and address the trade-offs between the production of a few immediate economic benefits for development, and future options to produce the full range of benefits for a broad range of beneficiaries

Explaining the principle

A thorough understanding of trade-offs between current and future benefits is important when deciding among different NBS activities. Focus on thinking in longer time frames and considering a wide range of benefits. Most current project planning and funding processes only allow for a limited time frame in which to consider costs, benefits and the sustainability of solutions. By thinking further into the future and considering a wider range of benefits (not all of which can be captured in a traditional cost-benefit calculation), NBS can offer holistic and/or complementary solutions.

Example

Support for restoration, management and conservation efforts through mechanisms like payments for ecosystem services can provide economic and social benefits that outweigh the need to convert ecosystems.

NBS should avoid changing an ecosystem in favor of a particular service or resource, such as replacing natural mixed woodland with a monoculture crop plantation. Although the immediate benefits from crops seems enticing (e.g. food security, income from crop sales), the natural woodland contributes potentially more benefits over time.

Method considerations

The method considers the complexity of ecological and social systems and engages many stakeholder groups when accounting for interests, needs, benefits and trade-offs. The method also factors in how to mitigate trade-offs wherever possible. This method aims to decrease the level of uncertainty when designing and implementing NBS so that the balance of benefits and beneficiaries is more equal.

Principle 8: NBS are an integral part of the overall design of policies and measures or actions, to address societal and environmental challenges

Explaining the principle

For NBS interventions and activities to have broad influence, it is important to make sure that they are not only practically undertaken in the field, but are also incorporated into policy, funding criteria, project development protocols and related actions. The implementation of this principle will support large-scale interventions and activities, including the potential for adaptive management and collaborative governance, as the interventions' outcomes can inform and adapt natural resource management policy and governance strategies.

Example

Businesses should align NBS design as much as possible with national legislative priorities, such as conservation objectives, social inclusivity, human health and economic opportunity creation. NBS can play a crucial role in solving many societal challenges but need to be formalized into policy to ensure implementation at scale. When there is a legislative requirement to consider NBS (with or without traditional systems), the opportunities for design and implementation of NBS will be significant.

When implementers only focus on the benefits to their business and ignore watershed priorities that address other societal challenges, NBS may fail to reach scale, as opportunities will appear less valuable.

Method considerations

The method acknowledges that multi-stakeholder engagement will be critical to ensure alignment between policy and practice. This will also require the public and private sectors, NGOs and civil society to collaborate on policies that promote NBS. These engagements will need to be ongoing and adapted to changing ecological and social systems in the local context.

Principle 9: NBS are assessed and designed using the best available science to optimize performance, identify the limits of benefits and acknowledge unknowns

Explaining the principle

NBS projects should leverage expertise and knowledge from NBS practitioners and academic partners. Applying the most relevant knowledge and incorporating new knowledge as it is developed to current and future NBS projects will establish a valuable "learning by doing" approach. There are always unknowns when designing projects involving NBS, but we can mitigate these uncertainties through adaptive management and multi-stakeholder engagement.

Example

An NBS project is developed by implementers who perform a thorough literature review, partner with an academic institution to understand the latest thinking and incorporate local communities in the design and decision-making process to understand traditional approaches to managing the land. This scientific and local knowledge informs the design, and the monitoring program tracks both the unknowns and intended project impacts in order to support learning and adaptive management.

When implementers do not apply contemporary science or use lessons learned from other NBS projects, NBS may fail to address the key societal challenges they were developed to address, limit the benefits accrued or compromise opportunities for reflective learning.

Method considerations

The method will be developed based on contemporary literature and expert understanding of NBS and ecosystem processes and functions. The method will be dynamic and adaptable as our understanding of NBS benefits improves with experience and time. The method acknowledges gaps in our current knowledge and attempts to address these wherever possible to reduce the number of unknowns.

ATTRIBUTES OF SUCCESSFUL NATURE-BASED SOLUTIONS FOR WATERSHEDS

The project team developed a set of attributes for this guide based on principles and parameters proposed by the IUCN (2016a). These attributes represent the considerations that policymakers and practitioners should include in NBS project design and implementation in order to increase the likelihood of effectiveness and sustainability across a range of different contexts and localities. All NBS interventions, across all habitat types, should fully consider these attributes to increase the likelihood of NBS project success.

1. Ecological complexity

NBS should maintain or improve ecological complexity at different scales. Understanding the interconnectedness, influence and impacts of different elements (ecological, social and economic) within ecosystems is crucial to ensuring that complexity is considered. By pulling one lever, there may be upstream and downstream consequences which should be planned for and mitigated where negative influences occur.

For example, by restoring a forest and planting new trees to increase available habitat, improve air quality, enhance carbon sequestration, etc., there may be a decline in the local surface water or groundwater resources as these new forest stands absorb more water as they grow. Less water in the system could affect aquatic ecosystems, local hydrology and soil and water chemistry. Practitioners, planners and policymakers need to be aware of the interconnectedness in ecological and social systems and mitigate any trade-offs wherever possible.

2. Scale of ecological organization

NBS should be implemented at a scale that helps mediate upstream and downstream relationships, beneficiaries and benefits. Ideally NBS should be implemented at the landscape (e.g. watershed) level and consider broad ecological, social and economic systems.

Design NBS at large scale and align closely with other NBS or landscape management practices in the watershed. This offers the potential to maximize return on investments, reach project goals sooner, reap additional benefits, broaden beneficiary reach, pool resources and expedite project implementation. The smaller the scale (e.g. within the property boundary of a company) of the project, the less opportunity there is to slot in with other projects, partner with other stakeholders in the watershed or reach a wider audience of beneficiaries.

3. Long-term sustainability

NBS interventions and activities should persist over many years and include M&E at every stage of the project. Long-term sustainability may require a suitable budget for maintenance, monitoring and further improvements. This approach will ensure that benefits are accrued across the short, medium and long term.

Practitioners may need to review public and private sector funding, policies and frameworks which oftentimes have short time frames attached to projects (under five years). Without adequate resources (finances, capacity, time, etc.) NBS projects may not reach their full potential or be able to provide the full suite of benefits they were designed to achieve. In a worst-case scenario, an NBS project may fail completely due to a lack of operational and maintenance support.

4. Direct societal benefits

NBS should support the delivery of multiple societal benefits (across ecological, social and economic systems) and attempt to mitigate trade-offs where these exist. It is important that those who seek to implement NBS articulate the nature, scope and scale of the benefits they wish to accrue.

By starting with the kinds of direct benefits wanted, either for the benefits of their organization (company, government agency, NGO, etc.) or for a broader community, practitioners can identify the kinds of interventions and activities across multiple habitat types that could help achieve these benefits. Some beneficiaries may accrue additional benefits depending on their needs (e.g. fresh water for drinking) or preferences (e.g. green urban space for recreation), while others may not benefit as much. It is critical that one cohort is not impacted by too many of the trade-offs (negative consequences of NBS actions) to create a more equitable share of NBS benefits.

5. Adaptive management and collaborative governance

NBS interventions and activities should be supported by institutional and decision-making arrangements that are flexible enough to adapt over time to meet changing landscape conditions and the needs of the people who manage and rely on these ecosystems. Inclusion of multiple stakeholders with different forms of knowledge throughout the project will be critical to the long-term effectiveness of NBS.

Some of the most successful NBS projects have had an extremely broad range of stakeholders, including project developers, investors, government officials, NGOs and local communities holding indigenous knowledge. By having multiple voices around the table, there is buy-in to the project from the outset and issues and opportunities can be addressed early on. A project has a greater chance of long-term sustainability when all groups have a vested interest in its success.

Appendix D: Barriers and Opportunities to Developing and Implementing Nature-Based Solutions

As NBS is still a nascent concept there are still several barriers and opportunities to mainstreaming investment across different habitat and intervention types. This appendix highlights the barriers to entry for many companies, as well as the opportunities to mitigate or address these barriers.

BARRIERS TO INVESTING IN NATURE-BASED SOLUTIONS FOR WATERSHEDS

The implementation and up-scaling of NBS face a broad range of potential technical/operational, regulatory, legislative, economic, social and ecological barriers. Practitioners must understand these barriers, and the interconnected factors that reinforce them, to overcome them. Barriers fall into the following categories:

1. Knowledge Gaps, Uncertainty and Fear of the Unknown

NBS are often innovative and revolve around complex socio-ecological systems, which makes them difficult to monitor and evaluate. As a result, businesses are uncertain if these solutions will provide results which address their specific priorities or challenges. Four main knowledge gaps emerge from both the academic literature and in practice, namely:

- (1) The effectiveness of NBS
- (2) The relationship between NBS and society
- (3) The design of NBS
- (4) NBS implementation aspects

In many cases, assessments of NBS effectiveness in dealing with societal challenges like water security, climate mitigation and adaptation and biodiversity conservation have yet to be developed or, where these exist, have yet to be mainstreamed. These assessments often require experts to undertake scientific and technical studies on sites where the NBS were implemented. These studies can be costly and may not fully capture the true effectiveness of the project due to the multiple and interconnected benefits of NBS. Adding to the knowledge gap, case studies on NBS within the private sector are not always developed, and if they are, may not be widely disseminated. This lack of information sharing can limit future learning opportunities, and can also limit awareness and acceptance of NBS more broadly. Case studies appear regularly in the academic literature, but these may not always have applicability in private sector contexts.

The “fear of the unknown” considers both uncertainties and risks of designing and implementing NBS. NBS are inherently different from traditional engineered solutions and may require new protocols for implementation and maintenance. These factors are perceived as operational/technical unknowns (Kabisch et al., 2016). Developing, monitoring, evaluating and mainstreaming more NBS projects will increase operational and technical clarity.

Additionally, the frameworks and tools to quantify, value and monetize the benefits of NBS are limited. Some proponents of cost-benefit analyses have suggested that this valuation method is sufficient, while others suggest that such analyses are inadequate at evaluating NBS effectiveness given the potential for multiple forms of co-benefits spanning different elements of the socio-ecological system, and how these vary across spatial and temporal scales (Raymond et al., 2017). Reliable valuation of NBS requires new tools and models that consider different spatial and temporal distribution of benefits based on different land use scenarios and different socio-economic contexts.

Addressing this barrier

Designing, implementing and scaling up NBS investments would improve our understanding of natural systems and their interconnected ecological, social and economic elements, and provide us with learning opportunities to further enhance our understanding. By filling these knowledge gaps, we can address uncertainty and reduce or remove the fear of the unknown.

See Opportunities 1, 2, 3, 4, 5 and 6 for more information on addressing this barrier.

2. Inadequate Regulations, Policies and Governance Incentives

There is still little representation of NBS in global policy, although some countries and companies have made considerable strides to include NBS (or similar terms). In cases where regulations and policies do consider NBS as options for addressing certain challenges, some public and private sector actors may still prefer to invest in conventional gray infrastructure options. Most regulations and policies across the public and private sectors have been developed to prioritize traditional gray infrastructure solutions based on historical practices (e.g. to enhance water security, dams have been built to store water, rather than investing in landscape management and alien plant removal to enhance surface and groundwater supplies which could support long-term water security). As the benefits of investing in NBS become more apparent, greater inclusion of NBS in policy will hopefully result in greater implementation of NBS on the ground.

Public sector policies/incentives for adopting NBS or prioritizing investments in green solutions are limited. It is critical that the public sector and funding agencies create conditions for new business and finance models by divesting from dominant gray solutions, and by leveraging private and public funding in strengthening NBS (European Commission 2015; Kabisch et al., 2016). These incentive schemes may take time to develop, but there has been a significant shift in this direction in recent years.

Additionally, land ownership and jurisdictional boundaries influence NBS uptake. For example, water utilities often cannot spend public money outside of their service area, which restricts them from investing in NBS in source watersheds if they are outside municipal boundaries, even if these investments are a cost-effective solution to secure their water supply. Further, businesses may sometimes be legislatively restricted from owning or leasing land, which prevents them from having full discretion over how to manage these properties and implement NBS.

Policy options also need to be socially acceptable to citizens and diverse stakeholder groups, highlighting the importance of embedding NBS policy development in participatory processes that weave together multiple forms and systems of knowledge (Raymond et al., 2017). All sectors have called for collaborative governance, including considerations around provisioning of incentives and/or the removal of administrative barriers to allow for public-private partnerships to emerge between governments and businesses, as well as other multi-stakeholder partnerships which include citizen organizations. Such partnerships can create resource and governance synergies, creating new opportunities for the efficient uptake of NBS (Kabisch et al., 2016).

Addressing this barrier

As NBS become more popular solutions in addressing societal challenges, there will be greater inclusion of NBS in public and private sector policies. Many developed nations and larger companies have expedited this uptake, but many other governments and organizations are also looking to include NBS considerations into their policies. The more NBS is mainstreamed and seen as a priority solution, not just an alternative, the quicker we will see a paradigm shift in NBS inclusivity in projects and programs globally.

See opportunities 1, 2, 3, 4, 5, 6, 7 and 8 for more information on addressing this barrier.

3. Institutional Fragmentation and Sectoral Silos

The people or organizations responsible for funding and implementing NBS are distributed across multiple departments and agencies working within their own mandates. These mandates seldom consider external partners or collaborative opportunities. Multifaceted projects such as NBS often do not fit into existing decision-making functions and structures, even within the same organization. For example, in some cities, stormwater management falls under the mandate of the water department, whereas in others it is the responsibility of the roads department. If stormwater starts affecting properties, people or parks, then it becomes the responsibility of the public works, disaster management or parks and recreation teams. This makes it challenging to define NBS strategies and implement them in a coordinated manner. Challenges also stem from the absence of multi-stakeholder governance. For example, one company practicing water stewardship in isolation cannot achieve a sustainable water basin. Success requires that all water users simultaneously promote stewardship under an effective water governance structure, which aligns interests under an agreed-upon basin management plan. The involvement of various stakeholders in a truly participatory and multidisciplinary process is rare, particularly in government. There are even fewer examples of where multi-stakeholder initiatives have been systematically monitored and evaluated (Raymond et al., 2017), due, in part, to conflicting mandates or the inability of some departments or agencies to cross over into areas which fall outside of their siloes.

Addressing this barrier

During strategic planning phases, organizations should consider broader mandates, roles and responsibilities to see where synergies, collaborations and partnerships can be developed. These partnerships can be based on meeting the key objectives of departments, organizations, governments, etc., or meet other needs such as resource and capacity constraints. Only by working collectively and in an integrated and connected manner will we adequately address this barrier.

See opportunities 1, 2, 4, 5, 6, 7 and 8 for more information on addressing this barrier.

4. Inadequate Financial Resources

Historically, most financial resources for NBS projects have come from grants and government funding, which have been limited to certain NBS, geographic locations or to meet specific challenges. Some businesses have been reluctant to invest in NBS due to the high levels of uncertainty regarding implementation processes and the effectiveness of solutions. Some businesses may demand short-term returns on large investments, yet many of the benefits of NBS only become apparent over the longer term. This return-on-investment model may not be favorable when compared to other options which may yield similar benefits in the short term (e.g. a mangrove and a storm wall will both mitigate storm surges), yet fail to produce further benefits over the medium to long term (e.g. a mangrove will yield biodiversity, recreation and other economic opportunities that a storm wall may not).

Cases exist that can serve as templates to convince private investors to invest in NBS. In “Conservation Finance: From Niche to Mainstream: The Building of an Institutional Asset Class,” Credit Suisse et al. (2016) discuss scalability as one of the main obstacles to greater investment in NBS. Most projects lack replicability beyond a \$5 million threshold, which increases transaction costs. The lack of large-scale investment opportunities is another limiting factor for banks and other intermediaries, according to The Nature Conservancy’s “Investing in Nature” report (TNC, 2019). This especially discourages large, mainstream investors from considering NBS. Within the public sector, many municipalities lack the necessary human and financial resources to consider NBS investments at scale, or are unable to invest in NBS due to policy constraints or social and economic priorities (e.g. social housing projects which limit public finance available for NBS).

Addressing this barrier

Make more funding and financing available to NBS across multiple scales, but particularly across larger scales (e.g. across watersheds), as this is the scale where the most benefits will accrue. Innovative funding and financing opportunities remain to be explored, including blended finance, incentive schemes, green bonds, etc. Investors should be cognizant of the return-on-investment timelines too, to ensure alignment with their financing objectives.

See opportunities 3, 6, 7 and 8 for more information on addressing this barrier.

5. The Disconnect and Discontinuity Between Short-Term Actions and Long-Term Plans and Goals

Many of the benefits which accrue from NBS projects are seen over the medium to long terms. This is contrary to the short-term priorities, actions and decision-making cycles common within businesses. There is, however, a shortage of long-term projects, particularly regarding solutions about how to address implementation and maintenance after the project and related funding end. Researching the design and early-stage implementation of NBS must be paired with suitable funding to maintain the project and to monitor and evaluate the benefits and trade-offs over time.

In some cases, responsibility for project maintenance remains unspecified (throughout the project timeline), posing a risk to the continuity of delivering the desired social, economic and environmental benefits over the long term. Even in cities where long-term policy plans undergo adaptive monitoring for taking up new innovative solutions, scientifically validated options and knowledge are often not available at the time that the policy windows are receptive to new ideas. This may also be the case in the private sector, where investments made often require short-term return on investment. Decision makers may be less inclined to invest in NBS when some benefits only accrue over the long term (Kabisch et al., 2016).

Addressing this barrier

Policies, programs and projects may need to consider longer timeframes when considering return on investments or benefit accrual. Building capital and maintenance costs into the design, implementation and operation phases of NBS projects can ensure that adequate monitoring and evaluation occurs, correct any issues with the green infrastructure or address any future societal challenges and needs.

See opportunities 1, 3, 4, 5, 6, 7 and 8 for more information on addressing this barrier.

6. Path Dependency of Organizational Decision Making

Stakeholders across both the public and private sectors are confident in making investments in gray infrastructure solutions based on demonstrated results over time. This has informed their decision-making, as well as current and future behavior. Changing this behavior or mindset from gray to green (i.e. towards investment in NBS) can be a significant challenge. Some decision makers or practitioners within businesses may be averse to the uncertainty posed by NBS and err on the side of tried and tested solutions (see category 1). Technical challenges also arise when businesses lack internal hydrogeological expertise or capacity to understand watershed management and the implications of NBS projects (see category 1).

Addressing this barrier

As NBS become more mainstreamed, perceptions, attitudes and behaviors toward implementation or scaling up will change and more organizations will look to NBS to solve key challenges or provide certain benefits. As we improve our knowledge of the costs, benefits, trade-offs, barriers to entry etc. of NBS, decision makers may opt to look more seriously at NBS as a viable alternative or hybrid option.

See opportunities 1, 2, 3, 4, 5, 6, 7 and 8 for more information on addressing this barrier.

OPPORTUNITIES OF INVESTING IN NATURE-BASED SOLUTIONS FOR WATERSHEDS

NBS is a relatively new concept to science, policy and practice. As such, there are still plenty of opportunities for business, governments, academics, governance and management practitioners, civil society and citizens to address many of the barriers listed above. Some of these opportunities include:

1. Tapping Existing Knowledge

New NBS projects should draw from and build on the existing NBS knowledge of policymakers, planners, practitioners, researchers and civil society (Krasny et al., 2014). Experiences designing and implementing successful projects where NBS were restored, introduced or managed, as well as lessons learned from less successful or unsuccessful projects, are instrumental for effectively employing NBS more broadly. This knowledge, however, can only be put into practice when new actors or stakeholders engage with those new networks or acquire the experiences.

2. Creating and Fostering Communities of Practice

Knowledge sharing (as above) is critical to mainstreaming NBS. Multi-stakeholder projects, demonstration projects and broad engagements on NBS have created collaborative networks and communities of practice across institutional boundaries that legitimize new planning practices and concepts (Moore & Westley 2011; Boyd et al., 2015). Engaging and further extending those communities can accelerate NBS uptake and integration into existing knowledge areas and foster engagement with multiple knowledge-holders (Kabisch et al., 2016). It may also help overcome tensions between different stakeholders (see next two opportunities).

3. Aligning with Public Opinions, Perceptions, Attitudes and Behaviors

The opinions, perceptions, attitudes and behavior of governments, businesses and communities toward the environment have improved significantly. By closely aligning NBS with the needs and perceptions of beneficiaries, practitioners and policymakers, practitioners can make the value case for NBS more easily to a wider audience and thus build greater public support (Lele et al., 2013). Specifically, a full understanding of NBS may support stakeholders in developing appropriate and effective strategies to elicit public support, inform policy and planning decisions, and mitigate environmental, social and economic impacts (Semenza et al., 2008; Toth & Hizsnyik, 2008). Understanding these opinions, perceptions, attitudes and behavior is a fundamental step in providing for management actions and collaborative governance opportunities (Brownlee, 2012).

4. Flexibility of Adaptive Management

NBS provide opportunities for decision makers to move from traditional management approaches (generally top-down decision-making) to adaptive management^{A1}. Adaptive management is useful when there is substantial uncertainty regarding the most appropriate strategy for managing natural resources. Given that

A1 A structured approach that emphasizes accountability and explicitness in decision-making.

NBS is still emerging in both policy and practice, adaptive management provides the flexibility to try new natural resource management approaches and allows for broader inclusion of external actors in decision-making and governance.

5. Establishing and Practicing Collaborative Governance Approaches

Management and governance of landscapes and ecosystems is no longer seen as the sole mandate of government agencies, NGOs or conservation agencies. Collaborative governance calls for government officials to collaborate with businesses, civil society and citizens to connect demands for action with responsible actors or partnerships for action. These partnerships should strive for good governance practices adhering to transparency, legitimacy, equitability and honesty. Specifically, collaborative arrangements enable the distributed responsibilities that further foster a shift from risk aversion to sharing the risk of new solutions like NBS (Kabisch et al., 2016).

6. Shifting Path Dependencies in Policy, Practice and Funding

Risk aversion is one path dependency^{A2} present in many organizations, whether in business, government or civil society. Historical approaches to management and government have caused many companies and governments to not look beyond “tried and tested” methods they have designed and implemented before. Similarly, funding in both the public and private sectors has tended to flow to solutions which have a proven track record. Given the 200+ years of engineered solutions in many parts of the world, governments, businesses and funding agencies may still prefer these options. But this is slowly changing, with policy, practice and funding focusing on scaling up NBS to meet key societal challenges.

7. Meeting Sustainability and Socio-Economic Objectives

From both a business and government perspective, NBS offers multiple benefits which align with ecological, social and economic objectives. Many organizations have key priority areas, namely water security, carbon sequestration, economic opportunities etc., and NBS provide the benefits to meet these priorities simultaneously. Within the public sector, governments need to address the complex task of meeting SDGs across local, regional and national scales, and, in most cases, NBS can provide cost-effective and no-regret solutions (Matsler, 2019) to deal with meeting SDG commitments.

8. Combining Gray, Green and Blue Infrastructure

One of the greatest opportunities for NBS is the possibility of designing projects and programs to be solely or jointly based on natural solutions. NBS can operate efficiently and effectively without the need for engineered solutions, although a blend of ecological and engineered structures allows for some ecosystem functions mediated by technological solutions. The design of these systems can follow a continuum from majority engineered through to majority ecological, based on favoring flexibility, cost-effectiveness, feasibility, reliability, durability and long-term sustainability (Depietri & McPhearson, 2017).

A2 Initial decisions or company positions that can increasingly restrain present and future choices.

9. Undertaking Robust Monitoring and Evaluation

Undertaking M&E *throughout* the project can ensure that any issues are addressed as soon as possible and adapt the project wherever necessary to maximize benefits and minimize trade-offs. The nature, scope and frequency of M&E will change over time. For example, different levels of monitoring should happen over time, potentially starting with one or two baseline assessments, then monitoring NBS implementation success, and finally leading to measuring outputs and outcomes over the short, medium and long terms. There may be more assessments needed over the short and medium term to ensure that the project is providing sufficient benefits and that any trade-offs are mitigated where possible. Once the NBS becomes more established, monitoring can be undertaken less frequently as the system becomes more established and provides greater benefits over the long term. The indicators and calculation methods presented in Section 3 can support many of the stages of the M&E process.

The issue of monitoring the different scales of NBS impacts in both spatial and temporal dimensions is an important direction for future research. Most available monitoring technologies and methodologies focus on specific spatial scales and there are major limitations to bridge the monitoring results across different observation scales. The establishment of a common and holistic framework for the assessment of NBS impacts also demands further investigation (Somarakis et al., 2019).

Given the importance of M&E to project success, project budgets should incorporate a portion of total project funding towards M&E from the start and continue through to impact assessment (most frequently suggested at 5–10 per cent of the project budget) (ITAD, 2014). In most cases the implementation partner will lead on M&E, but companies should be aware of the “who, what, where and how” components (e.g. who benefits or is impacted, what to monitor, where to undertake assessments, how to evaluate project success) of M&E to ensure the outcomes of interest are being tracked. If several partners invested in NBS, the impacts can be attributed based on the level of investment.

Appendix E: Private Sector Efforts that Evaluate Multiple Benefits of Nature-Based Solutions

TABLE E1: Examples of companies and tools developed to measure or evaluate the multiple benefits of nature-based solutions.

Implementer	Project or Tool	Description
<p>Electric Power Research Institute</p>	<p>Ohio River Basin Water Quality Trading Project</p>	<p>This is a market-based approach to achieve water quality goals by allowing permitted dischargers to generate or purchase pollution-reduction credits from another source, such as a farmer who has already adopted pollution-reduction agricultural practices and does not need credits to abate pollution. Nutrient reductions are quantified as credits (for example, one credit is equal to one pound of nutrient reduction). A regulatory agency then reviews the credits. Resulting benefits include water quantity and quality and co-benefits which include improved soils, carbon sequestration, improved wildlife habitat and additional income to farmers. A challenge with market-based approaches is that behavior may not change to a more desirable and sustainable state if the actor can simply pay off their current choices without additional punitive measures. This provided power companies in the watershed with a more cost-effective option to meet their water quality effluent limits, rather than investing in measures to reduce their effluent. One of the major challenges of the project was considering the uncertainty in measuring water quality benefits over time and place from on-the-ground practices. To overcome this, the project required careful documentation and incorporated science through monitoring and models. These models included estimating nutrient reductions at the field edge (point of credit generation) and a watershed analysis risk management framework for estimating nutrient reduction from field edge to point of use.</p>
<p>The Dow Chemical Company and The Nature Conservancy</p>	<p>ESII Tool</p>	<p>This tool helps businesses such as Dow incorporate the value of nature into their business processes, strategies and decision-making. The ESII Tool produces models and outputs with an engineering and design perspective to facilitate actionable land use and management decisions. For a given site, the ESII Tool helps non-ecologists make relative comparisons of the expected levels of ecosystem service performance, such as aesthetics, water filtration, nitrogen removal, water quantity control, etc. This tool requires data collection for inputs such as temperature, precipitation, type of habitats, types of vegetation, etc. It is not easy to compare outputs between different locations. However, this tool is especially useful for evaluating benefits and trade-offs from different NBS scenarios for a specific location. Robust models incorporated into the tool capture the physical and biological processes, and design and track different sources of uncertainty that arise during the measurement of benefits produced by a natural area.</p>

<p>The Coca-Cola Company</p>	<p>Natural Capital Projects</p>	<p>This initiative quantifies the stacked benefits of Coca-Cola's natural capital projects (e.g. water ecosystem restoration, land restoration, water, sanitation and hygiene and on-farm projects). Coca-Cola documented the ecosystem services of their natural capital projects (e.g. food, raw materials, water quantity, carbon sequestration) and identified calculations beyond common indicators to evaluating the value of those services (e.g. water pollution reduced vs cost of treatment saved). It is not clear how trade-offs or the temporal nature of benefits were included. However, focusing on valuation and economic cost will help Coca-Cola continue to make the business case for nature capital projects.</p>
<p>Microsoft</p>	<p>Planetary Computer</p>	<p>To minimize Microsoft's environmental impact, the Planetary Computer will help collect more data, increase computer power and advance machine learning to improve environmental decision-making. For example, urban planners and farmers depend on forecasts of water availability and flood risks to make educated guesses about land management. The Planetary Computer will combine satellite data, local measurements of streams and groundwater and predictive algorithms, which will empower land planners and farmers to make data-driven decisions about water resources. This will improve our understanding of the interconnectedness of social-ecological systems, connect data, and provide solutions/actions to address environmental impacts. The Planetary Computer can also help determine areas of ecosystem degradation where NBS are needed and can monitor and evaluate the impacts of NBS through environmental data.</p>



Appendix F: Details of Existing Approaches Complemented by this Guide

TABLE F1: Existing approaches, with relevant details, complemented by this guide (see Table 1)

Existing Approaches	Approach Details
Alliance for Water Stewardship Standard	Alliance for Water Stewardship Standard offers a credible, globally applicable framework for major water users to understand their own water use and impacts, and to work collaboratively and transparently with others for sustainable water management within the wider catchment context.
Gold Standard	Gold Standard sets the standard for climate and development measures to quantify, certify and maximize impact, creating value for people around the world and the planet we share.
Pacific Institute's Multi-Benefit Approach to Water Management	The Multi-Benefit Framework for Decision-Making is a framework to incorporate co-benefits into water investment decisions. Water managers can identify potential project partners and co-funding opportunities and modify project design to maximize the value of their investments.
Think Nature's NBS Handbook	This handbook gathers state-of-the-art knowledge regarding NBS into a guide relevant to all actors. It includes each aspect of NBS, from project development to financing and policymaking, and is presented in a concise and comprehensive way to be easily understandable.
Contextual Water Targets	This guide helping companies set effective site water targets informed by catchment context.
Dow's ESII Tool	This tool helps businesses such as Dow incorporate the value of nature into their business processes, strategies and decisions.
EcoMetrics	EcoMetrics uses in-depth analytics to quantify and monetize the full value of each environmental, social and economic outcome produced by NBS.
EKLIPSE Impact Evaluation Framework	Through literature review, this framework explores the multiple dimensions of impact that NBS projects may have when implemented at different scales, from building to regional.
Forest Trend's CUBHIC Tool to Quantify Water Benefits	This tool supports the quantified estimates of the impacts of the most common NBS for water in Peru in terms of water quantity (e.g. increases in dry season flow) and water quality (reductions in sediments and nutrient pollution).
Natural Capital Protocol	The Natural Capital Protocol is a decision-making framework that enables organizations to identify, measure and value their direct and indirect impacts and dependencies on natural capital.
Volumetric Water Benefit Accounting	An approach for implementing and valuing water stewardship activities in a comparable way and ensuring they address current or projected water challenges, mainly relating to volumetric water benefits, and contribute to public policy objectives.


Appendix G: Steps for Method and Tool Development to Identify the Multiple Benefits of Nature-Based Solutions

This appendix details the various steps the project team followed along the method development process for this guide. This method forms the foundation for the practical tool which details the benefits and trade-offs accrued from NBS across different habitats.

OVERVIEW OF METHOD DEVELOPMENT PROCESS

The project team followed multiple steps in the method development process (Figure G1). To start, the project team identified the environmental and societal challenges that can be addressed by NBS, based on the outcomes of Shiao et al. (2020). The second step was to determine the various habitats in which NBS can be deployed, and what kinds of interventions best suit the state of the landscape. Third, the team described the natural processes within different habitat types and categorized these across a series of functional domains (geomorphology, chemistry, etc.). Next, the team linked the benefits and trade-offs to natural processes across several themes (water quality, carbon sequestration, etc.). In Step 5, we identified the activities relevant to NBS that affected the natural processes. In step 6, we created a series of method flows whereby we linked habitat and intervention types to activities, processes and benefits ad trade-offs. These method flows informed the development of a practical tool for step 7.

FIGURE G1: Overview of method development process



To bridge these individual steps, the team created method flows for specific habitat-intervention categories (e.g. forest restoration). Each habitat type has at least three method flows based on possible NBS interventions and related activities. Processes and benefits/trade-offs for each of the habitat-interventions combinations were linked to these activities. Each step is detailed below.

1. Identified Environmental and Societal Challenges

Habitat-specific challenges may relate to physical impacts to a natural system. These can include water quantity issues (too much or too little), water quality concerns, anthropogenic or climate-induced hydrologic or ecosystem changes, or other impacts to ecosystem health. These challenges are highly localized and may vary by habitat, as do appropriate interventions. For example, healthy forests trap and retain soil and control erosion. Deforestation hinders these natural processes, as it contributes to erosion, sedimentation of waterways and degradation of surface water bodies. The challenges identified in this project informed the habitat and intervention types explored, as well as the other steps along the method flows. Shiao et al. (2020) provide an overview of these challenges across multiple habitat types. The challenges identified in this project informed the habitat and intervention types explored, as well as the other steps along the method flows.

2. Determined Habitat and Intervention Types

We developed a classification scheme based on the Nature-based Solutions Evidence Platform (University of Oxford, 2019) and the IUCN Habitats Classification Scheme (IUCN, 2012), to better understand the types of NBS for watersheds, including urban systems. The categories were based on two criteria:

1. They should be *mutually exclusive* to the extent possible (i.e. categories should not significantly overlap);
2. They should be *comprehensive* to cover a broad range of NBS (i.e. categories should cover the majority of NBS types).

We then categorized NBS across two dimensions: *habitat* and *intervention*.

HABITAT TYPES

The IUCN designates 16 major habitat types using a combination of biogeography, latitudinal zonation and depth in marine systems. Each of the categories comprise multiple sub-categories. For this work, nine habitat types were selected (see Table G1), as these were considered relevant or appropriate to the primary and secondary audiences, based on the challenges listed above.

TABLE G1: Habitat types and definitions used in this project

Habitat Type	Definition
Agricultural lands	Land areas used by humans for food, fuel and fiber production.
Estuaries and deltas	A partially enclosed coastal body of brackish water with one or more rivers or streams flowing into it, and with a connection to the sea.
Forests	A continuous stand of trees dominating a landscape.
Grasslands	Areas characterized by a grass understory, and in some cases (shrubland and savanna) accompanied by a sparse herbaceous or woody overstory.
Lakes	An area filled with water, localized in a basin, surrounded by land, apart from any river or other outlet that serves to feed or drain the lake.
Mangroves	Distinct saline woodland or shrubland habitat characterized by depositional coastal environments, where fine sediments collect in areas protected from high-energy wave action.
Rivers and flood-plains	Natural flowing watercourses, usually freshwater flowing towards an ocean, sea, lake or another river. Neighboring flood-plains are areas of land adjacent to a stream or river which stretch from the banks of its channel to the base of the enclosing valley walls, and which experience flooding during periods of high flow. Riparian zones are included here.
Urban Greenspace	Highly modified ecosystems or landscapes that have been altered by humans. Greenspace is dominated by cultivated or invasive species, such as gardens, parks, green roofs, etc., which are actively managed.
Wetlands	Freshwater areas, either home to submerged vegetation (such as ponds) or areas with permanently or temporarily waterlogged soil and emergent vegetation (such as marshes, bogs, swamps, marshes and fens).

While agricultural landscapes were not considered a specific habitat category under the IUCN classification scheme, it has been allocated its own habitat category in this work due to the frequency with which NBS are implemented across agricultural landscapes, including rangelands. We also included urban landscapes, given the unique challenges and opportunities presented in these highly modified areas. While separated out for the purposes of this project, we acknowledge that the habitats listed above are often overlapping with, containing, and affecting one another.

Each habitat type is defined generally here. Practitioners should be aware of local habitat contexts and specificities. For example, forests are defined in this guide as a continuous stand of trees, but given the wide spectrum of forests (i.e. tropical, temperate, boreal), local conditions, composition and characteristics should be observed. Additionally, many watersheds contain multiple habitat types to consider. In some cases, certain habitat types overlap (e.g. a river running through a forest).

INTERVENTION TYPES

An intervention is defined as “**Actions... involving management, restoration or protection of biodiversity, ecosystems, or ecosystem services, or involving the creation or management of artificial ecosystems.**” (University of Oxford, 2019). For this work, we use four types of intervention, defined below (Table G2):

TABLE G2: Intervention types, including definitions, used in this guide

Intervention Type	Definition
Restoration	An intervention that involves returning degraded, damaged or destroyed ecosystems to a pre-disturbance state. Considered synonymous with reforestation, rehabilitation, revegetation and reconstruction.
Management	An intervention that involves maintaining, improving or evolving actions and activities to drive positive structural or behavioral change within an ecosystem. These include natural resource management approaches other than restoration or protection.
Protection	An intervention that prevents or greatly limits human impact and use of resources within a clearly defined geographical area, through legal or other effective means and mechanisms, to achieve the long-term conservation of nature and social-ecological systems with associated provision of ecosystem services and cultural values.
Creation	An intervention involving the establishment, protection or management of artificial or urban ecosystems (i.e. a non-natural system), or if it cannot be determined if the intervention involves a natural habitat. This includes non-native tree stands created or managed to address climatic impacts, created grasslands or wetlands (not restored), all urban landscapes, etc.

These four intervention types are not mutually exclusive. Some interventions may require the inclusion of other intervention activities (e.g. protection of certain habitat types may require some degree of restoration and/or management activities). Where there is overlap, a combined intervention category (e.g. management-protection) may be preferred. However, for the purposes of this guide, the four intervention types are presented separately.

We allocated the restoration, management and protection intervention types to each of the nine habitat types listed above. The creation intervention type was assigned to five habitat types. This categorization resulted in 33 unique NBS habitat-intervention combinations (Table G3). The method flows which are explained below are based on these combinations.

TABLE G3: Habitat-intervention combinations

		INTERVENTIONS			
		Restoration	Management	Protection	Creation
HABITAT TYPES	Agriculture	●	●	●	●
	Estuaries and deltas	●	●	●	
	Forests	●	●	●	●
	Grasslands	●	●	●	
	Lakes	●	●	●	●
	Mangroves	●	●	●	●
	Rivers and flood-plains	●	●	●	
	Urban Greenspace	●	●	●	●
	Wetlands	●	●	●	●

3. Described and Categorized Natural Processes Across Functional Domains

Determining a clear set of habitat and intervention types is foundational to defining the types of NBS that can be implemented, as interventions can be broken down into separate activities (e.g. removing a hard structure to allow migratory species to move freely) within a particular habitat-intervention combination (e.g. forest restoration). If successful, these activities will improve natural processes (e.g. production of clean air, filtering of water) in the landscape, which enhances the benefits a healthy habitat provides.

NBS influence natural systems or habitats, which are profoundly different but have a few things in common: they rest on fundamental physical, chemical and biological processes. These processes affect their environments by capturing and retaining water, carbon and nutrients; by diverting, storing and using energy; by enabling chemical transformations; and using all processes to establish complex ecological systems. In other words, processes relate to the underlying mechanisms controlling how ecosystems function.


Natural systems use these processes to create benefits for the immediate habitat, but they almost always serve the broader community of species and ecosystems as well, including social and economic systems. This web of natural functions is subjected to stress, often from human activity. NBS interventions can disrupt and mitigate these negative developments and other alterations of the natural environment.

Tracing the outcomes of a given activity requires an understanding of the processes in that system. These processes are closely related and interdependent, and to some degree hierarchical: the interactions of a broad range of biological species create a complex ecology; biology is supported by a healthy environmental chemistry, which in turn is built on hydrologic function and a geomorphologic base. Restoration ecologists, primarily in riparian restoration, have developed a nomenclature and structure for this “functional stack” of physical, chemical and biological functions that is helpful for structuring the assessment of natural functions in NBS.

The project team identified processes and benefits and placed them into functional domains (Figure G2). These functional domains included an additional category representing the social/cultural benefits of natural systems. We assigned a process to a particular domain (in some cases, processes operate across multiple domains) based on whether it is primarily related to one of the functional stack elements developed for this project.



FIGURE G2: Functional stack developed for this project



In all cases, the stacked tiers are dependent on the preceding elements, working from the bottom up in Figure G2 (e.g. hydrology is dependent on the geomorphology or topography of a landscape). This is most evident in the top tier, where it should be noted that humanity's needs are not superseding those of nature, but rather that social/cultural systems are highly dependent on nature. It is therefore critical that ecosystem needs are integrated into any decision-making process. The most resilient social-ecological systems and the most successful interventions are built on this full suite of functions.

An advantage of categorization by functional domain is that as we get beyond benefit identification, the tools and indicators used to characterize benefits tend to differ for each domain. For example, hydrologic benefits typically have a common set of indicators (volume of runoff, volume of infiltration into aquifer, etc.), while benefits accruing in the biological/ecological domain have a quite different set of indicators (e.g. number of species). Recommended indicators and methods for calculating the benefits of NBS are described in Section 3.

4. Categorized and Linked Benefits and Trade-offs to Processes

The activities and processes related to NBS in watersheds lead to outcomes that can be both positive and negative. Generally, the results become visible in the form of multiple benefits, with some trade-offs that are mostly unintended. To clarify the different effects that NBS can have, the project team categorized the benefits and trade-offs by functional domain, aligned with the processes above.

Benefits from Nature-Based Solutions

The project team identified benefits arising from the defined set of habitat-intervention combinations (Step 2) and then narrowed the list to a prioritized set of benefits across several themes. The benefit themes include water, carbon, biodiversity and environment, and socio-economic benefits. We prioritized benefits that are:

- Generally recognized by the scientific community;
- Observable, either qualitatively or quantitatively; and
- Linked to processes that can ultimately be traced back to actions.

The prioritized set of benefits (Table 4) is also most often documented in the technical literature, and amenable to monitoring and observation using generally recognized indicators or quantification methods.

As with the processes above, the project team assigned benefits according to the five-tiered functional domain structure (Figure G2), based on how their effects could be most directly measured. In some cases, effects are measurable across multiple domains. Method flow diagrams for each habitat (see below) document further benefits for each habitat, as well as trade-offs and other negative or mitigating factors that may accompany NBS implementation.

Considering Trade-offs from Nature-Based Solutions

When assessing the multiple benefits of NBS, considering trade-offs along the design, implementation and monitoring phases is essential. By recognizing that trade-offs are possible in all NBS, it enables those looking to invest in NBS to plan for their occurrence and define actions to minimize negative impacts as best as possible, through reconciling the different preferences of stakeholders. For more information on trade-offs, see sections 2 and 3.


5. Identified Activities that Influence or Impact Natural Processes

The project team identified a series of activities based on literature and the project team's expertise on NBS (Table 3). Activities are defined here as **“human actions that improve landscape functions and processes which result in benefits and/or trade-offs.”** These activities physically change a landscape through restoration, management, protection or creation interventions, and have a direct influence on natural functions and processes.

6. Linked Habitats and Interventions to Activities, Processes, Benefits and Trade-Offs


The project team developed method flows to express and document how the above benefits are influenced by NBS activities. In response to habitat-specific challenges, and based on the intervention types, NBS activities such as planting native vegetation (including trees) can reduce erosion as the roots bind the soil (processes). Through reactivating these natural processes, these activities can lead to improved surface water quality and reduced water treatment costs (benefits). These flows and relationships are depicted in Figure G3.

FIGURE G3: Relationship between water challenges and interventions that contribute to benefits or trade-offs



The method flow diagram (Figure G4) identifies relevant processes supporting a given habitat, categorizes them by domain and captures linkages to benefits categorized into water, carbon, biodiversity and socio-economic themes (a). Benefits are then linked to other co-benefits, and to the processes that influence them (b). In the example presented in Figure G4, an activity (remove hard surfaces) undertaken in the landform/geomorphology domain influences processes that span the landform and hydraulics/hydrology domains. These process in turn create benefits that cross multiple domains, including the biological and social/cultural. It is important to note that these effects may also change over time and vary over different spatial scales. These linkages exist for each of the activities across all the functional domains for each habitat-intervention combination.

FIGURE G4: Method flow for forest restoration.



Method flow diagrams represent the general processes and benefits, as well as the interlinkages between them, for all habitats within a particular category (e.g. wetlands). The project team recognizes that there is a wide diversity of habitats within any category and that these flow diagrams may not capture all nuances of a particular habitat type based on localized conditions or contexts.

Like the natural systems they represent, these method flow diagrams demonstrate complex interconnections, but they also reflect what many restoration practitioners describe about the caretaking of natural systems: benefits from NBS activities rest on a hierarchy of natural processes that include diverse biology, high water quality, naturally varying hydrology and adapted, stable landforms.

Multiple existing NBS projects across the globe are pilot testing these method flows to determine their robustness and defensibility. Outcomes from the pilot testing will inform how interlinkages across different elements (i.e. challenges through to benefits) are reflected in the functional tool.

Activity Overlays

A final step for the method flow diagrams is to demonstrate how activities relate to desired benefits. An activity overlay is an addition to the method flow diagram shown in Figure G4 that captures how a specific activity would affect the processes listed on the left side of the diagram, and in turn, would influence the benefits listed on the right side.


In the example presented in Figure G5, an activity (remove hard surfaces) undertaken in the landform/geomorphology domain influences processes that span the landform and hydraulics/hydrology domains. These process in turn create benefits that cross multiple domains, including the biological and social/cultural. It is important to note that these effects may also be time dependent (i.e. change over time) and vary over different spatial scales.

These linkages exist for each of the activities across all the functional domains for each habitat-intervention combination. The activity overlay can also help back track from desired benefits to identify actions that could play a role in creating those benefits. Activity overlays will be an important part of the development of an NBS tool, described below.

7. Developed a Practical NBS Tool

Based on these method flows, the project team developed an NBS tool based to visualize the interconnectedness of these functions and relate them to benefits in a way that supports NBS planners. To be effective, an NBS tool needs to, at a minimum, assist NBS planners in the process of exploring potential interventions and NBS activities by habitat, linking activities to processes and on to benefits, and providing well-defined and recognized indicators of benefits, with calculation methods to quantify them.

FIGURE G5: Method flow for forest restoration with restoration activity overlay



Appendix H: Additional Socio-Economic Benefits

EXPANDED RELIGIOUS/SPIRITUAL SETTINGS

Spirituality is a common feature of experiences in nature, and some religious or spiritual practices depend on access to nature and calm, non-urban spaces to encounter them. As nature is seen as an embodiment of spirituality, it is essential to have healthy ecosystems to practice spirituality. There is also a therapeutic value to experiencing spirituality in nature (Naor & Mayseless, 2020). NBS can therefore be said to expand religious and spiritual settings, which can be measured through a survey-type approach around time spent in nature for religious activities, and changes to spiritual well-being of the beneficiaries of NBS-enhanced systems.

ENHANCED MICROCLIMATE REGULATION

NBS that are implemented in primarily urban settings can mitigate urban heat island effect, a phenomenon in which air temperatures in cities are substantially higher than in adjacent rural areas (Imhoff et al., 2010). By incorporating natural vegetation through NBS into urban centers, some of the benefits that accrue will include reduced ambient temperatures, shade provision, aesthetic improvements and possible health benefits, particularly for vulnerable populations (Poumadere et al., 2006).

A variety of tools can model the potential impacts of NBS projects on urban heat islands, depending on the type of projects implemented. The selected urban heat island model should match the project in affected processes, spatial scale and computational ability. For example, projects that make large changes in surface cover types (e.g. converting impervious surfaces to a green space) can be modeled using several of the easier-to-use models (e.g. [FRAISE](#), [LUMPS](#), [UWG](#)). If the project is making smaller surface alterations such as a transition from grass to trees or an increase in irrigation, a more detailed model can capture the effects, such as ENVI-met and Surface Urban Energy and Water Balance Scheme.

IMPROVED OPPORTUNITIES FOR EDUCATION AND SCIENTIFIC STUDIES

NBS are usually implemented after conducting scientific feasibility studies, and the impacts of activities are monitored throughout the project (i.e. from the start to the finish and beyond). Data gathered on both environmental and socio-economic information can be used for wider scientific and economic studies, to understand general trends and natural phenomena. Findings can be extrapolated to other contexts and hence improve understanding and decision-making regarding nature, ecosystem services and their impacts. The effects of NBS on all benefit categories listed in this guide present research opportunities.

In addition, NBS bring opportunities for general education. Through more green jobs and enhanced ecosystems, people will spend more time in nature improving their ecological literacy. Specific educational efforts in

ecosystem settings can strengthen this impact. As environmental education requires outdoor activities, NBS can improve the quality of education through increased opportunities for “real world” teachings, in better functioning ecosystems, and can be measured through actual time spent outside. Through interviews and tests, ecological literacy measures a person’s knowledge of ecological systems, their care for the environment and correlated action impacting the environment.

IMPROVED FOOD SECURITY

Through protecting and restoring natural resources and ecosystem services, NBS can improve agricultural performance and provide a mechanism for greater food security. This is because implementing NBS makes agriculture more sustainable, improves outputs and secures access to resources over the long term. NBS may also increase the resilience of food production to unpredictable climate change and extreme weather. For example, NBS activities that improve soil health will reduce the impact of future water shortages, as water retention rates are higher in healthier soils. This will result in more reliable yields (FAO, 2018b). In addition, NBS strengthen ecosystem services essential for fisheries. Many people depend economically on fish. Productive fisheries are also essential for global food security, providing over 3 billion people with at least 20 per cent of their animal protein. Even small quantities of fish can have a significant positive nutritional impact, which is important for fighting hunger and malnutrition in poorer countries (WWF, 2016).

Even NBS in non-agricultural/natural habitats contribute to feeding the current and future world population. This is because NBS can enhance the overall availability and quality of water in the region, and support biological functions and processes which neighboring farming systems are heavily reliant upon. For example, healthier forests will protect catchments and deliver cleaner water to agricultural lands. As farmers can also improve food security by retaining trees on agricultural lands, forests and agroforestry are an essential component of long-term food production (FAO, 2017b).

The WRI found that restoring 160 million hectares of degraded agricultural land can generate \$84 billion annually for local and national economies, which not only increases smallholder farmer’s income, but could provide additional food for almost 200 million people globally (Wu, 2017).

Changes in access to high quality, affordable food, pre- and post NBS implementation, are a way to study food security.

IMPROVED RECREATION/TOURISM OPPORTUNITIES

Creating, protecting or restoring green spaces in cities and rural areas through NBS can increase tourism revenues, as these public spaces become more attractive to locals and visitors. Methods to investigate NBS improvements to tourism opportunities include the total number of tourists/visitors within a given timeframe in NBS-enhanced spaces. Tourism opportunities have direct economic benefits for local communities. They create restoration, management or conservation jobs, provide employment opportunities for guiding, fishing, hunting, etc., as well as for the hospitality industry. Tourism increases local economic transactions, such as through charging fees for access to green spaces.

NBS can also increase opportunities for physical activity, such as walking, hiking or cycling infrastructure, and other outdoor leisure activities, improving mental and physical health (see health benefits above). Traditional gray infrastructure may not offer these additional recreation or tourism benefits. These NBS-enhanced green spaces can motivate people to spend more time in natural habitats. Increased access to recreation is essential to human biology and psychology. Practitioners can quantitatively measure the benefits of improved recreation/tourism opportunities through the distance to recreational spaces and total recreational time spent there. Another option is to measure health benefits from time spent in. Qualitative indicators are also available, whereby visitors and tourists to NBS-enhanced areas share the emotional, mental, spiritual or physical benefits they receive from nature.

INCREASED PROPERTY/LAND VALUES

The price of property or land represents a net market value for a variety of factors, including size and shape of the property or lot, access to jobs, type of street, commute, schools, crime rate, weather, neighborhood, amenities, etc. (AEI, 2020). The state and functioning of local landscape features (such as surrounding vegetation, aquatic systems, etc.) also influence the value of properties and land. NBS can greatly enhance landscapes, with property/landowners and surrounding communities benefitting from additional or enhanced ecosystem services. NBS also offer opportunities to mitigate impacts from climate change (e.g. sea level rise) or other extreme events (e.g. flooding or fires). This additional protection service could greatly increase land or property values. Additionally, by providing ongoing protection against certain disasters, NBS can decrease insurance premiums. Several indices offer ways to quantify the additional value to property or land provided by NBS, including the property price index or home price appreciation index. Practitioners are urged to use an index which considers local contexts and data sets. Qualitative indicators are also available, such as surveys, to test the market and determine whether NBS have influenced property/land values.

Appendix I: Synthesis of Corporate Nature-Based Solutions Projects

This appendix provides an overview of the corporate NBS project examples that were used to inform the focus of this work, including the criteria applied for inclusion and the types of information that were analyzed.

To improve the understanding of current corporate investment in NBS for watersheds, this guide catalogued global corporate NBS projects that were available online. To understand what is driving corporations to invest in NBS projects, see the Drivers & Decision-Making section below, as well as our blog post [“Why Should Your Business Be Interested in Nature-Based Solutions for Watersheds?”](#) for a deeper dive. The aim was to collect a range of corporate NBS projects focused on private investments in NBS for watersheds across differing NBS classifications, geographies, industry sectors and outcomes. For inclusion in this project, the projects had to meet five criteria:

1. Be publicly available via an internet search;
2. Adhere to the IUCN definition of NBS (see Section 1);
3. Have private sector investment and/or ties to a corporate water stewardship goal;
4. Clearly state water benefits (quantity or quality) and/or be implemented in a freshwater habitat; and
5. State at least one co-benefit (carbon, biodiversity, etc.)

From each project example, we sought the following information:

1. Project title and overview
2. Geography
3. Organizations (company and implementing partners)
4. NBS habitat-intervention classification (see Appendix G)
5. Drivers for investing in NBS for watersheds
6. Benefits stated and measured
7. Methods used to measure the benefits
8. Lessons learned and insights on how to scale NBS for watersheds

In total, we assessed 94 project examples encompassing multiple habitat-intervention categories. Most of the projects were classified as wetland restoration (37), agricultural management practices (34), or forest restoration (21) (Table I).

TABLE I1: Number of projects reviewed across different habitat and intervention types

		INTERVENTION TYPE			
		Restoration	Protection	Management	Creation
HABITAT TYPE	Forest	21	12	4	
	Savanna, Shrubland, Grassland and Desert	14	4	1	
	Marine, Estuaries and Intertidal	4		1	
	Wetland	37	3	1	
	Artificial and Introduced			4	15
	Terrestrial Agriculture	5		34	1

Many projects incorporated multiple NBS categories (across different intervention and habitat types), such as a combination of forest and grassland restoration, or agricultural management practices combined with wetland protection. All project examples were documented on the [Water Action Hub](#).

The geographic distribution of projects skewed towards the Americas. African and Asian project examples were similar in number, while fewer examples from Europe and Australia (Figure I1).

FIGURE I1: Geographic distribution of NBS case studies reviewed



BENEFITS OF NATURE-BASED SOLUTIONS IN PROJECTS


The documentation and measurement of benefits within the project examples was particularly important to this project. Information was gathered on benefits *claimed* as outcomes of the NBS, and how benefits were *measured* or *estimated*.

Which Benefits were Claimed?

Water quantity and quality were the majority benefits claimed, followed closely by biodiversity and other co-benefits. Fewer projects mentioned carbon benefits. The “Other Co-Benefits” category included outcomes such as community resilience, local job creation, poverty alleviation, increased crop yields, education, reduced urban heat island impacts, improved air quality and more. These co-benefits have all been listed under the socio-economic benefits in this guide.

The data for these project examples showed a large gap between the benefits claimed and the benefits measured or estimated either through modeling or monitoring (Figure I2). Lack of quantitative data on the benefits of NBS is often cited as a barrier to building the business case for, and thus scaling investment in, these kinds of NBS projects (Somarakis et al., 2019) (see Section 1). Across the set of examples, only about 40 per cent of the benefits claimed were supported by measurements or estimations. The occurrence of benefit measurements or estimations varied widely depending on the benefit in question. For example, 63 per cent of water quantity benefit claims were measured or estimated, while only 17 per cent of biodiversity claims were measured or estimated. An important caveat here is that these data are only based on what was reported in the publicly available project examples; it is possible that these NBS projects provided additional benefits, and that they were measured or estimated, but the information was excluded from the project.

FIGURE I2: Breakdown of benefits claimed and measured in reviewed NBS projects



How were Benefits Measured or Estimated?

The project team sought to understand how benefits were measured or estimated. Was it more common for the benefits to be monitored onsite, or to be estimated using a mathematical model? Of the 94 corporate NBS project examples, 68 had distinguishing information about whether monitoring or modeling was used. This leaves a gap between benefits claimed and benefits measured. Of those, 42 companies utilized modeling while 24 utilized monitoring to measure or estimate benefits. Some cases cited specific tools or resources used to measure or estimate benefits, including the Verified Carbon Standard, Restore the Earth EcoMetrics model, the ESII Tool and the Sustainable Rice Platform Standard (see Section 1 and Appendix E).

Drivers and Decision-Making

The project examples revealed a diversity of factors driving companies' decisions to invest in NBS. Common drivers included:

- Corporate sustainability goals, such as a water replenishment target;
- Ethos and mindset of corporate responsibility;
- Regulatory compliance; and
- Financial return on investment.

Lessons Learned

Some of the projects shared insights, lessons learned or recommendations based on the experience of investing in and/or implementing an NBS project. Below is a list of some of those insights on scaling investments in NBS for watersheds.

1. Earn Buy-In at the Outset

- Engage with decision makers early in the process to ensure that NBS are being considered as an option.
- Allow local communities and other key stakeholders to participate and take ownership of the project from the planning phases through to maintenance and adaptive management.
- Find a persistent internal champion. They will be critical in propelling NBS projects forward or maintaining momentum for existing projects.
- Get uptake and acceptance by the local community by informing them of or demonstrating positive socio-economic benefits in the short term. This will make communities more open to making changes with long-term ecological benefits.

2. Share the Story

- Share projects (internally and externally) that demonstrate NBS success with a broad range of interested and affected parties.
- Showcase how it is possible to create healthy, productive landscapes where nature and people thrive.
- Emphasize corporate investment in NBS to showcase community leadership, and as an employee recruitment and retention technique. Consumers and employees like companies who “do good” for nature.

- Educate the media, public and government on the value of natural or green engineering in building resilience into the environment, as well as the role of public-private collaborations in advancing these types of projects.
- Establish a network for sharing knowledge, skills, examples and insights regarding NBS.

3. Show the Data

- Leverage mobile technology, big data analytics and citizen science to help generate data that demonstrate benefits.
- Demonstrate cost savings over time.
- Undertake detailed feasibility studies, which are key to successful execution.
- Develop tools for the proper assessment of the “full value” of NBS (include multiple benefits and cost savings covering capital, operational and maintenance costs).
- Develop more comprehensive environmental foot-printing and economic analysis to compare green and gray infrastructure costs and benefits.

4. Educate Companies and Communities

- Promote efforts in environmental education.
- Foster peer-to-peer learning within companies and communities.
- Share experiences among farmers for further adoption of NBS in agriculture.
- Provide community training on NBS, including for local businesses.
- Create a decision-making framework for businesses to compare NBS to other alternatives.
- Scaling can happen within a single company. Once an NBS is piloted on one site, it can expand to others.
- Promote the shift to a more environmentally conscious mindset, emphasizing the need for long-term sustainability and a more holistic approach to management.
- Develop educational resources to help companies identify NBS opportunities and advise where challenges or trade-offs are likely to occur.

5. Improve Policy and Financing

- Leverage small grants and loans from financial institutions for businesses and farmers to implement NBS.
- Share positive results from NBS projects with the public sector to help advocate for and advance policies that support NBS.
- Revise land-use permitting and regulatory processes to make NBS easier.
- Advance long-term, sustained public-private partnerships.
- Utilize market mechanisms such as a water quality trading program.



The CEO Water Mandate's six core elements:

DIRECT OPERATIONS

Mandate endorsers measure and reduce their water use and wastewater discharge and develop strategies for eliminating their impacts on communities and ecosystems.

SUPPLY CHAIN AND WATERSHED MANAGEMENT

Mandate endorsers seek avenues through which to encourage improved water management among their suppliers and public water managers alike.

COLLECTIVE ACTION

Mandate endorsers look to participate in collective efforts with civil society, intergovernmental organizations, affected communities, and other businesses to advance water sustainability.

PUBLIC POLICY

Mandate endorsers seek ways to facilitate the development and implementation of sustainable, equitable, and coherent water policy and regulatory frameworks.

COMMUNITY ENGAGEMENT

Mandate endorsers seek ways to improve community water efficiency, protect watersheds, and increase access to water services as a way of promoting sustainable water management and reducing risks.

TRANSPARENCY

Mandate endorsers are committed to transparency and disclosure in order to hold themselves accountable and meet the expectations of their stakeholders.